

AVIATION SOLUTIONS

Lubricants designed to improve the functionality, reliability and longevity of aviation components from take-off to landing.





LUBRICANTS IN FLIGHT

annan annannan annan a

SYNTHETIC LUBRICANTS FOR AVIATION

AIRFRAME

Proper function of landing gear during takeoff and landing is absolutely critical to save aircraft operation. Primary flight controls need to activate as desired by the pilot when the aircraft is in flight. Lubricating airframe components with a corrosion-inhibited, synthetic hydrocarbon grease designed for high speed, wide temperature conditions will function.

The electronics and avionics systems found in the cockpit rely on lubrication to ensure the communications, navigation, and other crucial flight systems perform properly. Some instrumentation and adjustment controls require lubrication to ensure long-term protection from corrosion and consistent, reliable operation. The synthetic lubricants enable mechanisms to slide, push or flip smoothly, while also imparting the optimal feel or control feedback for the pilot's interface to a wide range of mechanisms and switch designs, including levers, dials, slides, push buttons, etc.

INTERIOR

Primary Flight Controls

Wing Flap Bearings - UniFlor™ 8961MT

Fuel System

Valve O-ring - UniFlor™ 8921

Electrical

Connectors & Sensors - UniFlor™ 8917

Gallev

Food Prep Compartment - Fluorocarbon Gel 880FG Food Prep Equipment - UniFlor™ 8921A

Cockpit Instruments

Shaft/Tachometer Generator - UniFlor™ 8961MT **Connector Harness -** Rheotemp[™] 768G Potentiometer - UniFlor[™] 8981

Avionic Control

Electrical Connector - NyeTact® 571H-10 Joystick & Yoke - NyoGel® 774 Series **0-ring/Seal -** UniFlor[™] 8961MT Switches - UniFlor[™] 8950 & UniFlor[™] 8980

Landing Gear **0-ring/Seal -** UniFlor[™] 8512S

Shimmy Damper - Fluorocarbon Gel 880

Engine Exhaust

Auxiliary Power Unit

Fuel Control

& UniFlor™ 8981

Bearings in High Speed

Thread Lubricant - Rheolube® 733MZ

Rotating Oscillatory Pivot - Rheoplex 6000HT Actuator & Bearings - UniFlor™ 8921, UniFlor™ 8980

Actuator Components - UniFlor™ 8991MT Gear Train Cables - UniFlor™ 8991MT

Electrical

Sliding Switches - Rheotemp[™] 763G **Overhead Lighting Connectors - NyoGel® 760G**

Cabin

Interior Components - UniFlor[™] 8172 **Recliner Mechanisms -** UniFlor[™] 8172 Hinges/Slides - UniFlor[™] 8512 Seat Tray Hinges - NyoGel® 774 Series Personal TV Hinges - NyoGel® 774 Series Seat Belt Latches - Fluorocarbon Gel 880 Pressure/Oxygen Valve O-ring - L-Phen-100K Air Vent Controls - NvoGel® 774HF

AVIATION APPLICATIONS

AVIONICS

ENGINE

Aircraft engines must withstand a wide range of temperatures and operate at high altitudes. Components, including the lubricant, must be compatible with aviation fuels and resist corrosive fuel system vapors. Unique fluorinated synthetic lubricants, that are inherently inert, are ideal for this kind of operating environment. In addition to staying fluid at very low temperatures, their superior thermo-oxidative stability prevents high-temperature oxidation and varnishing even at continuous temperatures of 250°C, while also resisting aggressive chemicals and fuels.

Passenger seating and storage systems can benefit from a thin film of lubricant applied to interior component hinges and slides, to reduce noise generated by vibration and friction in the aircraft cabin while engines are running. In most instances, the actuation of these interior components are operated by passengers. A properly selected lubricant that stays in place will ensure a quality sound and feel of operation. Passenger electronic interfaces and entertainment systems rely on lubricants to ensure electrical connections have long-term protection from corrosion and fretting wear.

Nye Lubricants, Inc.

12 Howland Road Fairhaven, MA 02719 USA Ph: +1.508.996.6721 Email: contact@nyelubricants.com

NyeLubricants.com





ISO 9001:2015 IATF 16949:2016 ISO 14001:2015 ISO 13485: 2016 AS 9001D