Nye Lubricants TECHNOLOGY IN MOTION TO

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

SYNTHETIC OIL 132B

of the mixture

Registration number

Synonyms None.

Product Code SYNTHETIC OIL 132B

Issue date April-26-2011

Version number 09

Revision date December-30-2016 Supersedes date August-28-2014

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier

Company name

Address

Nye Lubricants, Inc.

12 Howland Road
Fairhaven, MA 02719

...

US

Division

Telephone General Assistance 001-508-996-6721

e-mail sds@nyelubricants.com

Contact person Not available.

1.4. Emergency telephone 3E Online 800-451-8346

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Environmental hazards

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long-term aquatic hazard long lasting effects.

Hazard summary

Dangerous for the environment if discharged into watercourses. Not classified for health hazards.
However, occupational exposure to the mixture or substance(s) may cause adverse health

effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: SYNTHETIC OIL 132B

98,52% of the mixture consists of component(s) of unknown long-term hazards to the aquatic Supplemental label information

environment.

None known. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

% CAS-No. / EC No. **REACH Registration No.** Index No. Chemical name **Notes**

TRIPHENYL PHOSPHATE 115-86-6 < 1

204-112-2

Aquatic Acute 1;H400, Aquatic Chronic 1;H410 Classification:

Other components below reportable levels 90 - 100

List of abbreviations and symbols that may be used above

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information**

protect themselves.

4.1. Description of first aid measures

Call a physician if symptoms develop or persist. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Exposure may cause temporary irritation, redness, or discomfort.

Eye contact Get medical attention if irritation develops or persists. Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

No unusual fire or explosion hazards noted. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

Move containers from fire area if you can do so without risk.

procedures Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection,

see section 8 of the SDS.

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the For emergency responders

SDS

SYNTHETIC OIL 132B Version #: 09 Revision date: December-30-2016 Issue date: April-26-2011

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Clean contaminated surface thoroughly. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Clean up spills immediately, observing precautions in Protective Equipment section. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components
TRIPHENYL PHOSPHATE

Type Value

(CAS 115-86-6)

TWA 3 mg/m3

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Biological limit values

Follow standard monitoring procedures.

Derived no-effect level (DNEL)

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

Wear appropriate thermal protective clothing, when necessary.

supplier.

Other Wear suitable protective clothing.

Respiratory protection
Thermal hazards

In case of insufficient ventilation, wear suitable respiratory equipment.





Material name: SYNTHETIC OIL 132B

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Liquid. Liquid **Form** Color Clear

Slight Odor

Odor threshold Not available. рΗ Not available Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

489,2 °F (254,0 °C) ASTM D-92 Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Solubility (other) Not available. Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity Explosive properties** Not explosive. Oxidizing properties Not oxidizing.

9.2. Other information

Density 0,82 g/cm3 Shelf life 4 years

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

10.5. Incompatible materials

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

Strong acids, alkalies and oxidizing agents. 10.6. Hazardous Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of

phosphorus. decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Material name: SYNTHETIC OIL 132B SDS ESTONIA Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Components	Species	Test Results		
TRIPHENYL PHOSPHATE (CAS 115-86-6)				
<u>Acute</u>				
Dermal				
LD50	Rabbit	> 7,9 g/kg		
		7900,0001 mg/kg		
Oral				
LD50	Chicken	> 5 g/kg		
	Guinea pig	> 4000 mg/kg		
	Mouse	1,3 g/kg		
	Rat	3500 mg/kg		

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye Due to partial or complete lack of data the classification is not possible. irritation Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitization Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity single exposure

Specific target organ toxicity repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity	Harmful to aquatic life with long lasting effects.			
Components		Species	Test Results	
TRIPHENYL PHOSPHATE (CAS 115-86-6)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	0,86 - 1,2 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0,31 - 0,41 mg/l, 96 hours	

^{*} Estimates for product may be based on additional component data not shown.

degradability

12.2. Persistence and

No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF) Not available. No data available. 12.4. Mobility in soil 12.5. Results of PBT Not available.

and vPvB assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: SYNTHETIC OIL 132B SYNTHETIC OIL 132B Version #: 09 Revision date: December-30-2016 Issue date: April-26-2011

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of

Not established.

MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use

Not regulated.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Material name: SYNTHETIC OIL 132B

SDS ESTONIA

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as

amended.

National regulations Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

ISECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Training information Follow training instructions when handling this material.

Issued by Jason Galary

Manager: Technical Support, Applications, and Engineering

DisclaimerNye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the product of other manufacturers in combination with its product, may be used. It is the

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Material name: SYNTHETIC OIL 132B