

# SAFETY DATA SHEET

### 1. Identification

Name of the substance or mixture (trade name)

**NYOGEL 760K** 

Major recommended uses for

the substance or mixture

**Lubricating Grease** 

Specific restrictions for use of

the substance or mixture

Not available.

Manufacturer/Importer/Distributor information

Manufacturer

Company name Nye Lubricants, Inc. 12 Howland Road Address

Fairhaven, MA 02719 **United States** 

Telephone General Assistance

Website www.nyelubricants.com sds@nyelubricants.com E-mail Nye Lubricants EH&S Contact person

**Emergency telephone number** 3E Online 800-451-8346

#### 2. Hazards identification

#### Classification of the substance or mixture

The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725-2.

Physical hazards Not classified.

**Health hazards** Reproductive toxicity Category 2 **Environmental hazards** Hazardous to the aquatic environment, acute Category 3

Hazardous to the aquatic environment, Category 3

001-508-996-6721

long-term hazard

#### GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word

Hazard statement(s) Suspected of damaging fertility or the unborn child. Harmful to aquatic life. Harmful to aquatic life

with long lasting effects.

Precautionary statement(s)

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye

protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None known.

Supplemental information None.

Other information The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

email or on the company website.

### 3. Composition/information on ingredients

#### Mixture

Product name: NYOGEL 760K

1677 Version #: 06 Issue date: March-23-2011 Revision date: February-21-2023

2/7

Common chemical name or technical name	CAS number	Concentration or concentration range
POLYBUTENE	9003-29-6	20 - < 30*
1-DODECENE, POLYMER WITH 1-DECENE AND 1-OCTENE, HYDROGENATED	163149-28-8	5 - < 10*
ALKYLATED DIPHENYLAMINE	Trade Secret	< 1*
ANTIMONY DIALKYLDITHIOCARBAMATE	15890-25-2	< 1*
TRIPHENYL PHOSPHATE	115-86-6	< 1
Other components below reportable levels		60 - < 70

# 4. First-aid measures

First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and

delayed

Personal protection for first-aid

responders

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

# |5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Protective measures taken by

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

firefighting crews Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Control measures for spills and leaks

# Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services

Wear appropriate protective equipment and clothing during clean-up.

To be taken by those who are involved in rendering emergency services

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up Prevent product from entering drains

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

Control parameters

Follow standard monitoring procedures.

Occupational exposure limits

Brazil. OELs (Ordinance No. 3214, 6/8/78, NR-15, Annex 11 (amended through ACGIH)) Components Value Type ANTIMONY **TWA** 0.5 mg/m3 DIALKYLDITHIOCARBAMA TE (CAS 15890-25-2) TRIPHENYL PHOSPHATE TWA 3 mg/m3 (CAS 115-86-6) **US. ACGIH Threshold Limit Values** Components Value Type **ANTIMONY** TWA 0.5 mg/m3 DIALKYLDITHIOCARBAMA TE (CAS 15890-25-2) TRIPHENYL PHOSPHATE **TWA** 3 mg/m3 (CAS 115-86-6)

**Biological limit values** 

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective measures

Eyes and face protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection Hand protection

Wear appropriate chemical resistant gloves. Use of an impervious apron is recommended.

Respiratory protection

Other

Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. 1677 Version #: 06 Issue date: March-23-2011 Revision date: February-21-2023

Liquid. **Form** Not available. Color Odor Not available. Not available. Odor threshold Not available. Not available. Melting point/freezing point

Initial boiling point and boiling

temperature range

4046 °F (2230 °C) estimated

485.6 °F (252.0 °C) ASTM D-92 Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other physical and chemical parameters

**Explosive properties** Not explosive.

Kinematic viscosity 530 cSt

Kinematic viscosity temp 104 °F (40 °C) Oxidizing properties Not oxidizing. Percent volatile 28.68 % estimated Pour point -18.4 °F (-28 °C)

Shelf life 4 years

Specific gravity 0.96 estimated VOC 28.68 % estimated

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

# Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

**Symptoms** Direct contact with eyes may cause temporary irritation.

**Acute toxicity** Not known. 1677 Version #: 06 Issue date: March-23-2011 Revision date: February-21-2023 5 / 7

Components Species Test Results

<u>Acute</u>

<u>Acute</u> Dermal

TRIPHENYL PHOSPHATE (CAS 115-86-6)

LD50 Rabbit 7900 mg/kg

Oral

LD50 Rat 3500 mg/kg

Skin irritation and corrosion

Serious eye damage/eye irritation

Prolonged skin contact may cause temporary irritation.

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

**ACGIH Carcinogens** 

TRIPHENYL PHOSPHATE (CAS 115-86-6)

A4 Not classifiable as a human carcinogen.

Brazil. OELs (Ordinance No. 3214, 6/8/78, NR-15, Annex 11 (amended through ACGIH))

TRIPHENYL PHOSPHATE (CAS 115-86-6) Group A4 Not classifiable as a human carcinogen.

**Toxic to reproduction** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified

Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

#### 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Components Species Test Results

TRIPHENYL PHOSPHATE (CAS 115-86-6)

**Aquatic** 

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 0.86 - <= 1.2 mg/l, 48 hours

Fish LC50 Rainbow trout, donaldson trout 0.3, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

(BCF)

**Bioconcentration factor** 

· uti

Not available.

Mobility in soil No data available for this product.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

# 13. Considerations on final disposal

Recommended methods for final destination

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

6/7

1677 Version #: 06 Issue date: March-23-2011 Revision date: February-21-2023

#### Local disposal regulations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

### 14. Transport information

#### **National regulations**

ANTT

Not regulated as dangerous goods.

International regulations

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

## 15. Regulatory information

#### Federal regulations

This product is not classified for Transportation in accordance with Resolution ANTT Resolution 5232, of December 14, 2016, as amended. This chemical product safety data sheet was prepared in accordance with the Brazilian Standard (ABNT NBR 14725-4: (Safety data sheet for chemicals (SDS))).

Chemical Products Controlled by the Federal Police (Ordinance No. 240)

Not applicable.

Chemical Products for the Manufacture and Synthesis of Narcotics and Psychotropic Subject to Control of the Ministry of Justice (Resolution No. 169 of 15 August 2017, Annex I, List D2)

Not listed

Controlled products that must be reported to the Army (Decree No. 3655, Annex 1, as amended)

Not applicable.

Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)

Not applicable.

POPs (Decree No. 5.472 promulgates the Stockholm Convention on persistent organic pollutants)

Not listed.

Use and physiological effects of chemical products (Decree No. 3665, Annex 3)

Not applicable.

# International regulations

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

Kyoto protocol

Not applicable.

**Basel Convention** 

Not applicable.

## 16. Other information

Significant information, yet not specifically related to the previous sections

Not available.

Product name: NYOGEL 760K SDS BRAZIL 7/7

1677 Version #: 06 Issue date: March-23-2011 Revision date: February-21-2023

Legends and abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists.

ANTT: National Agency of Land Transport.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

STEL: Short term exposure limit. TWA: Time Weighted Average.

**Revision information** 

**Disclaimer** 

This document has undergone significant changes and should be reviewed in its entirety.

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.