

# SAFETY DATA SHEET

## 1. Identification

Name of the substance or

mixture (trade name)

NYOGEL 774H-MS

Product Code NYOGEL® 774H-MS

Major recommended uses for the substance or mixture

Lubricating Grease

Specific restrictions for use of the substance or mixture

Not available.

## Manufacturer/Importer/Distributor information

Manufacturer

Company name

Address

Nye Lubricants, Inc.

12 Howland Road
Fairhaven, MA 02719

**United States** 

**Telephone** General Assistance 001-508-996-6721

Website www.nyelubricants.com
E-mail sds@nyelubricants.com
Contact person Nye Lubricants EH&S

Emergency telephone number 3E Online 800-451-8346

# 2. Hazards identification

## Classification of the substance or mixture

The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725-2.

Physical hazards Not classified.

**Health hazards** Reproductive toxicity Category 2

**Environmental hazards** Not classified.

## GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word Warning

**Hazard statement(s)** Suspected of damaging fertility or the unborn child.

Precautionary statement(s)

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None known.

Supplemental information Non-

Other information The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

email or on the company website.

## 3. Composition/information on ingredients

#### **Mixture**

Common chemical name or technical name

CAS number Concentration or concentration range

958 Version #: 06 Issue date: July-25-2011 Revision date: February-03-2023

ALKYLATED DIPHENYLAMINE Trade Secret < 1\* Other components below reportable levels 90 - 100

# 4. First-aid measures

First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Personal protection for first-aid

responders

Notes to physician

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

# 5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

media

During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Protective measures taken by

firefighting crews

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

# 6. Control measures for spills and leaks

#### Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency

services

Wear appropriate protective equipment and clothing during clean-up.

To be taken by those who are involved in rendering emergency services

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Product name: NYOGEL 774H-MS

958 Version #: 06 Issue date: July-25-2011 Revision date: February-03-2023

# 8. Exposure controls/personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective measures

Eyes and face protection

Skin protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.

Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.

Melting point/freezing point 4307 °F (2375 °C) estimated Initial boiling point and boiling 842 °F (450 °C) estimated

temperature range

Flash point > 392.0 °F (> 200.0 °C) ASTM D-92

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other physical and chemical parameters

**Explosive properties**Not explosive. **Kinematic viscosity temp**104 °F (40 °C)

958 Version #: 06 Issue date: July-25-2011 Revision date: February-03-2023

Oxidizing properties Not oxidizing

Pour point -4 °F (-20 °C) ASTM D-97

Specific gravity 5.06 estimated

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

**Symptoms** Direct contact with eyes may cause temporary irritation.

Acute toxicity Not known.

Product Species Test Results

NYOGEL 774H-MS

Acute Oral

LD50 Rat 2.339e+006 mg/kg

Components Species Test Results

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

Acute Oral

LD50 Rat 3160 mg/kg

Skin irritation and corrosion

Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

## IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE 3 Not classifiable as to carcinogenicity to humans.

(CAS 112945-52-5)

**Toxic to reproduction** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

# 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product name: NYOGEL 774H-MS

958 Version #: 06 Issue date: July-25-2011 Revision date: February-03-2023

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient

Not available.

n-octanol / water (log Kow)

**Bioconcentration factor** 

Not available.

(BCF)

Mobility in soil

No data available for this product.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Considerations on final disposal

#### Recommended methods for final destination

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Local disposal regulations

contents/container in accordance with local/regional/national/international regulations.

# 14. Transport information

# **National regulations**

#### **ANTT**

Not regulated as dangerous goods.

#### International regulations

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

# Not established.

# |15. Regulatory information

Federal regulations

This product is not classified for Transportation in accordance with Resolution ANTT Resolution 5232, of December 14, 2016, as amended. This chemical product safety data sheet was prepared in accordance with the Brazilian Standard (ABNT NBR 14725-4: (Safety data sheet for chemicals (SDS))).

## Chemical Products Controlled by the Federal Police (Ordinance No. 240)

Not applicable.

Chemical Products for the Manufacture and Synthesis of Narcotics and Psychotropic Subject to Control of the Ministry of Justice (Resolution No. 169 of 15 August 2017, Annex I, List D2)

Controlled products that must be reported to the Army (Decree No. 3655, Annex 1, as amended)

Not applicable.

Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)

Not applicable.

POPs (Decree No. 5.472 promulgates the Stockholm Convention on persistent organic pollutants)

Use and physiological effects of chemical products (Decree No. 3665, Annex 3)

Not applicable.

## International regulations

# **Montreal Protocol**

Not applicable.

## Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

958 Version #: 06 Issue date: July-25-2011 Revision date: February-03-2023

**Kyoto protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

# 16. Other information

Significant information, yet not

Not available.

specifically related to the previous sections

Legends and abbreviations ACGIH: American Conference of Governmental Industrial Hygienists.

ANTT: National Agency of Land Transport.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

STEL: Short term exposure limit. TWA: Time Weighted Average.

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety. Disclaimer

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.