

# SAFETY DATA SHEET

## 1. Identification

Name of the substance or

mixture (trade name)

**NYOGEL 774VHF-MS** 

**Product Code** Major recommended uses for

NYOGEL 774VHF-MS **Lubricating Grease** 

the substance or mixture

Specific restrictions for use of

Not available.

the substance or mixture

Manufacturer/Importer/Distributor information

Manufacturer

Company name Nye Lubricants, Inc. **Address** 12 Howland Road Fairhaven, MA 02719

**United States** 

Telephone General Assistance 001-508-996-6721

Website www.nyelubricants.com E-mail sds@nyelubricants.com Nye Lubricants EH&S **Contact person** 

**Emergency telephone number** 3E Online 800-451-8346

# 2. Hazards identification

### Classification of the substance or mixture

The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725-2.

Physical hazards Not classified.

**Health hazards** Reproductive toxicity

**Environmental hazards** Not classified.

### GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word

Hazard statement(s) Suspected of damaging fertility or the unborn child.

Precautionary statement(s)

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Category 2

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Other hazards which do not result in classification

None known.

Supplemental information

Other information The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

email or on the company website.

# 3. Composition/information on ingredients

### **Mixture**

Common chemical name or technical name **CAS** number Concentration or concentration range

967 Version #: 04 Issue date: July-25-2011 Revision date: February-21-2023

ALKYLATED DIPHENYLAMINE Trade Secret < 1\*

Other components below reportable levels 90 - 100

# 4. First-aid measures

First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDirect contact with eyes may cause temporary irritation.

symptoms/effects, acute and

Personal protection for first-aid

delayed

responders

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice

(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

**Notes to physician** Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

## 5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

media

During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Protective measures taken by

firefighting crews

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

# 6. Control measures for spills and leaks

### Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency

services

Wear appropriate protective equipment and clothing during clean-up.

To be taken by those who are involved in rendering emergency services

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Product name: NYOGEL 774VHF-MS

967 Version #: 04 Issue date: July-25-2011 Revision date: February-21-2023

# 8. Exposure controls/personal protection

Follow standard monitoring procedures Control parameters No exposure limits noted for ingredient(s). Occupational exposure limits

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective measures

Eyes and face protection

Skin protection

Chemical respirator with organic vapor cartridge and full facepiece.

Hand protection Wear appropriate chemical resistant gloves. Other Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. **Form** Liquid. Not available. Color

Odor Not available. **Odor threshold** Not available. pН Not available.

4307 °F (2375 °C) estimated Melting point/freezing point Initial boiling point and boiling

temperature range

842 °F (450 °C) estimated

> 392.0 °F (> 200.0 °C) ASTM D-92 Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Not available. **Explosive limit - lower (%)** Not available. Explosive limit - upper (%)

0.00001 hPa estimated Vapor pressure

Vapor density Not available. Not available. Relative density

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other physical and chemical parameters

**Density** 0.90 g/cm3 **Explosive properties** Not explosive.

Flash point class
Kinematic viscosity
Kinematic viscosity temp
Oxidizing properties
Pour point
Shelf life
Specific gravity

Combustible IIIB
16830 cSt
104 °F (40 °C)
Not oxidizing.
1.4 °F (-17 °C)
4 years
3.69 estimated

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

**Symptoms** Direct contact with eyes may cause temporary irritation.

Acute toxicity Not known.

Components Species Test Results

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

Acute Oral

LD50 Rat 3160 mg/kg

Skin irritation and corrosion

Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation.

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

### IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE 3 Not classifiable as to carcinogenicity to humans.

(CAS 112945-52-5)

**Toxic to reproduction** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Product name: NYOGEL 774VHF-MS

967 Version #: 04 Issue date: July-25-2011 Revision date: February-21-2023

Bioaccumulative potential

No data available.

**Partition coefficient** 

Not available. n-octanol / water (log Kow)

**Bioconcentration factor** 

(BCF)

Not available.

Mobility in soil

No data available for this product.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Considerations on final disposal

### Recommended methods for final destination

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Local disposal regulations

contents/container in accordance with local/regional/national/international regulations.

## 14. Transport information

### **National regulations**

## **ANTT**

Not regulated as dangerous goods.

### International regulations

#### IATA

Not regulated as dangerous goods.

### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

## 15. Regulatory information

Federal regulations

This product is not classified for Transportation in accordance with Resolution ANTT Resolution 5232, of December 14, 2016, as amended. This chemical product safety data sheet was prepared in accordance with the Brazilian Standard (ABNT NBR 14725-4: (Safety data sheet for chemicals (SDS))).

Chemical Products Controlled by the Federal Police (Ordinance No. 240)

Chemical Products for the Manufacture and Synthesis of Narcotics and Psychotropic Subject to Control of the Ministry of Justice (Resolution No. 169 of 15 August 2017, Annex I, List D2)

Controlled products that must be reported to the Army (Decree No. 3655, Annex 1, as amended)

Not applicable.

Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)

Not applicable.

POPs (Decree No. 5.472 promulgates the Stockholm Convention on persistent organic pollutants)

Use and physiological effects of chemical products (Decree No. 3665, Annex 3)

Not applicable.

### International regulations

## **Montreal Protocol**

Not applicable.

**Stockholm Convention** 

Not applicable.

## **Rotterdam Convention**

Not applicable.

### **Kyoto protocol**

Not applicable.

967 Version #: 04 Issue date: July-25-2011 Revision date: February-21-2023

### **Basel Convention**

Not applicable.

## 16. Other information

Significant information, yet not specifically related to the

Legends and abbreviations

Not available.

previous sections

ACGIH: American Conference of Governmental Industrial Hygienists.

ANTT: National Agency of Land Transport.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

STEL: Short term exposure limit. TWA: Time Weighted Average.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Disclaimer

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.