

SAFETY DATA SHEET

1. Identification

| Name of the substance or mixture (trade name) | NYOGEL 779 | |
|---|-----------------------|------------------|
| Product Code | NYOGEL 779 | |
| Major recommended uses for the substance or mixture | Lubricating Grease | |
| Specific restrictions for use of the substance or mixture | Not available. | |
| Manufacturer/Importer/Distributo | or information | |
| Manufacturer | | |
| Company name | Nye Lubricants, Inc. | |
| Address | 12 Howland Road | |
| | Fairhaven, MA 02719 | |
| | United States | |
| Telephone | General Assistance | 001-508-996-6721 |
| Website | www.nyelubricants.com | |
| E-mail | sds@nyelubricants.com | |
| Contact person | Nye Lubricants EH&S | |
| Emergency telephone number | 3E Online | 800-451-8346 |

2. Hazards identification

Classification of the substance or mixture

The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725-2.

| Physical hazards | Not classified. | |
|-----------------------|-----------------------|------------|
| Health hazards | Reproductive toxicity | Category 2 |
| Environmental hazards | Not classified. | |

GHS labeling elements, including precautionary statements

| Hazard | symbol(s) |
|--------|-----------|
| | |



| Signal word | Warning |
|--|--|
| Hazard statement(s) | Suspected of damaging fertility or the unborn child. |
| Precautionary statement(s) | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | IF exposed or concerned: Get medical advice/attention. |
| Storage | Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Other hazards which do not result in classification | None known. |
| Supplemental information | None. |
| Other information | The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone, email or on the company website. |

3. Composition/information on ingredients

| Common chemical name or technical name | CAS number | Concentration or concentration range |
|--|------------|--|
| POLYBUTENE | 9003-29-6 | 40 - < 50* |

4. First-aid measures

| Move to fresh air. Call a physician if symptoms develop or persist. |
|---|
| Wash off with soap and water. Get medical attention if irritation develops and persists. |
| Rinse with water. Get medical attention if irritation develops and persists. |
| Rinse mouth. Get medical attention if symptoms occur. |
| Direct contact with eyes may cause temporary irritation. |
| IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |
| Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| |

5. Fire-fighting measures

| Means of fire extinguishing | |
|--|---|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special fire fighting procedures | Move containers from fire area if you can do so without risk. |
| Protective measures taken by firefighting crews | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

| i oroonar productiono, procociti | b equipment and emergency procedures |
|--|---|
| To be taken by those who are not involved in rendering emergency services | Wear appropriate protective equipment and clothing during clean-up. |
| To be taken by those who are involved in rendering emergency services | Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. |
| 7. Handling and storage | |
| Precautions for safe handling | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |

| 8. Exposure controls/pers | sonal protection |
|----------------------------------|---|
| Control parameters | Follow standard monitoring procedures. |
| Occupational exposure limits | No exposure limits noted for ingredient(s). |
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Appropriate engineering controls | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
| Personal protective measures | |
| Eyes and face protection | Chemical respirator with organic vapor cartridge and full facepiece. |
| Skin protection | |
| Hand protection | Wear appropriate chemical resistant gloves. |
| Other | Use of an impervious apron is recommended. |
| Respiratory protection | Chemical respirator with organic vapor cartridge and full facepiece. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| | |
| Hygiene measures | Observe any medical surveillance requirements. Always observe good personal hygiene |

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

| Appearance | |
|---|-------------------------------|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Colorless to Yellow, Smooth |
| Odor | Not available. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling temperature range | Not available. |
| Flash point | 469.4 °F (243.0 °C) ASTM D-92 |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or exp | losive limits |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other physical and chemical par | rameters |
| Density | 0.89 g/cm³ |
| Explosive properties | Not explosive. |
| | |

n-octanol / water (log Kow)

| Oxidizing properties | Not oxidizing. | |
|---|--|--|
| Percent volatile | 49.7 % estimated | |
| Shelf life | 4 years | |
| 10. Stability and reactivity | / | |
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. | |
| Chemical stability | Material is stable under normal conditions. | |
| Possibility of hazardous eactions | No dangerous reaction known under conditions of normal use. | |
| Conditions to avoid | Contact with incompatible materials. | |
| ncompatible materials | Strong oxidizing agents. | |
| lazardous decomposition roducts | No hazardous decomposition products are known. | |
| 11. Toxicological informa | tion | |
| nformation on likely routes of e | - | |
| Inhalation | No adverse effects due to inhalation are expected. | |
| Skin contact | No adverse effects due to skin contact are expected. | |
| Eye contact | Direct contact with eyes may cause temporary irritation. | |
| Ingestion | Expected to be a low ingestion hazard. | |
| Symptoms | Direct contact with eyes may cause temporary irritation. | |
| Acute toxicity | Not known. | |
| components | Species Test Results | |
| <u>Acute</u> Oral | CRYSTAL-FREE (CAS 112945-52-5) | |
| LD50 | Rat 3160 mg/kg | |
| kin irritation and corrosion | Prolonged skin contact may cause temporary irritation. | |
| erious eye damage/eye ritation | Direct contact with eyes may cause temporary irritation. | |
| Respiratory or skin sensitization | n | |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitization | This product is not expected to cause skin sensitization. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | | |
| IARC Monographs. Overall | Evaluation of Carcinogenicity | |
| SILICA, AMORPHOUS, (CAS 112945-52-5) | FUMED, CRYSTAL-FREE 3 Not classifiable as to carcinogenicity to humans. | |
| oxic to reproduction | Suspected of damaging fertility or the unborn child. | |
| pecific target organ toxicity - ingle exposure | Not classified. | |
| pecific target organ toxicity - epeated exposure | Not classified. | |
| Aspiration hazard | Not an aspiration hazard. | |
| 12. Ecological informatio | n | |
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environmen | |
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. | |
| Bioaccumulative potential | No data available. | |
| Partition coefficient | Not available. | |

| Bioconcentration factor (BCF) | Not available. |
|-------------------------------|--|
| Mobility in soil | No data available for this product. |
| Other adverse effects | The product contains volatile organic compounds which have a photochemical ozone creation potential. |

13. Considerations on final disposal

| Recommended methods for final destination | | |
|---|--|--|
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. | |
| Local disposal regulations | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. | |

14. Transport information

National regulations

ANTT

Not regulated as dangerous goods.

International regulations

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

| Federal regulations | This product is not classified for Transportation in accordance with Resolution ANTT Resolution 5232, of December 14, 2016, as amended. This chemical product safety data sheet was prepared in accordance with the Brazilian Standard (ABNT NBR 14725-4: (Safety data sheet for chemicals (SDS))). |
|----------------------------|---|
| Chemical Products Control | led by the Federal Police (Ordinance No. 240) |
| Not applicable. | |
| | Manufacture and Synthesis of Narcotics and Psychotropic Subject to Control of the Ministry 169 of 15 August 2017, Annex I, List D2) |
| Not listed. | |
| Controlled products that m | ust be reported to the Army (Decree No. 3655, Annex 1, as amended) |
| Not applicable. | |
| Ozone depleting substance | es (Decree No. 99.280, Annexes A, B, C and E, as amended) |
| Not applicable. | |
| • | omulgates the Stockholm Convention on persistent organic pollutants) |
| Not listed. | |
| | cts of chemical products (Decree No. 3665, Annex 3) |
| Not applicable. | |
| International regulations | |
| Montreal Protocol | |
| Not applicable. | |
| Stockholm Convention | |
| Not applicable. | |
| Rotterdam Convention | |
| Not applicable. | |
| Kyoto protocol | |
| Not applicable. | |
| Basel Convention | |
| Not applicable. | |
| | |

| 16. Other information | |
|--|--|
| Significant information, yet not specifically related to the previous sections | Not available. |
| Legends and abbreviations | ACGIH: American Conference of Governmental Industrial Hygienists. ANTT: National Agency of Land Transport. CAS: Chemical Abstract Service. IARC: International Agency for Research on Cancer. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MARPOL: International Convention for the Prevention of Pollution from Ships. STEL: Short term exposure limit. TWA: Time Weighted Average. |
| Revision information | This document has undergone significant changes and should be reviewed in its entirety. |
| Disclaimer | Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. |