

# SAFETY DATA SHEET

### 1. Identification

Name of the substance or

mixture (trade name)

**NYOGEL 795LT** 

**Product Code** NYOGEL 795LT Major recommended uses for

the substance or mixture

**Lubricating Grease** 

Specific restrictions for use of the substance or mixture

Not available.

Manufacturer/Importer/Distributor information

Manufacturer

Company name Nye Lubricants, Inc. **Address** 12 Howland Road Fairhaven, MA 02719

United States

Telephone General Assistance 001-508-996-6721

Website www.nyelubricants.com E-mail sds@nyelubricants.com **Contact person** Nye Lubricants EH&S

**Emergency telephone number** 3E Online 800-451-8346

### 2. Hazards identification

#### Classification of the substance or mixture

The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725-2.

Physical hazards Not classified.

**Health hazards** Reproductive toxicity Category 2

> Aspiration hazard Category 1

**Environmental hazards** Not classified.

GHS labeling elements, including precautionary statements

Hazard symbol(s)



Signal word Danger

May be fatal if swallowed and enters airways. Suspected of damaging fertility or the unborn child. Hazard statement(s)

Precautionary statement(s)

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF Response

exposed or concerned: Get medical advice/attention.

Not available. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Other hazards which do not result in classification

None known.

Supplemental information

Other information The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

email or on the company website.

### 3. Composition/information on ingredients

**Mixture** 

Product name: NYOGEL 795LT

1006 Version #: 05 Issue date: July-28-2011 Revision date: March-22-2023

Common chemical name or technical name	CAS number	Concentration or concentration range
POLYBUTENE	9003-29-6	50 - < 60
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE	112945-52-5	5 - < 10*
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE	68411-46-1	< 1*
Other components below reportable levels		30 - < 40

### 4. First-aid measures

First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

Aspiration may cause pulmonary edema and pneumonitis.

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Personal protection for first-aid

responders

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s)

involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Do not use water jet as an extinguisher, as this will spread the fire.

Symptoms may be delayed.

## 5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special fire fighting

procedures

Protective measures taken by

General fire hazards

firefighting crews

Specific methods

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

## 6. Control measures for spills and leaks

### Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services

Wear appropriate protective equipment and clothing during clean-up.

To be taken by those who are involved in rendering emergency services

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Environmental precautions** 

Methods and materials for containment and cleaning up Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Product name: NYOGEL 795LT

1006 Version #: 05 Issue date: July-28-2011 Revision date: March-22-2023

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective measures

Eyes and face protection

Skin protection

Chemical respirator with organic vapor cartridge and full facepiece.

Hand protection Wear appropriate chemical resistant gloves.Other Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. Liquid. **Form** Color Not available. Odor Not available. **Odor threshold** Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling Not available.

temperature range

**Flash point** 478.4 °F (248.0 °C) ASTM D-92

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Relative density

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water) Not available.

1006 Version #: 05 Issue date: July-28-2011 Revision date: March-22-2023

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other physical and chemical parameters

Density 0.83 g/cm<sup>3</sup>

0.83 g/cm<sup>3</sup>

**Explosive properties** Not explosive. **Flash point class** Combustible IIIB

Kinematic viscosity

Kinematic viscosity temp

Oxidizing properties

Percent volatile

2100 cSt

104 °F (40 °C)

Not oxidizing.

55.9 % estimated

Shelf life 4 years

VOC 55.9 % estimated

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

**Symptoms** Aspiration may cause pulmonary edema and pneumonitis.

**Acute toxicity** May be fatal if swallowed and enters airways.

Product Species Test Results

NYOGEL 795LT

<u>Acute</u>

Dermal

LD50 Rabbit 466700 mg/kg 2100 g/kg

Oral

LD50 Guinea pig 246 g/kg

 Rabbit
 330 g/kg

 Rat
 3450 ml/kg

 584 g/kg

Other

LD50 Rat 32 g/kg

Product name: NYOGEL 795LT SDS BRAZIL 5/6

1006 Version #: 05 Issue date: July-28-2011 Revision date: March-22-2023

Components **Species Test Results** 

Acute Oral

LD50 Rat 3160 mg/kg

Skin irritation and corrosion Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE 3 Not classifiable as to carcinogenicity to humans.

(CAS 112945-52-5)

Suspected of damaging fertility or the unborn child. Toxic to reproduction

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** May be fatal if swallowed and enters airways.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential No data available. Partition coefficient Not available.

n-octanol / water (log Kow)

**Bioconcentration factor** 

(BCF)

Not available.

No data available for this product. Mobility in soil

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

# 13. Considerations on final disposal

### Recommended methods for final destination

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Local disposal regulations Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

## 14. Transport information

### **National regulations**

#### **ANTT**

Not regulated as dangerous goods.

#### International regulations

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

1006 Version #: 05 Issue date: July-28-2011 Revision date: March-22-2023

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

# 15. Regulatory information

#### Federal regulations

This product is not classified for Transportation in accordance with Resolution ANTT Resolution 5232, of December 14, 2016, as amended. This chemical product safety data sheet was prepared in accordance with the Brazilian Standard (ABNT NBR 14725-4: (Safety data sheet for chemicals (SDS))).

Chemical Products Controlled by the Federal Police (Ordinance No. 240)

Not applicable.

Chemical Products for the Manufacture and Synthesis of Narcotics and Psychotropic Subject to Control of the Ministry of Justice (Resolution No. 169 of 15 August 2017, Annex I, List D2)

Controlled products that must be reported to the Army (Decree No. 3655, Annex 1, as amended)

Not applicable.

Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)

Not applicable.

POPs (Decree No. 5.472 promulgates the Stockholm Convention on persistent organic pollutants)

Use and physiological effects of chemical products (Decree No. 3665, Annex 3)

Not applicable.

#### International regulations

#### **Montreal Protocol**

Not applicable.

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

### **Kyoto protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

## 16. Other information

Significant information, yet not specifically related to the

previous sections

Not available

Legends and abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists.

ANTT: National Agency of Land Transport.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

STEL: Short term exposure limit. TWA: Time Weighted Average.

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety.

Disclaimer

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.