SAFETY DATA SHEET



Version #: 07

Issue date: 12-04-2013 Revision date: 02-19-2025 Supersedes date: 01-22-2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

NYOGEL 767A

of the mixture

Synonyms None.

Product code NYOGEL 767A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesLubricating greaseUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company name FUCHS LUBRICANTS GERMANY GmbH

Address Friesenheimer Str. 19

68169 Mannheim

Germany

Telephone +49 621 3701-0

E-mail produktsicherheit-FLG@fuchs.com

Emergency telephone

+1 760 476 3962

number

Access Code 334212

Manufacturer Nye Lubricants, Inc. A member of the FUCHS Group

www.nyelubricants.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information EUH210 - Safety data sheet available on request.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: NYOGEL 767A SDS BULGARIA

NYOGEL 767A Version #: 07 Revision date: 02-19-2025 Issue date: 12-04-2013

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
POLYPROPYLENE GLYCOL MONOBUTYLETHER	1 - < 3	9003-13-8 500-003-1	Polymer Exempt	-	
Classification:	Aquatic Cl	nronic 3;H412			
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	< 1	68411-46-1 270-128-1	01-2119491299-23	-	
Classification:	Repr. 2;H3	361, Aquatic Chronic	3;H412		

90 - 100Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

|SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Exposure may cause temporary irritation, redness, or discomfort.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

Use water spray to cool unopened containers.

procedures Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. For emergency responders

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

Material name: NYOGEL 767A SDS BULGARIA 2/8

NYOGEL 767A Version #: 07 Revision date: 02-19-2025 Issue date: 12-04-2013

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above

storage classes)

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as

amended

Form Components Type Value Silica, amorphous, fumed, **TWA** Inhalable fraction. 4 mg/m3 crystal-free (CAS 112945-52-5) Respirable fraction. 0,07 mg/m3

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

Biological limit values

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. - Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.





Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Solid. Semi-solid **Form** Colour Light yellow. Odour Not available. Melting point/freezing point Not available

Material name: NYOGEL 767A SDS BULGARIA 3/8

NYOGEL 767A Version #: 07 Revision date: 02-19-2025 Issue date: 12-04-2013

Boiling point or initial boiling

point and boiling range

Not available.

Flammability Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit – upper

Not available.

(%)

Flash point Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

PH Not available.

Kinematic viscosity Not available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure Not available.

Density and/or relative density

Density0,87 g/cm³Vapour densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Shelf life 4 years

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components Species Test Results

POLYPROPYLENE GLYCOL MONOBUTYLETHER (CAS 9003-13-8)

<u>Acute</u>

Dermal

LD50 Rabbit 21 g/kg

Oral

LD50 Rat 5,84 g/kg

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible.

 Material name: NYOGEL 767A

 NYOGEL 767A
 Version #: 07
 Revision date: 02-19-2025
 Issue date: 12-04-2013
 4 / 8

Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Not an aspiration hazard. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. Partition coefficient Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard

Material name: NYOGEL 767A SDS BULGARIA Hazard No. (ADR) Not assigned. Not assigned. **Tunnel restriction code**

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

ADN

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards Marine pollutant No.

EmS Not assigned. Not assigned. 14.6. Special precautions

for user

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

|SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Material name: NYOGEL 767A SDS BULGARIA Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Training information Follow training instructions when handling this material.

Material name: NYOGEL 767A SDS BULGARIA

Disclaimer

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: NYOGEL 767A SDS BULGARIA