SAFETY DATA SHEET



1. Identification

Product identifier RHEOLUBE 362HB

Other means of identification

Product Code RHEOLUBE 362HB
Recommended use Lubricating Grease
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information
Company name
Nye Lubricants, Inc.

A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02719

USA

 Telephone
 +1 508 996 6721

 E-mail
 sds@fuchs.com

Emergency telephone

+1 866 519 4752

number

Access code 334212

Website www.nyelubricants.com

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

Label elements



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Other hazards None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH		68411-46-1	< 1
2,4,4-TRIMETHYLPENTENE			

Material name: RHEOLUBE 362HB SDS CANADA

RHEOLUBE 362HB Version #: 06 Revision date: May-02-2025 Issue date: March-13-2019

CAS number Chemical name Common name and synonyms % PETROLEUM DISTILLATES, 64742-54-7 < 1 HYDROTREATED HEAVY **PARAFFINIC** Other components below reportable levels 90 - 100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed Indication of immediate

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

medical attention and special treatment needed **General information**

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Suitable extinguishing media

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters

Fire fighting Use water spray to cool unopened containers. equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local protective equipment and emergency procedures authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up **Environmental precautions**

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Obtain special instructions before use. Do not handle until all safety precautions have been read Precautions for safe handling

> and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear

appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, Store locked up. Store in tightly closed container. Store away from incompatible materials (see including any incompatibilities Section 10 of the SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

SDS CANADA

Exposure controls/personal protection

_	4.		
Occu	pational	exposure	limits

DISTILLATES,

64742-54-7)

HYDROTREATED HEAVY PARAFFINIC (CAS

upational exposure limits			
US. ACGIH Threshold Limit Values (T	LV)		
Components	Туре	Value	Form
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occupational Components	Health & Safety Code, Sch Type	nedule 1, Table 2), as amende Value	ed Form
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Canada. British Columbia OELs: Tabl Board, as amended	e of Exposure Limits for C	hemical Biological Substand	es Workers Compensation
Components	Туре	Value	Form
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7) Canada. Manitoba OELs (Reg. 217/20)	TWA O6, The Workplace Safety	1 mg/m3 And Health Act), as amended	Mist.
Components	Type	Value	Form
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Canada. New Brunswick OELs: Thres	hold Limit Values (TLVs) I	Based on the 1991 and 1997	ACGIH TLVs and BEIs
Publication (New Brunswick Regulati	on 91-191)		
Components	Туре	Value	Form
	T\A/A		
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7) Canada. Ontario OELs (Regulation 83		Ü	
DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7) Canada. Ontario OELs (Regulation 83 Components PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS	3, Control of Exposure to	Biological or Chemical Agen	ts), as amended
DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS	3, Control of Exposure to Type TWA	Biological or Chemical Agen Value 5 mg/m3	ts), as amended Form Inhalable fraction.

Material name: RHEOLUBE 362HB RHEOLUBE 362HB Version #: 06 Revision date: May-02-2025 Issue date: March-13-2019

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996; Table 21), as amended Components Value Type

15 minute

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS

10 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering controls

64742-54-7)

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

If contact is likely, safety glasses with side shields are recommended. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Smooth **Appearance** Physical state Solid.

Solid. Semi-solid **Form** White. Off-white. Color Odor Not available. **Odor threshold** Not available. Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** (n-octanol/water)

Auto-ignition temperature

Not available. Not available. **Decomposition temperature**

Material name: RHEOLUBE 362HB SDS CANADA Viscosity Not available.

Other information

Dropping point404.6 °F (207 °C)Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritationProlonged skin contact may cause temporary irritation. **Serious eye damage/eye**Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

PETROLEUM DISTILLATES, HYDROTREATED HEAVY A4 Not classifiable as a human carcinogen.

PARAFFINIC (CAS 64742-54-7)

Canada - Manitoba OELs: carcinogenicity

PETROLEUM DISTILLATES, HYDROTREATED HEAVY Not classifiable as a human carcinogen.

PARAFFINIC (CAS 64742-54-7)

Canada - Quebec OELs: Carcinogen category

PETROLEUM DISTILLATES, HYDROTREATED HEAVY Suspected carcinogenic effect in humans.

PARAFFINIC (CAS 64742-54-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

PARAFFINIC (CAS 64742-54-7)

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Material name: RHEOLUBE 362HB SDS CANADA

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

No data available. Bioaccumulative potential Mobility in soil

No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Material name: RHEOLUBE 362HB SDS CANADA

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

16. Other information

Issue dateMarch-13-2019Revision dateMay-02-2025

Version # 06

Disclaimer Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Revision information Product and Company Identification: Product and Company Identification

Physical and chemical properties: Color

Material name: RHEOLUBE 362HB SDS CANADA

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).