

CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.



Product name: FLUOROCARBON GEL 875MS

Issue date: May-10-2011

Revision date: October-25-2024

Version #: 06

SDS No: Fluorocarbon Gel 875MS

SECTION 1 Chemical product and company identification

Product Name	FLUOROCARBON GEL 875MS	
Product Code	Fluorocarbon Gel 875MS	
Manufacturer/Supplier	Nye Lubricants, Inc. A Member of the FUCHS Group	
Address	12 Howland Road Fairhaven, MA 02719 United States	
Contact person	Not available.	
Telephone	+1-508-996-6721	
e-mail	sds@fuchs.com	
Emergency telephone number	Americas	+1 760 476 3961
	Europe	+1 760 476 3962
	Asia Pacific	+1 760 476 3960
	Access code	334212

Recommended use and Limitations on use

Recommended use	Lubricating Grease
Issue date	May-10-2011
Revision date	October-25-2024
Supersedes date	October-10-2024

SECTION 2 Hazards identification

Emergency overview Not available.

GHS hazard categories

Not classified.

Label elements

Pictograms None.

Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Safety storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Physical and chemical hazards The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.

Health hazards Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation.

Environmental hazards The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Supplemental information None.

SECTION 3 Composition/information on ingredients

Substance/mixture Mixture

Chemical name	Concentration (%)	CAS Number
二硫化钼 MOLYBDENUM DISULFIDE	5 - < 10	1317-33-5

Chemical name

石英	< 0.2	14808-60-7
QUARTZ		

Other components below reportable levels	90 - 100
--	----------

SECTION 4 First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms and health effects	Direct contact with eyes may cause temporary irritation.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Notes to physician	Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Use water spray to cool unopened containers.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
----------------------------------	--

Clean-up methods and materials and containment measures	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
--	---

Prevention of secondary hazards	Not available.
--	----------------

SECTION 7 Handling and storage

Handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Storage	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

SECTION 8 Exposure controls/personal protection**Exposure limits****Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2019)**

Components	Type	Value	Form
QUARTZ (CAS 14808-60-7)	PC-TWA	0.5 mg/m ³	Total dust.
		0.2 mg/m ³	Respirable dust.

Biological limit values	No biological exposure limits noted for the ingredient(s).
--------------------------------	--

Monitoring methods	Follow standard monitoring procedures.
---------------------------	--

Engineering measures	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
-----------------------------	---

Personal protective equipment

Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	Wear appropriate chemical resistant gloves.
Eye protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear suitable protective clothing.

**Hygiene measures**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance	Smooth
Physical state	Solid.
Form	Solid. Semi-solid
Color	Grey.
Odor	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	Not available.
Flash point	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Density	1.10 g/ml
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Flammability (solid, gas)	Not available.
Other data	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11 Toxicological information**Acute toxicity**

Components	Species	Test Results
MOLYBDENUM DISULFIDE (CAS 1317-33-5)		
Acute		
Dermal		
LD50	Rat	2500 mg/kg
Oral		
LD50	Rat	3200 mg/kg
Routes of exposure	Inhalation.	
Symptoms	Direct contact with eyes may cause temporary irritation.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitizer	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
China OELs for hazardous agents in the workplace: Carcinogen Category		
Silica, respirable dust, 10% <= free SiO2 <= 50% (CAS 14808-60-7)	Carcinogenic to humans.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
QUARTZ (CAS 14808-60-7)	1 Carcinogenic to humans.	
Toxic to reproduction	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity following single exposure	Not classified.	
Specific target organ toxicity following repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	

SECTION 12 Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulation	No data available.
Mobility in soil	No data available for this product.
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

SECTION 14 Transport information

CNDG	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Classification of occupational disease hazards

Silica dust (free SiO₂ content ≥10%) (CAS 14808-60-7)

Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SPECIAL CASE

Not applicable.

Other regulations

This safety data sheet conforms to the following laws, regulations and standards:
Measures for the Safe Use of Chemicals in Workplaces
General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)
Regulations on Labor Protection in Workplaces Where Toxic Products Are Used
Packing Symbol of Dangerous Goods(GB190-2009)
Regulations on the Control over Safety of Dangerous Chemicals
Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)
Packing - Pictorial Marking for Handling of Goods (GB/T191-2008)

Regulatory information

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information

References

EPA: AQUIRE database
GB6944-2012: Classification and Code of Dangerous Goods.
GB12268-2012: List of Dangerous Goods.
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.