CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.



Product name: FUCHS TIM EJC 745SL Issue date: March-17-2025

Version #: 01 SDS No: 8312

SECTION 1 Chemical product and company identification

Product Name FUCHS TIM EJC 745SL

Manufacturer/Supplier Nye Lubricants, Inc. A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02719

United States

Contact personNot available.Telephone+1-508-996-6721e-mailsds@fuchs.com

Emergency telephone

number

Americas +1 760 476 3961

Europe +1 760 476 3962 Asia Pacific +1 760 476 3960

Access code 334212

Recommended use and Limitations on use

Recommended use Electrical Joint Compound

Issue date March-17-2025

SECTION 2 Hazards identification

Emergency overview Dangerous for the environment if discharged into watercourses.

GHS hazard categories

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

Label elements

Pictograms



Signal word Warning

Hazard statement

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

P273 Avoid release to the environment.

Response

P391 Collect spillage.

Safety storage Store away from incompatible materials.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical and chemical hazards The product is stable and non-reactive under normal conditions of use, storage and transport. No

unusual fire or explosion hazards noted.

SDS CHINA

Health hazards Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Direct contact with

eyes may cause temporary irritation.

Environmental hazards Very toxic to aquatic life with long lasting effects.

Supplemental information

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
氧化锌 ZINC OXIDE		40 - < 50	1314-13-2
锌粉-锌粉尘(稳定) ZINC POWDER - ZINC DUST (STABILIZED)		30 - < 40	7440-66-6
Other components below reportable levels		20 - < 30	

SECTION 4 First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms and

health effects

Headache. Nausea, vomiting. Coughing.

Personal protection for first-aid

responders

Notes to physician

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

protect themselves. Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media Powder. Dry sand.

Extinguishing media to avoid Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed. Specific hazards Special fire fighting Move containers from fire area if you can do so without risk.

procedures

General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

Protection of fire-fighters

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be

advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all

environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section

drains, water courses or onto the ground.

Clean-up methods and materials and containment

measures

13 of the SDS Not available.

Prevention of secondary

hazards

SECTION 7 Handling and storage

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective Handling

equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the Storage

Storage class (TRGS 510): 13 (Non-combustible solids that cannot be assigned to any of the

above storage classes)

SECTION 8 Exposure controls/personal protection

Exposure limits

Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2019)
Components
Type
Value

ZINC OXIDE (CAS 1314-13-2) PC-STEL 5 mg/m3 PC-TWA 3 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures.

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.





Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance

Physical state Solid.

Form Solid. Semi-solid

Color Grey.

Odor Not available.

pH Not available.

Melting point/freezing point Not available.

Boiling point, initial boiling point, and boiling range

Flash point

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Relative density

Not available.

Not available.

Not available.

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Flammability (solid, gas) Not available.

Other data

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

SECTION 10 Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Formaldehyde.

SECTION 11 Toxicological information

Acute toxicity Not available. Routes of exposure Inhalation.

Symptoms Headache. Nausea, vomiting. Coughing.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitizer

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not available. Carcinogenicity

This product is not expected to cause reproductive or developmental effects. Toxic to reproduction

Specific target organ toxicity following single exposure

Not classified.

Specific target organ toxicity following repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

SECTION 12 Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulation No data available.

Mobility in soil No data available for this product.

Other hazardous effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Local disposal regulations Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

UN3077 **UN number**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE, ZINC **UN proper shipping name**

POWDER - ZINC DUST (STABILIZED))

Transport hazard class(es)

9 Class **Subsidiary hazard** Ш Packing group **Environmental hazards** Yes

SDS CHINA

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN3077

UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (ZINC OXIDE, ZINC POWDER - ZINC DUST

(STABILIZED))

Transport hazard class(es)

Class 9
Subsidiary hazard Packing group III
Environmental hazards Yes
ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE, ZINC

POWDER - ZINC DUST (STABILIZED)), MARINE POLLUTANT (ZINC OXIDE, ZINC POWDER -

ZINC DUST (STABILIZED))

Not applicable.

Transport hazard class(es)

Class 9
Subsidiary hazard Packing group III
Environmental hazards

Marine pollutant Yes nS F-A. S-F


EmS F-A, S-

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

CNDG; IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant.

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Classification of occupational disease hazards

Zinc oxide (CAS 1314-13-2)

Product name: FUCHS TIM EJC 745SL

Regulations on the Control over Safety of Dangerous Chemicals

Catalog of Hazardous Chemicals

Zinc powder (CAS 7440-66-6)

Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or region Inventory name On inventory (yes/no)*

China Inventory of Existing Chemical Substances in China

Vec

(IECSC)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SPECIAL CASE

Not applicable.

Other regulations This safety data sheet conforms to the following laws, regulations and standards:

Measures for the Safe Use of Chemicals in Workplaces

General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009) Regulations on Labor Protection in Workplaces Where Toxic Products Are Used

Packing Symbol of Dangerous Goods(GB190-2009)

Regulations on the Control over Safety of Dangerous Chemicals

Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)

Packing - Pictorial Marking for Handling of Goods (GB/T191-2008)

China. National Catalogue of Hazardous Wastes

ZINC OXIDE (CAS 1314-13-2)

Regulatory information

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

ZINC POWDER - ZINC DUST (STABILIZED) (CAS 7440-66-6)

SECTION 16 Other information

References EPA: AQUIRE database

GB6944-2012: Classification and Code of Dangerous Goods.

GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

SDS CHINA