

CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.



Product name: NYEVAC 9720

Issue date: June-14-2011
Revision date: September-16-2024
Version #: 07
SDS No: NYEVAC 9720

SECTION 1 Chemical product and company identification

Product Name	NYEVAC 9720	
Product Code	NYEVAC 9720	
Manufacturer/Supplier	Nye Lubricants, Inc. A Member of the FUCHS Group	
Address	12 Howland Road Fairhaven, MA 02719 United States	
Contact person	Not available.	
Telephone	+1-508-996-6721	
e-mail	sds@fuchs.com	
Emergency telephone number	Americas	+1 760 476 3961
	Europe	+1 760 476 3962
	Asia Pacific	+1 760 476 3960
	Access code	334212

Recommended use and Limitations on use

Recommended use	Lubricating Oil
Issue date	June-14-2011
Revision date	September-16-2024
Supersedes date	February-14-2018

SECTION 2 Hazards identification

Emergency overview	Not available.
---------------------------	----------------

GHS hazard categories

Not classified.

Label elements

Pictograms	None.
-------------------	-------

Signal word	None.
--------------------	-------

Hazard statement	The mixture does not meet the criteria for classification.
-------------------------	--

Precautionary statement

Prevention	Observe good industrial hygiene practices.
-------------------	--

Response	Wash hands after handling.
-----------------	----------------------------

Safety storage	Store away from incompatible materials.
-----------------------	---

Disposal	Dispose of waste and residues in accordance with local authority requirements.
-----------------	--

Physical and chemical hazards	The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.
--------------------------------------	---

Health hazards	Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation.
-----------------------	--

Environmental hazards	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
------------------------------	--

Supplemental information	None.
---------------------------------	-------

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture
--------------------------	---------

Chemical name	Concentration (%)	CAS Number
石油馏分, 加氢重质环烷油 PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC	< 0.2	64742-52-5
Other components below reportable levels	90 - 100	

SECTION 4 First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Get medical attention if irritation develops or persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms and health effects	Direct contact with eyes may cause temporary irritation.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Notes to physician	Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
Clean-up methods and materials and containment measures	<p>Soak up with inert absorbent material. Clean contaminated surface thoroughly.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Clean up spills immediately, observing precautions in Protective Equipment section. Sweep up and shovel into suitable containers for disposal.</p>
Prevention of secondary hazards	Not available.

SECTION 7 Handling and storage



Handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Storage	<p>Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).</p> <p>Storage class (TRGS 510): 10 (Combustible liquids that cannot be assigned to any of the above storage classes)</p>

SECTION 8 Exposure controls/personal protection**Exposure limits**

No exposure limits noted for ingredient(s).

Biological limit values	No biological exposure limits noted for the ingredient(s).
-------------------------	--

Exposure guidelines	No Exposure standards allocated. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter
---------------------	--

Monitoring methods	Follow standard monitoring procedures.
Engineering measures	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Personal protective equipment	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	Wear appropriate chemical resistant gloves.
Eye protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear suitable protective clothing.
 	
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Light yellow.
Odor	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	Not available.
Flash point	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	<0.000000005 torr
Vapor density	Not available.
Relative density	Not available.
Density	1.00 g/cm ³
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Flammability (solid, gas)	Not applicable.
Other data	
Explosive properties	Not explosive.
Kinematic viscosity	61 cSt
Kinematic viscosity temp	104 °F (40 °C)
Oxidizing properties	Not oxidizing.
Pour point	-58 °F (-50 °C)
Shelf life	4 years

SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong acids, alkalies and oxidizing agents.
Hazardous decomposition products	Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11 Toxicological information

Acute toxicity	Not available.
Routes of exposure	Inhalation.
Symptoms	Direct contact with eyes may cause temporary irritation.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitizer	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	
IARC Monographs. Overall Evaluation of Carcinogenicity	
PETROLEUM DISTILLATES, HYDROTREATED HEAVY	3 Not classifiable as to carcinogenicity to humans.
NAPHTHENIC (CAS 64742-52-5)	
Toxic to reproduction	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity following single exposure	Not classified.
Specific target organ toxicity following repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

SECTION 12 Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulation	No data available.
Mobility in soil	No data available for this product.
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

SECTION 14 Transport information

CNDG	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

SECTION 15 Regulatory information**Law of the People's Republic of China on Prevention and Control of Occupational Diseases**

Not regulated.

Regulations on the Control over Safety of Dangerous Chemicals**Catalog of Hazardous Chemicals**Solvent naphtha [closed cup flash point ≤ 60 .degree.C] (CAS 64742-52-5)**Provision on the Environmental Administration of New Chemical Substances****China Inventory of Existing Chemical Substances**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SPECIAL CASE

Not applicable.

Other regulations

This safety data sheet conforms to the following laws, regulations and standards:
Measures for the Safe Use of Chemicals in Workplaces
General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)
Regulations on Labor Protection in Workplaces Where Toxic Products Are Used
Packing Symbol of Dangerous Goods(GB190-2009)
Regulations on the Control over Safety of Dangerous Chemicals
Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)
Packing - Pictorial Marking for Handling of Goods (GB/T191-2008)

China. National Catalogue of Hazardous Wastes

PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

Regulatory information**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information**References**

EPA: AQUIRE database
GB6944-2012: Classification and Code of Dangerous Goods.
GB12268-2012: List of Dangerous Goods.
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.