

# CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

Product name: NYOGEL 749B

Issue date: August-04-2011 Revision date: March-20-2023 Version #: 05 SDS No: NYOGEL 749B

English name of chemical	NYOGEL 749B		
Product Code	NYOGEL 749B		
/anufacturer/Supplier Address	Nye Lubricants, Inc. 12 Howland Road Fairhaven, MA 02719 United States		
Contact person	Nye Lubricants EH&S		
Telephone		508-996-6721	
e-mail	sds@nyelubricants.com	00 454 0046	
Emergency telephone number	3E Online 8	300-451-8346	
Recommended use and Limita	ations on use		
Recommended use	Lubricating Grease		
ssue date	August-04-2011		
Revision date	March-20-2023		
Supersedes date	September-04-2014		
SECTION 2 Hazards ide	ntification		
Emergency overview	Possible reproductive hazard.	Dangerous for t	the environment if discharged into watercourses.
GHS hazard categories			
Physical hazards	Not classified.		
Health hazards	Reproductive toxicity		Category 2
Environmental hazards	Hazardous to the aquatic envir hazard	ronment, acute	Category 3
	Hazardous to the aquatic envir long-term hazard	ronment,	Category 3
abel elements			
Pictograms			
Signal word	Warning		
lazard statement			
H361	Suspected of damaging fertility	y or the unborn o	child.
H402	Harmful to aquatic life. Harmful to aquatic life with lon	a lastina effects	
H412 Precautionary statement		3 1401119 0110013	
Prevention			
P201 P202	Obtain special instructions bef Do not handle until all safety p Avoid release to the environme	recautions have	e been read and understood.
P273 P280	Wear protective gloves/protect		protection/face protection.
Response			
P308 + P313	IF exposed or concerned: Get	medical advice/	/attention.
Safaty storage			
Safety storage	Store locked up.		

Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Physical and chemical hazards	The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.
Health hazards	Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation.
Environmental hazards	Harmful to aquatic life with long lasting effects.
Supplemental information	None.

# SECTION 3 Composition/information on ingredients

Substance/mixture Mixture		
Chemical name	Concentration (%)	CAS Number
硅石 ,无定形 ,fumed crystal - free silica,amorphous,fumed crystal - free	3 - < 5	112945-52-5
苯醯胺, N-苯基-, 与2,4,4-三甲基戊烯的反应产物 BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE	< 1	68411-46-1
磷酸三苯脂 TRIPHENYL PHOSPHATE	< 0.3	115-86-6
Other components below reportable levels	90 - 100	

#### SECTION 4 First aid measures Move to fresh air. Call a physician if symptoms develop or persist. Inhalation Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact Eye contact Rinse with water. Get medical attention if irritation develops and persists. Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important symptoms and Direct contact with eyes may cause temporary irritation. health effects Personal protection for first-aid IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice responders (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

# SECTION 5 Fire-fighting measures

J - J	
Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

# SECTION 6 Accidental release measures

# Personal precautions, protective equipment and emergency proceduresFor non-emergency<br/>personnelWear appropriate protective equipment and clothing during clean-up.For emergency respondersKeep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be<br/>advised if significant spillages cannot be contained. For personal protection, see section 8 of the<br/>SDS.Environmental precautionsAvoid release to the environment. Inform appropriate managerial or supervisory personnel of all<br/>environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into<br/>drains, water courses or onto the ground.

Clean-up methods and	Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
materials and containment measures			
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS		
Prevention of secondary hazards	Not available.		
SECTION 7 Handling and	storage		
Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wea appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.		
Storage	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		
SECTION 8 Exposure cor	ntrols/personal protection		
Exposure limits			
No exposure limits noted for i	ingredient(s).		
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Monitoring methods	Follow standard monitoring procedures.		
Engineering measures			
Lingineering measures	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
	applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
	applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Personal protective equipment	applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Personal protective equipment Respiratory protection	applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Chemical respirator with organic vapor cartridge and full facepiece.		

**Hygiene measures** 

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# SECTION 9 Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Off-white.
Odor	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	Not available.
Flash point	474.8 °F (246.0 °C) ASTM D-92
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.

Relative density	Not available.
Density	0.88 g/cm³
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Flammability (solid, gas)	Not applicable.
Other data	
Explosive properties	Not explosive.
Kinematic viscosity	238 cSt
Kinematic viscosity temp	104 °F (40 °C)
Oxidizing properties	Not oxidizing.
Percent volatile	7 % estimated
Pour point	-31 °F (-35 °C)
Shelf life	4 years
Specific gravity	1.19 estimated
VOC	7 % estimated
SECTION 10 Stability and	d reactivity
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
<b>_</b>	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
Incompatible materials Hazardous decomposition	Strong oxidizing agents.

# SECTION 11 Toxicological information

Acute toxicity	Not known.	
Components	Species	Test Results
silica,amorphous,fumed crystal - f	ree (CAS 112945-52-5)	
<u>Acute</u>		
Oral		
LD50	Rat	3160 mg/kg
TRIPHENYL PHOSPHATE (CAS	115-86-6)	
Acute		
Dermal		
LD50	Rabbit	7900 mg/kg
Oral		
LD50	Rat	3500 mg/kg
Routes of exposure	Inhalation.	
Symptoms	Direct contact with eyes may cau	se temporary irritation.
Skin corrosion/irritation	Prolonged skin contact may caus	e temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cau	se temporary irritation.
Respiratory or skin sensitizatio	n	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitizer	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		

#### IARC Monographs. Overall Evaluation of Carcinogenicity

silica, amorphous, fumed crystal - free (CAS 112945-52-5) 3 Not classifiable as to carcinogenicity to humans.

Toxic to reproduction	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity following single exposure	Not classified.
Specific target organ toxicity following repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

# **SECTION 12 Ecological information**

Ecotoxicological data			
Components		Species	Test Results
TRIPHENYL PHOSPHATE (CAS	6 115-86-6)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	>= 0.86 - <= 1.2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.3, 96 hours
Ecotoxicity	Harmful to aquatic life with long lasting effects.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		edients in the mixture.
Bioaccumulation			
Mobility in soil	No data available for this product.		
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
SECTION 13 Disposal co	onsideratio	ns	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
Local disposal regulations	this mater with chem		at licensed waste disposal site. Do not allow not contaminate ponds, waterways or ditches ts/container in accordance with

# SECTION 14 Transport information

## CNDG

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

# SECTION 15 Regulatory information

#### Law of the People's Republic of China on Prevention and Control of Occupational Diseases

## Classification of occupational disease hazards

PHOSPHORUS AND ITS COMPOUNDS (PHOSPHINE, ZINC PHOSPHIDE, ALUMINUM PHOSPHIDE, AND ORGANIC PHOSPHORUS ARE LISTED SEPARATELY) (CAS 115-86-6)

## **Regulations on the Control over Safety of Dangerous Chemicals**

Not regulated.

# Provision on the Environmental Administration of New Chemical Substances

# China Inventory of Existing Chemical Substances

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
	components of this product comply with the inventory requirements administered by r more components of the product are not listed or exempt from listing on the inver	
Other regulations	This safety data sheet conforms to the following laws, regulations and standards: Measures for the Safe Use of Chemicals in Workplaces General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009) Regulations on Labor Protection in Workplaces Where Toxic Products Are Used Packing Symbol of Dangerous Goods(GB190-2009) Regulations on the Control over Safety of Dangerous Chemicals Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008) Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)	
China. National Catalogue	of Hazardous Wastes	
silica,amorphous,fumed	crystal - free (CAS 112945-52-5)	
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Montreal Protocol		
Not applicable.		
Kyoto protocol		
Not applicable.		
Basel Convention		
Not applicable.		
SECTION 16 Other inform	nation	
References	EPA: AQUIRE database GB6944-2012: Classification and Code of Dangerous Goods. GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agent	ts
Disclaimer	Nye Lubricants, Inc. cannot anticipate all conditions under which this in or the products of other manufacturers in combination with its product,	

user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

This document has undergone significant changes and should be reviewed in its entirety.

**Revision information**