



CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

Product name: NYOGEL 767D

Issue date: August-02-2011
Revision date: January-14-2020
Version #: 03
SDS No: -

SECTION 1 Chemical product and company identification

Chinese name of chemical	Not available.	
English name of chemical	NYOGEL 767D	
Product Code	NYOGEL 767D	
Manufacturer/Supplier	Nye Lubricants, Inc.	
Address	12 Howland Road Fairhaven, MA 02719 United States	
Contact person	Nye Lubricants EH&S	
Telephone	General Assistance	508-996-6721
e-mail	sds@nyelubricants.com	
Emergency telephone number	3E Online	800-451-8346
Recommended use and Limitations on use		
Recommended use	Lubricating Grease	
Issue date	August-02-2011	
Revision date	January-14-2020	
Supersedes date	February-15-2014	

SECTION 2 Hazards identification

Emergency overview	May be harmful in contact with skin. May be harmful if swallowed.	
Hazard categories		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
Environmental hazards	Not classified.	
Label elements		
Pictograms	None.	
Signal word	Warning	
Hazard statement		
H303	May be harmful if swallowed.	
H313	May be harmful in contact with skin.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response		
P312	Call a POISON CENTER/doctor if you feel unwell.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Physical and chemical hazards	The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.	
Health hazards	May be harmful in contact with skin. May be harmful if swallowed. Prolonged inhalation may be harmful. Direct contact with eyes may cause temporary irritation.	
Environmental hazards	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	

Supplemental information 92.4% of the mixture consists of component(s) of unknown acute oral toxicity. 92.4% of the mixture consists of component(s) of unknown acute dermal toxicity. 93.6% of the mixture consists of component(s) of unknown acute inhalation toxicity. 99.6% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99.6% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
SILICA, AMORPHOUS		5 - < 10	7631-86-9
Other components below reportable levels		90 - 100	

SECTION 4 First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms and health effects	Direct contact with eyes may cause temporary irritation.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Clean-up methods and materials and containment measures Soak up with inert absorbent material. Clean contaminated surface thoroughly.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Clean up spills immediately, observing precautions in Protective Equipment section. Sweep up and shovel into suitable containers for disposal.

Prevention of secondary hazards Not available.

SECTION 7 Handling and storage

Handling	Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
Storage	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8 Exposure controls/personal protection

Exposure limits

China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2007)

Components	Type	Value	Form
SILICA, AMORPHOUS (CAS 7631-86-9)	PC-TWA	5 mg/m3	Total dust.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

This material does not have established exposure limits. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter

Monitoring methods

Follow standard monitoring procedures.

Engineering measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

Wear appropriate chemical resistant gloves.

Eye protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear appropriate chemical resistant clothing.



Hygiene measures

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid. Semi-solid
Color	Light Yellow, Smooth
Odor	Slight
pH	Not available.
Melting point/freezing point	3110 °F (1710 °C) estimated
Boiling point, initial boiling point, and boiling range	4046 °F (2230 °C) estimated
Flash point	Not available.
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	6.67 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Density	Not available.

Solubility(ies)

Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Flammability (solid, gas)	Not applicable.

Other data

Explosive properties	Not explosive.
Flash point class	Combustible IIIB
Kinematic viscosity temp	104 °F (40 °C)
Oxidizing properties	Not oxidizing.
Percent volatile	80 % estimated
Shelf life	4 years

SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Chlorine. Fluorine. Strong acids, alkalies and oxidizing agents.
Hazardous decomposition products	Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Aldehydes. Ketones.

SECTION 11 Toxicological information

Acute toxicity May be harmful in contact with skin. May be harmful if swallowed.

Components	Species	Test Results
SILICA, AMORPHOUS (CAS 7631-86-9)		
Acute		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Rat	0.55 mg/l/4h
Oral		
LD50	Rat	5000 mg/kg

Routes of exposure Inhalation. Ingestion. Skin contact.

Symptoms Direct contact with eyes may cause temporary irritation.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitizer This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity**IARC Monographs. Overall Evaluation of Carcinogenicity**

SILICA, AMORPHOUS (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Toxic to reproduction This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity following single exposure Not classified.

Specific target organ toxicity following repeated exposure Not classified.

Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

SECTION 12 Ecological information

Ecotoxicological data

Components	Species		Test Results
SILICA, AMORPHOUS (CAS 7631-86-9)			
Aquatic			
Algae	IC50	Algae	440 mg/L, 72 Hours
Crustacea	EC50	Daphnia	7600 mg/L, 48 Hours

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulation	No data available.
Mobility in soil	No data available for this product.
Other hazardous effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.

SECTION 13 Disposal considerations

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Classification of occupational disease hazards

SILICA, AMORPHOUS (CAS 7631-86-9)

Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Other regulations

This safety data sheet conforms to the following laws, regulations and standards:
Measures for the Safe Use of Chemicals in Workplaces
General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)
Regulations on Labor Protection in Workplaces Where Toxic Products Are Used
Packing Symbol of Dangerous Goods(GB190-2009)
Regulations on the Control over Safety of Dangerous Chemicals
Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)
Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

China. National Catalogue of Hazardous Wastes

SILICA, AMORPHOUS (CAS 7631-86-9)

International regulations**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information**References**

EPA: AQUIRE database
GB6944-2012: Classification and Code of Dangerous Goods.
GB12268-2012: List of Dangerous Goods.
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.