CHEMICAL PRODUCT SAFETY DATA SHEET



Prepared in accordance with GB/T 16483 and GB/T 17519.

Product name: NYOGEL 795LT Issue date: July-28-2011

Revision date: March-22-2023

Version #: 05

SDS No: NYOGEL 795LT

SECTION 1 Chemical product and company identification

English name of chemical NYOGEL 795LT Product Code NYOGEL 795LT Manufacturer/Supplier Nye Lubricants, Inc. **Address** 12 Howland Road Fairhaven, MA 02719

United States

Contact person Nye Lubricants EH&S

General Assistance 508-996-6721 **Telephone**

sds@nyelubricants.com e-mail

Emergency telephone 3E Online 800-451-8346

number

Recommended use and Limitations on use

Recommended use **Lubricating Grease** Issue date July-28-2011 **Revision date** March-22-2023 Supersedes date September-23-2014

SECTION 2 Hazards identification

Emergency overview Possible reproductive hazard.

GHS hazard categories

Not classified. Physical hazards

Reproductive toxicity **Health hazards** Category 2

Environmental hazards Not classified.

Label elements

Pictograms



Signal word Warning

Hazard statement

Suspected of damaging fertility or the unborn child. H361

Precautionary statement

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202 Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Safety storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

The product is stable and non-reactive under normal conditions of use, storage and transport. No Physical and chemical hazards

unusual fire or explosion hazards noted.

Health hazards Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation.

SDS CHINA 1006

Environmental hazards

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Supplemental information

Substance/mixture Mixture		
Chemical name	Concentration (%)	CAS Number
二氧化硅 , 无定形 , FUMED, CRYSTAL-FREE SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE	5 - < 10	112945-52-5
苯醯胺, N-苯基-, 与2,4,4-三甲基戊烯的反应产物 BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE	< 1	68411-46-1
Other components below reportable levels	90 - 100	

SECTION 4 First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Most important symptoms and health effects

Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.

Personal protection for first-aid

responders

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Extinguishing media to avoid Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards During fire, gases hazardous to health may be formed. Special fire fighting Move containers from fire area if you can do so without risk.

procedures

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Protection of fire-fighters General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

Environmental precautions

Clean-up methods and materials and containment measures

Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Prevention of secondary

hazards

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Not available.

SDS CHINA

Revision date: March-22-2023 Product name: NYOGEL 795LT SDS No: NYOGEL 795LT

SECTION 7 Handling and storage

Obtain special instructions before use. Do not handle until all safety precautions have been read Handling

> and understood. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal

protective equipment. Observe good industrial hygiene practices.

Storage Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

SECTION 8 Exposure controls/personal protection

Exposure limits

No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Personal protective equipment

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Hand protection Wear appropriate chemical resistant gloves.

Eye protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin and body protection Use of an impervious apron is recommended.







Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance

Flash point

Physical state Liquid. Liquid. Form

Color Not available. Odor Not available. pН Not available. Not available. Melting point/freezing point Not available. Boiling point, initial boiling

point, and boiling range

478.4 °F (248.0 °C) ASTM D-92

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Relative density Not available. **Density** 0.83 g/cm³

0.83 g/cm3

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Flammability (solid, gas) Not applicable.

SDS CHINA 1006 3/6

Product name: NYOGEL 795LT

Revision date: March-22-2023

SDS No: NYOGEL 795LT

Other data

Explosive properties Not explosive. **Flash point class** Combustible IIIB

Kinematic viscosity2100 cStKinematic viscosity temp104 °F (40 °C)Oxidizing propertiesNot oxidizing.Percent volatile55.9 % estimated

Shelf life 4 years

VOC 55.9 % estimated

SECTION 10 Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11 Toxicological information

Acute toxicity	Not known.		
Product	Species	Test Results	
NYOGEL 795LT			
<u>Acute</u>			
Dermal			
LD50	Rabbit	466700 mg/kg	
		2100 g/kg	
Oral			
LD50	Guinea pig	246 g/kg	
	Rabbit	330 g/kg	
	Rat	3450 ml/kg	
		584 g/kg	
Other			
LD50	Rat	32 g/kg	
Components	Species	Test Results	

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

Acute Oral

LD50 Rat 3160 mg/kg

Routes of exposure Not available.

Symptoms Direct contact with eyes may cause temporary irritation.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitizer This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE

3 Not classifiable as to carcinogenicity to humans.

(CAS 112945-52-5)

Product name: NYOGEL 795LT Revision date: March-22-2023 SDS No: NYOGEL 795LT

Toxic to reproduction Suspected of damaging fertility or the unborn child.

Specific target organ toxicity following single exposure

Not classified.

Specific target organ toxicity following repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not available.

SECTION 12 Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulation No data available.

Mobility in soil No data available for this product.

Other hazardous effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

SECTION 13 Disposal considerations

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Local disposal regulationsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Not established.

Not regulated.

Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or region Inventory name On inventory (yes/no)*

China Inventory of Existing Chemical Substances in China

(IECSC)
ints of this product comply with the inventory requirements administered by the governing country(s

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Other regulations This safety data sheet conforms to the following laws, regulations and standards:

Measures for the Safe Use of Chemicals in Workplaces

General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009) Regulations on Labor Protection in Workplaces Where Toxic Products Are Used

Packing Symbol of Dangerous Goods(GB190-2009)

Regulations on the Control over Safety of Dangerous Chemicals

Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)

Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

China. National Catalogue of Hazardous Wastes

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

SDS CHINA

1006

Product name: NYOGEL 795LT

Revision date: March-22-2023

SDS No: NYOGEL 795LT

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information

References EPA: AQUIRE database

GB6944-2012: Classification and Code of Dangerous Goods.

GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.