CHEMICAL PRODUCT SAFET

Prepared in accordance with GB/T 16483 a



Product name: RHEOLUBE 362CPT

Issue date: June-28-2011 Revision date: July-29-2025

Version #: 05 SDS No: RHEOLUBE 362CPT

SECTION 1 Chemical product and company identification

Product Name RHEOLUBE 362CPT RHEOLUBE 362CPT **Product Code** Company name Nye Lubricants, Inc.

A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02179

Country

Telephone +1 508 996 6721 sds@fuchs.com E-mail **Emergency telephone** +86 4001 2001 74

number

334212 Access code

Website www.nyelubricants.com

Recommended use and Limitations on use

Recommended use Lubricating Grease Issue date June-28-2011 **Revision date** July-29-2025 Supersedes date March-06-2023

SECTION 2 Hazards identification

Emergency overview Possible reproductive hazard. Dangerous for the environment if discharged into watercourses

GHS hazard categories

Not classified. **Physical hazards**

Health hazards Reproductive toxicity Category 2 **Environmental hazards** Hazardous to the aquatic environment, acute Category 3

Label elements

Pictograms



Signal word Warning

Hazard statement

Suspected of damaging fertility or the unborn child. H361

Harmful to aquatic life. H402

Precautionary statement

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Safety storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Revision date: July-29-2025 SDS No: RHEOLUBE 362CPT

Physical and chemical hazards

The product is stable and non-reactive under normal conditions of use, storage and transport. No

unusual fire or explosion hazards noted.

Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Direct contact with **Health hazards**

eyes may cause temporary irritation.

Environmental hazards

Harmful to aquatic life.

Supplemental information 89.03% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 89.03% of the mixture consists of component(s) of unknown long-term hazards to

the aquatic environment.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
1H-苯三唑-1-甲烷胺, N,N-双(2-乙基 1H-Benzotriazole-1-methanamine		<1	94270-86-7
苯醯胺, N-苯基-, 与2,4,4-三甲基戊烯的反应产物 BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE		< 1	68411-46-1
加氢石油重烷烃馏分 PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC		< 1	64742-54-7
Other components below reportable levels		90 - 100	

SECTION 4 First aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Most important symptoms and

health effects

Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.

Personal protection for first-aid

responders

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Extinguishing media to avoid

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards

During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Protection of fire-fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards

No unusual fire or explosion hazards noted.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

Clean-up methods and materials and containment measures

Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Prevention of secondary

hazards

Not available.

SDS CHINA

Revision date: July-29-2025 SDS No: RHEOLUBE 362CPT

SECTION 7 Handling and storage

Handling Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good

industrial hygiene practices.

Storage Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above

storage classes)

SECTION 8 Exposure controls/personal protection

Exposure limits

No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures.

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Eye protection If contact is likely, safety glasses with side shields are recommended.

Skin and body protection Use of an impervious apron is recommended.







Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

Color

Not available.

Odor

Not available.

PH

Not available.

Not available.

Melting point/freezing point

Boiling point, initial boiling
point, and boiling range

Flash point

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Relative density

Density

Not available.

Not available.

Not available.

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Flammability (solid, gas)Not available.

Product name: RHEOLUBE 362CPT

Revision date: July-29-2025 SDS No: RHEOLUBE 362CPT

Other data

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Shelf life 4 years

SECTION 10 Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11 Toxicological information

Acute toxicity Not known.

Product Species Test Results

RHEOLUBE 362CPT

Acute

Dermal

LD50 Rabbit 263157904 mg/kg

Oral

LD50 Rat 263157904 mg/kg

Components Species Test Results

1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7)

<u>Acute</u>

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 3313 mg/kg

Routes of exposure Inhalation.

Symptoms Direct contact with eyes may cause temporary irritation.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

-----,,

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitizer This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

PARAFFINIC (CAS 64742-54-7)

Toxic to reproduction Suspected of damaging fertility or the unborn child.

Specific target organ toxicity following single exposure

Not classified.

Specific target organ toxicity following repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

SECTION 12 Ecological information

Ecotoxicity Harmful to aquatic life.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Product name: RHEOLUBE 362CPT Revision date: July-29-2025 SDS No: RHEOLUBE 362CPT

Bioaccumulation No data available.

No data available for this product. Mobility in soil

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other hazardous effects

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Local disposal regulations

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

Not regulated as dangerous goods.

ΙΔΤΔ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Not regulated.

Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or region Inventory name On inventory (yes/no)* Yes

China Inventory of Existing Chemical Substances in China (IECSC)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SPECIAL CASE

Other regulations This safety data sheet conforms to the following laws, regulations and standards:

Measures for the Safe Use of Chemicals in Workplaces

General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009) Regulations on Labor Protection in Workplaces Where Toxic Products Are Used

Packing Symbol of Dangerous Goods(GB190-2009)

Regulations on the Control over Safety of Dangerous Chemicals

Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)

Packing - Pictorial Marking for Handling of Goods (GB/T191-2008)

China. National Catalogue of Hazardous Wastes

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)

Regulatory information

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SDS CHINA 5/6

Revision date: July-29-2025 SDS No: RHEOLUBE 362CPT

SECTION 16 Other information

References EPA: AQUIRE database

GB6944-2012: Classification and Code of Dangerous Goods.

GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.