CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.



Product name: RHEOLUBE 368AX-1 Issue date: May-18-2011

Revision date: October-17-2024

Version #: 08

SDS No: RHEOLUBE 368AX-1

SECTION 1 Chemical product and company identification

RHEOLUBE 368AX-1 Product Name Product Code RHEOLUBE 368AX-1

Manufacturer/Supplier Nye Lubricants, Inc. A Member of the FUCHS Group

12 Howland Road **Address**

Fairhaven, MA 02719 **United States**

Contact person Not available. +1-508-996-6721 **Telephone** sds@fuchs.com e-mail

Emergency telephone

number

Americas +1 760 476 3961

+1 760 476 3962 Europe Asia Pacific +1 760 476 3960

Access code 334212

Recommended use and Limitations on use

Recommended use **Lubricating Grease** May-18-2011 Issue date **Revision date** October-17-2024 Supersedes date July-12-2018

SECTION 2 Hazards identification

Emergency overview Causes mild skin irritation. May cause an allergic skin reaction.

GHS hazard categories

Physical hazards Not classified.

Skin corrosion/irritation **Health hazards** Category 3

Sensitization, skin Category 1

Environmental hazards Not classified.

Label elements

Pictograms



Signal word Warning

Hazard statement

Causes mild skin irritation. H316

May cause an allergic skin reaction. H317

Precautionary statement

Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray. P261

Contaminated work clothing should not be allowed out of the workplace. P272

Wear protective gloves. P280

Response

IF ON SKIN: Wash with plenty of soap and water. P302 + P352

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Safety storage Store away from incompatible materials.

SDS CHINA

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Physical and chemical hazards The product is stable and non-reactive under normal conditions of use, storage and transport. No

unusual fire or explosion hazards noted.

Health hazards Prolonged inhalation may be harmful. Causes mild skin irritation. May cause an allergic skin

reaction. Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary

Environmental hazards The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Supplemental information

SECTION 3 Composition/information on ingredients

Substance/mixture Mixture	Concentration (%)	CAS Number
Chemical name		
钼, 双[O,O-双(2-乙基己基)二硫代磷酸-S,S']二氧化二氧MU硫氧二-,(MO-MO) MOLYBDENUM, BIS[O,O-BIS(2-ETHYLHEXYL) PHOSPHORODITHIOATO-S,S']DIOXODIMUTHIOXODI-, (MO-MO)	1 - < 3	72030-25-2
2,5-呋喃二酮, 二氢-3-(十八烯基)- 2,5-FURANDIONE, DIHYDRO-3-(OCTADECENYL)-	<1	28777-98-2
石油馏分, 加氢重质环烷油 PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC	< 1	64742-52-5
Other components below reportable levels	90 - 100	

SECTION 4 First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders. Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms and

health effects

Mild skin irritation. May cause an allergic skin reaction. Dermatitis. Rash.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Notes to physician

Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. Extinguishing media to avoid

Specific hazards During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Protection of fire-fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not touch damaged containers or spilled material unless wearing appropriate protective For non-emergency personnel

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be For emergency responders

advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

SDS CHINA

Revision date: October-17-2024 SDS No: RHEOLUBE 368AX-1

Clean-up methods and materials and containment measures

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area

with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Prevention of secondary

hazards

Not available.

SECTION 7 Handling and storage

Handling Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing.

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the **Storage**

SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above

storage classes)

SECTION 8 Exposure controls/personal protection

Exposure limits

No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Eye protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin and body protection Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.







Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

SECTION 9 Physical and chemical properties

Smooth **Appearance Physical state** Solid

Form Solid. Semi-solid Green Light brown. Color Odor Not available. Not available. Melting point/freezing point Not available.

Boiling point, initial boiling point, and boiling range

Not available.

Not available Flash point Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Not available. Relative density Density 0.86 g/cm³

SDS CHINA

Ha

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Flammability (solid, gas) Not available.

Other data

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

SECTION 10 Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11 Toxicological information

Acute toxicity Not known.

Routes of exposure Inhalation. Skin contact. Eye contact.

Symptoms Mild skin irritation. May cause an allergic skin reaction. Dermatitis. Rash.

Skin corrosion/irritation Causes mild skin irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitizer May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

Bioaccumulation

IARC Monographs. Overall Evaluation of Carcinogenicity

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

NAPHTHENIC (CAS 64742-52-5)

Toxic to reproductionThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity following single exposure

Not classified

Specific target organ toxicity following repeated exposure

Not classified.

Aspiration hazardNot an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

SECTION 12 Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

No data available.

Mobility in soil No data available for this product.

Other hazardous effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Revision date: October-17-2024 SDS No: RHEOLUBE 368AX-1

SECTION 13 Disposal considerations

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Local disposal regulations Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Classification of occupational disease hazards

Phosphorus and its compounds (phosphine, zinc phosphide, aluminum phosphide, and organic phosphorus are listed separately) (CAS 72030-25-2)

Regulations on the Control over Safety of Dangerous Chemicals

Catalog of Hazardous Chemicals

Solvent naphtha [closed cup flash point ≤ 60 .degree.C] (CAS 64742-52-5)

Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or regionInventory nameOn inventory (yes/no)*ChinaInventory of Existing Chemical Substances in China
(IECSC)Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SPECIAL CASE

Not applicable.

Other regulations This safety data sheet conforms to the following laws, regulations and standards:

Measures for the Safe Use of Chemicals in Workplaces

General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009) Regulations on Labor Protection in Workplaces Where Toxic Products Are Used

Packing Symbol of Dangerous Goods(GB190-2009)

Regulations on the Control over Safety of Dangerous Chemicals

Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)

Packing - Pictorial Marking for Handling of Goods (GB/T191-2008)

China. National Catalogue of Hazardous Wastes

PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

Regulatory information

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SDS CHINA

Product name: RHEOLUBE 368AX-1

Revision date: October-17-2024 SDS No: RHEOLUBE 368AX-1

SECTION 16 Other information

References EPA: AQUIRE database

GB6944-2012: Classification and Code of Dangerous Goods.

GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.