

CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.



Product name: RHEOLUBE 368AXF

Issue date: May-27-2011
Revision date: October-11-2024
Version #: 07
SDS No: RHEOLUBE 368AXF

SECTION 1 Chemical product and company identification

Product Name	RHEOLUBE 368AXF	
Product Code	RHEOLUBE 368AXF	
Manufacturer/Supplier	Nye Lubricants, Inc. A Member of the FUCHS Group	
Address	12 Howland Road Fairhaven, MA 02719 United States	
Contact person	Not available.	
Telephone	+1-508-996-6721	
e-mail	sds@fuchs.com	
Emergency telephone number	Americas	+1 760 476 3961
	Europe	+1 760 476 3962
	Asia Pacific	+1 760 476 3960
	Access code	334212

Recommended use and Limitations on use

Recommended use	Lubricating Grease
Issue date	May-27-2011
Revision date	October-11-2024
Supersedes date	October-10-2024

SECTION 2 Hazards identification

Emergency overview	Causes mild skin irritation. May cause an allergic skin reaction.
---------------------------	---

GHS hazard categories

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 3
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	

Label elements

Pictograms



Signal word	Warning
--------------------	---------

Hazard statement

H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.

Precautionary statement

Prevention

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves.

Response

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Safety storage

Store away from incompatible materials.

Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Physical and chemical hazards	The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.
Health hazards	Prolonged inhalation may be harmful. Causes mild skin irritation. May cause an allergic skin reaction. Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation.
Environmental hazards	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Supplemental information	None.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name	Concentration (%)	CAS Number	
铅, 双[O,O-双(2-乙基己基)二硫代磷酸-S,S']二氧化二氧-.MU.-硫氧二-, (MO-MO) MOLYBDENUM, BIS[O,O-BIS(2-ETHYLHEXYL) PHOSPHORODITHIOATO-S,S']DIOXODI-.MU.-THIOXODI-, (MO-MO)	1 - < 3	72030-25-2	
2,5-呋喃二酮, 二氢-3-(十八烯基)- 2,5-FURANDIONE, DIHYDRO-3-(OCTADECENYL)-	< 1	28777-98-2	
石油馏分, 加氢重质环烷油 PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC	< 1	64742-52-5	
Other components below reportable levels	90 - 100		

SECTION 4 First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms and health effects	Mild skin irritation. May cause an allergic skin reaction. Dermatitis. Rash.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Use water spray to cool unopened containers.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

Clean-up methods and materials and containment measures

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Prevention of secondary hazards

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Not available.

SECTION 7 Handling and storage**Handling**

Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Storage

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

SECTION 8 Exposure controls/personal protection**Exposure limits**

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Monitoring methods

Follow standard monitoring procedures.

Engineering measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment**Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

Wear appropriate chemical resistant gloves.

Eye protection

Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin and body protection

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Hygiene measures**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

SECTION 9 Physical and chemical properties**Appearance**

Smooth

Physical state

Solid.

Form

Solid. Semi-solid

Color

Blue green.

Odor

Not available.

pH

Not available.

Melting point/freezing point

Not available.

Boiling point, initial boiling point, and boiling range

Not available.

Flash point

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Density

0.94 g/cm³

Solubility(ies)**Solubility (water)** Not available.**Partition coefficient
(n-octanol/water)** Not available.**Auto-ignition temperature** Not available.**Decomposition temperature** Not available.**Flammability (solid, gas)** Not available.**Other data****Explosive properties** Not explosive.**Oxidizing properties** Not oxidizing.**Shelf life** 4 years**SECTION 10 Stability and reactivity****Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.**Stability** Material is stable under normal conditions.**Possibility of hazardous
reactions** No dangerous reaction known under conditions of normal use.**Conditions to avoid** Contact with incompatible materials.**Incompatible materials** Strong oxidizing agents.**Hazardous decomposition
products** No hazardous decomposition products are known.**SECTION 11 Toxicological information****Acute toxicity** Not known.**Routes of exposure** Inhalation. Skin contact. Eye contact.**Symptoms** Mild skin irritation. May cause an allergic skin reaction. Dermatitis. Rash.**Skin corrosion/irritation** Causes mild skin irritation.**Serious eye damage/eye
irritation** Direct contact with eyes may cause temporary irritation.**Respiratory or skin sensitization****Respiratory sensitization** Not a respiratory sensitizer.**Skin sensitizer** May cause an allergic skin reaction.**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.**Carcinogenicity****IARC Monographs. Overall Evaluation of Carcinogenicity**PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.
NAPHTHENIC (CAS 64742-52-5)**Toxic to reproduction** This product is not expected to cause reproductive or developmental effects.**Specific target organ toxicity
following single exposure** Not classified.**Specific target organ toxicity
following repeated exposure** Not classified.**Aspiration hazard** Not an aspiration hazard.**Chronic effects** Prolonged inhalation may be harmful.**SECTION 12 Ecological information****Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.**Bioaccumulation** No data available.**Mobility in soil** No data available for this product.**Other hazardous effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information**CNDG**

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15 Regulatory information**Law of the People's Republic of China on Prevention and Control of Occupational Diseases****Classification of occupational disease hazards**

Phosphorus and its compounds (phosphine, zinc phosphide, aluminum phosphide, and organic phosphorus are listed separately) (CAS 72030-25-2)

Regulations on the Control over Safety of Dangerous Chemicals**Catalog of Hazardous Chemicals**

Solvent naphtha [closed cup flash point ≤ 60 .degree.C] (CAS 64742-52-5)

Provision on the Environmental Administration of New Chemical Substances**China Inventory of Existing Chemical Substances**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SPECIAL CASE

Not applicable.

Other regulations

This safety data sheet conforms to the following laws, regulations and standards:
Measures for the Safe Use of Chemicals in Workplaces
General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)
Regulations on Labor Protection in Workplaces Where Toxic Products Are Used
Packing Symbol of Dangerous Goods(GB190-2009)
Regulations on the Control over Safety of Dangerous Chemicals
Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)
Packing - Pictorial Marking for Handling of Goods (GB/T191-2008)

China. National Catalogue of Hazardous Wastes

PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

Regulatory information**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information**References**

EPA: AQUIRE database
GB6944-2012: Classification and Code of Dangerous Goods.
GB12268-2012: List of Dangerous Goods.
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.