

CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.



Product name: RHEOLUBE 374C

Issue date: May-18-2011
Revision date: September-08-2024
Version #: 11
SDS No: RHEOLUBE 374C

SECTION 1 Chemical product and company identification

Product Name	RHEOLUBE 374C
Product Code	RHEOLUBE 374C
Manufacturer/Supplier	Nye Lubricants, Inc. A Member of the FUCHS Group
Address	12 Howland Road Fairhaven, MA 02719 United States
Contact person	Not available.
Telephone	+1-508-996-6721
e-mail	sds@fuchs.com
Emergency telephone number	Americas +1 760 476 3961 Europe +1 760 476 3962 Asia Pacific +1 760 476 3960 Access code 334212

Recommended use and Limitations on use

Recommended use	Lubricating Grease
Issue date	May-18-2011
Revision date	September-08-2024
Supersedes date	February-16-2023

SECTION 2 Hazards identification

Emergency overview	Possible reproductive hazard. Dangerous for the environment if discharged into watercourses.
---------------------------	----------------------------------------------------------------------------------------------

GHS hazard categories

Physical hazards	Not classified.
Health hazards	Reproductive toxicity Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard Category 3

Label elements

Pictograms



Signal word	Warning
--------------------	---------

Hazard statement

H361	Suspected of damaging fertility or the unborn child.
H402	Harmful to aquatic life.

Precautionary statement

Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P308 + P313	IF exposed or concerned: Get medical advice/attention.
-------------	--------------------------------------------------------

Safety storage

P405	Store locked up.
------	------------------

Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Physical and chemical hazards	The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.
Health hazards	Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation.
Environmental hazards	Harmful to aquatic life.
Supplemental information	None.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
异丁烯化苯酚磷酸酯(3:1) PHENOL, ISOBUTYLENATED, PHOSPHATE (3:1)		1 - < 3	68937-40-6
苯醌胺, N-苯基-, 与2,4,4-三甲基戊烯的反应产物 BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE		< 1	68411-46-1
硼酸(H3BO3), 钾盐 BORIC ACID (H3BO3), POTASSIUM SALT		< 1	20786-60-1
石油馏分, 加氢重质环烷油 PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC		< 1	64742-52-5
Other components below reportable levels		90 - 100	

SECTION 4 First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms and health effects	Direct contact with eyes may cause temporary irritation.
Personal protection for first-aid responders	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Use water spray to cool unopened containers.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Clean-up methods and materials and containment measures

Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Prevention of secondary hazards

Not available.

SECTION 7 Handling and storage**Handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Storage

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

SECTION 8 Exposure controls/personal protection**Exposure limits**

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Monitoring methods

Follow standard monitoring procedures.

Engineering measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment**Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

Wear appropriate chemical resistant gloves.

Eye protection

If contact is likely, safety glasses with side shields are recommended.

Skin and body protection

Use of an impervious apron is recommended.

**Hygiene measures**

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties**Appearance**

Smooth

Physical state

Solid.

Form

Solid. Semi-solid

Color

Light tan.

Odor

Not available.

pH

Not available.

Melting point/freezing point

Not available.

Boiling point, initial boiling point, and boiling range

Not available.

Flash point

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Density

0.87 g/cm³

Solubility(ies)

Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Flammability (solid, gas)	Not available.

Other data

Dropping point	>500 °F (>260 °C)
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Shelf life	4 years

SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11 Toxicological information**Acute toxicity**

Components	Species	Test Results
-------------------	----------------	---------------------

BORIC ACID (H3BO3), POTASSIUM SALT (CAS 20786-60-1)

Acute**Inhalation**

LC50

Rat

> 2 mg/m3, 4 Hours

Routes of exposure

Inhalation.

Symptoms

Direct contact with eyes may cause temporary irritation.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization**Respiratory sensitization**

Not a respiratory sensitizer.

Skin sensitizer

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity**IARC Monographs. Overall Evaluation of Carcinogenicity**

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.
NAPHTHENIC (CAS 64742-52-5)

Toxic to reproduction

Suspected of damaging fertility or the unborn child.

Specific target organ toxicity following single exposure

Not classified.

Specific target organ toxicity following repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

SECTION 12 Ecological information

Ecotoxicity	Harmful to aquatic life.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.

Bioaccumulation**Mobility in soil**

No data available for this product.

Other hazardous effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations**Residual waste**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Local disposal regulations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information**CNDG**

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15 Regulatory information**Law of the People's Republic of China on Prevention and Control of Occupational Diseases**

Not regulated.

Regulations on the Control over Safety of Dangerous Chemicals**Catalog of Hazardous Chemicals**Solvent naphtha [closed cup flash point ≤ 60 .degree.C] (CAS 64742-52-5)**Provision on the Environmental Administration of New Chemical Substances****China Inventory of Existing Chemical Substances**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SPECIAL CASE

Not applicable.

Other regulations

This safety data sheet conforms to the following laws, regulations and standards:
Measures for the Safe Use of Chemicals in Workplaces
General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)
Regulations on Labor Protection in Workplaces Where Toxic Products Are Used
Packing Symbol of Dangerous Goods(GB190-2009)
Regulations on the Control over Safety of Dangerous Chemicals
Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)
Packing - Pictorial Marking for Handling of Goods (GB/T191-2008)

China. National Catalogue of Hazardous Wastes

PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

Regulatory information**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol
Not applicable.

Basel Convention
Not applicable.

SECTION 16 Other information

References	EPA: AQUIRE database GB6944-2012: Classification and Code of Dangerous Goods. GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.