CHEMICAL PRODUCT SAFETY DATA SHEET



Prepared in accordance with GB/T 16483 and GB/T 17519.

Product name: RHEOLUBE 790DM Issue date: May-26-2011

Revision date: March-16-2023

Version #: 06

SDS No: RHEOLUBE 790DM

SECTION 1 Chemical product and company identification

English name of chemical RHEOLUBE 790DM Product Code RHEOLUBE 790DM Manufacturer/Supplier Nye Lubricants, Inc. **Address** 12 Howland Road

Fairhaven, MA 02719

United States

Contact person Nye Lubricants EH&S

General Assistance 508-996-6721 **Telephone**

sds@nyelubricants.com e-mail

3E Online 800-451-8346 **Emergency telephone**

number

Recommended use and Limitations on use

Recommended use **Lubricating Grease** Issue date May-26-2011 **Revision date** March-16-2023 Supersedes date September-22-2014

SECTION 2 Hazards identification

Emergency overview Possible reproductive hazard. Dangerous for the environment if discharged into watercourses.

Category 3

GHS hazard categories

Not classified. Physical hazards

Health hazards Reproductive toxicity Category 2 **Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

Label elements

Pictograms



Signal word Warning

Hazard statement

Suspected of damaging fertility or the unborn child. H361

Harmful to aquatic life. H402

Harmful to aquatic life with long lasting effects. H412

Precautionary statement

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Safety storage

Store locked up. P405

Revision date: March-16-2023 SDS No: RHEOLUBE 790DM

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical and chemical hazards The product is stable and non-reactive under normal conditions of use, storage and transport. No

unusual fire or explosion hazards noted.

Health hazards Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Direct contact with

eyes may cause temporary irritation.

Environmental hazards Harmful to aquatic life with long lasting effects.

Supplemental information None.

SECTION 3 Composition/information on ingredients

Substance/mixture Mixture		
Chemical name	Concentration (%)	CAS Number
苯醯胺, N-苯基-, 与2,4,4-三甲基戊烯的反应产物 BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE	1 - < 3	68411-46-1
磷酸三苯脂 TRIPHENYL PHOSPHATE	< 1	115-86-6
Other components below reportable levels	90 - 100	

SECTION 4 First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most important symptoms and health effectsDirect contact with eyes may cause temporary irritation.

Personal protection for first-aid

responders

996

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Extinguishing media to avoid Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazardsDuring fire, gases hazardous to health may be formed.Special fire fighting
proceduresMove containers from fire area if you can do so without risk.

Protection of fire-fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency Wear appropriate protective equipment and clothing during clean-up. **personnel**

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be

advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all

environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

Clean-up methods and materials and containment measures

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Prevention of secondary hazards

Not available.

SECTION 7 Handling and storage

Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle

this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good

industrial hygiene practices.

Storage Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

SECTION 8 Exposure controls/personal protection

Exposure limits

No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures.

Good general ventilation should be used. Ventilation rates should be matched to conditions. If **Engineering measures**

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Personal protective equipment

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Hand protection Wear appropriate chemical resistant gloves.

Eye protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin and body protection Use of an impervious apron is recommended.







Hygiene measures

point, and boiling range

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance

Liquid. Physical state **Form** Liquid. Color Tan

Not available. Odor рH Not available. Melting point/freezing point Not available. Boiling point, initial boiling Not available.

464.0 °F (240.0 °C) ASTM D-92 Flash point

Explosive limit - lower (%) Not available. Not available Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available.

Revision date: March-16-2023 SDS No: RHEOLUBE 790DM

Relative density

Not available.

Density

0.88 g/cm³

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Flammability (solid, gas)Not applicable.

Other data

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Percent volatile 0.11 % estimated

Shelf life 4 years
Specific gravity 1.2 estimated

VOC 0.00000004 % estimated

SECTION 10 Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11 Toxicological information

Acute toxicity Not known.

 Product
 Species
 Test Results

 RHEOLUBE 790DM
 Acute

 Inhalation
 LC50
 Rat
 56.84 mg/l/4h

 Oral
 LD50
 Rat
 168100 mg/kg

Components Species Test Results

TRIPHENYL PHOSPHATE (CAS 115-86-6)

Acute Dermal

LD50 Rabbit 7900 mg/kg

Oral

LD50 Rat 3500 mg/kg

Routes of exposure Inhalation.

SymptomsDirect contact with eyes may cause temporary irritation.Skin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eyeDirect contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitizer This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not available.

Product name: RHEOLUBE 790DM Revision date: March-16-2023 SDS No: RHEOLUBE 790DM

Toxic to reproduction

Suspected of damaging fertility or the unborn child.

Specific target organ toxicity following single exposure

Not classified.

Specific target organ toxicity following repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

SECTION 12 Ecological information

Ecotoxicological data		
Product	Species	Test Results

RHEOLUBE 790DM

Aquatic

Algae IC50 Algae 1093.0884, 72 Hours

Components Species Test Results

TRIPHENYL PHOSPHATE (CAS 115-86-6)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 0.86 - <= 1.2 mg/l, 48 hours

(Oncorhynchus mykiss)

Fish LC50 Rainbow trout, donaldson trout

0.3, 96 hours

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulation

Mobility in soil No data available for this product.

Other hazardous effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Local disposal regulations Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Classification of occupational disease hazards

PHOSPHORUS AND ITS COMPOUNDS (PHOSPHINE, ZINC PHOSPHIDE, ALUMINUM PHOSPHIDE, AND ORGANIC PHOSPHORUS ARE LISTED SEPARATELY) (CAS 115-86-6)

Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

Product name: RHEOLUBE 790DM Revision date: March-16-2023 SDS No: RHEOLUBE 790DM

Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or region Inventory name On inventory (yes/no)*

China Inventory of Existing Chemical Substances in China

(IECSC)

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Other regulations This safety data sheet conforms to the following laws, regulations and standards:

Measures for the Safe Use of Chemicals in Workplaces

General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009) Regulations on Labor Protection in Workplaces Where Toxic Products Are Used

Packing Symbol of Dangerous Goods(GB190-2009)

Regulations on the Control over Safety of Dangerous Chemicals

Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)

Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable. Basel Convention

Not applicable.

SECTION 16 Other information

References EPA: AQUIRE database

GB6944-2012: Classification and Code of Dangerous Goods.

GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.