CHEMICAL PRODUCT SAFETY DATA SHEET



Prepared in accordance with GB/T 16483 and GB/T 17519.

Product name: RHEOLUBE 790DMS

Issue date: May-16-2011

Revision date: February-24-2023

Version #: 06

SDS No: RHEOLUBE 790DMS

SECTION 1 Chemical product and company identification

English name of chemical RHEOLUBE 790DMS
Product Code RHEOLUBE 790DMS

Manufacturer/Supplier Nye Lubricants, Inc.
12 Howland Road
Fairhaven, MA 02719

United States

Contact person Nye Lubricants EH&S

Telephone General Assistance 508-996-6721

e-mail sds@nyelubricants.com

Emergency telephone 3E Online 800-451-8346

number

Recommended use and Limitations on use

Recommended use Lubricating Grease
Issue date May-16-2011
Revision date February-24-2023
Supersedes date September-22-2014

SECTION 2 Hazards identification

Emergency overview Possible reproductive hazard. Dangerous for the environment if discharged into watercourses.

GHS hazard categories

Physical hazards Not classified.

Health hazardsReproductive toxicityCategory 2Environmental hazardsHazardous to the aquatic environment, acuteCategory 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Label elements Pictograms



Signal word Warning

Hazard statement

H361 Suspected of damaging fertility or the unborn child.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Safety storage

P405 Store locked up.

998 SDS CHINA 1 / 6

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Physical and chemical hazards The product is stable and non-reactive under normal conditions of use, storage and transport. No

unusual fire or explosion hazards noted.

Health hazards Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Direct contact with

eyes may cause temporary irritation.

Harmful to aquatic life with long lasting effects. **Environmental hazards**

Supplemental information None.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
烷基化二苯胺 ALKYLATED DIPHENYLAMINE		1 - < 3	Trade Secret
磷酸三苯脂 TRIPHENYL PHOSPHATE		<1	115-86-6
Other components below reportable	e levels	90 - 100	

SECTION 4 First aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important symptoms and Direct contact with eyes may cause temporary irritation.

health effects

Personal protection for first-aid

responders

procedures

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

ISECTION 5 Fire-fighting measures

Extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. Extinguishing media to avoid

During fire, gases hazardous to health may be formed. Specific hazards Move containers from fire area if you can do so without risk. Special fire fighting

Protection of fire-fighters

No unusual fire or explosion hazards noted. General fire hazards

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate protective equipment and clothing during clean-up.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

SDS CHINA

Revision date: February-24-2023 SDS No: RHEOLUBE 790DMS

Clean-up methods and materials and containment measures

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Prevention of secondary hazards

Not available.

SECTION 7 Handling and storage

Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle

this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good

industrial hygiene practices.

Storage Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

SECTION 8 Exposure controls/personal protection

Exposure limits

No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures.

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Hand protection Wear appropriate chemical resistant gloves.

Eye protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin and body protection Use of an impervious apron is recommended.







Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColorTan

Odor Not available.

PH Not available.

Melting point/freezing point Not available.

Boiling point, initial boiling Not available.

point, and boiling range

Flash point 464.0 °F (240.0 °C) ASTM D-92

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Not available.

Not available.

Not available.

SDS CHINA

Not available. Relative density 0.89 g/cm³ Density

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Flammability (solid, gas) Not applicable.

Other data

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing

0.000000003 % estimated Percent volatile

Shelf life 4 years

Specific gravity 1.19 estimated

VOC 0.000000004 % estimated

SECTION 10 Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11 Toxicological information

Acute toxicity Not known.

Components **Species Test Results**

TRIPHENYL PHOSPHATE (CAS 115-86-6)

Acute

Dermal

LD50 Rabbit 7900 mg/kg

Oral

Rat LD50 3500 mg/kg

Routes of exposure Inhalation.

Symptoms Direct contact with eyes may cause temporary irritation. Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitizer

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not available.

Suspected of damaging fertility or the unborn child. Toxic to reproduction

Specific target organ toxicity following single exposure

Not classified.

Specific target organ toxicity following repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful.

Revision date: February-24-2023 SDS No: RHEOLUBE 790DMS

SECTION 12 Ecological information

_		_		
	**^vic	~~!~~	اممنا	40+0
ヒじし	otoxic	.orou	IICai	uala

Components Species Test Results

TRIPHENYL PHOSPHATE (CAS 115-86-6)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 0.86 - <= 1.2 mg/l, 48 hours

Fish LC50 Rainbow trout.donaldson trout 0.3, 96 hours

(Oncorhynchus mykiss)

Ecotoxicity Harmful to aquatic life with long lasting effects.

Persistence and degradability No

Bioaccumulation

No data is available on the degradability of any ingredients in the mixture.

Mobility in soil No data available for this product.

Other hazardous effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Local disposal regulationsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and the IBC Code

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Classification of occupational disease hazards

PHOSPHORUS AND ITS COMPOUNDS (PHOSPHINE, ZINC PHOSPHIDE, ALUMINUM PHOSPHIDE, AND ORGANIC PHOSPHORUS ARE LISTED SEPARATELY) (CAS 115-86-6)

Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or region Inventory name On inventory (yes/no)*

China Inventory of Existing Chemical Substances in China

Yes

(IECSC)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SDS CHINA 5 / 6

Product name: RHEOLUBE 790DMS

Revision date: February-24-2023

SDS No: RHEOLUBE 790DMS

Other regulationsThis safety data sheet conforms to the following laws, regulations and standards:

Measures for the Safe Use of Chemicals in Workplaces

General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)

Regulations on Labor Protection in Workplaces Where Toxic Products Are Used

Packing Symbol of Dangerous Goods(GB190-2009)

Regulations on the Control over Safety of Dangerous Chemicals

Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)

Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information

References EPA: AQUIRE database

GB6944-2012: Classification and Code of Dangerous Goods.

GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

DisclaimerNye Lubricants, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.