

NYOGEL 741F

According to EC Directive 2001/58/EC

1. Chemical and company identification

Name of chemical (Product

NYOGEL 741F

name)

Supplier's company name, address and phone number

Company name Nye Lubricants, Inc. **Address** 12 Howland Road

Fairhaven, MA 02719 United States

Contact person Nye Lubricants EH&S

Telephone General Assistance +1-508-996-6721

e-mail address sds@nyelubricants.com

Emergency telephone number 3E Online +1-800-451-8346

Product Code NYOGEL 741F

Recommended use of the chemical and restrictions on use

Intended use **Lubricating Grease**

2. Hazards identification

GHS classification

The product is not classified according to GHS.

GHS label elements

Pictograms None. Signal words None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. **Storage**

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards which do not

result in classification

None known.

Supplemental information None. Main symptoms and emergency overview

> Direct contact with eyes may cause temporary irritation. Main symptoms

3. Composition/information on ingredients

Substance or mixture Mixture

Gazette notification

Chemical name or generic name	CAS Number	ENCS no.	ISHL no.	Concentration (%)
DIPHENYLAMINE	122-39-4	(3)-133	(3)-133, 4-(12)-219	<= 0.3
LITHIUM HYDROXIDE MONOHYDRATE	1310-66-3	(1)-712	(1)-712	<= 0.1
Other components below reportable levels				95 - 100

Chemical formula C12-H11-N (122-39-4), H2O.HLiO (1310-66-3)

4. First aid measures

If inhaled Move to fresh air. Call a physician if symptoms develop or persist.

If on skin Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. If in eyes

Company name: Nye Lubricants, Inc. Product name NYOGEL 741F MSDS JAPAN NYOGEL 741F Version #: 11 Revision date: May-14-2024 Issue date: March-01-2011



NYOGEL 741F

According to EC Directive 2001/58/EC

If swallowed Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and

Protection of first-aid

delayed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. responders

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). **Extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire. Extinguishing media to avoid

During fire, gases hazardous to health may be formed. Specific hazards

Special fire fighting Use water spray to cool unopened containers.

procedures

Protection of fire-fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling

Technical measures (e.g.

Local and general

ventilation)

Provide adequate ventilation.

Safe handling advice

Avoid prolonged exposure. Observe good industrial hygiene practices.

Contact avoidance

Strong oxidizing agents. For further information, please refer to section 10 of the SDS.

measures

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Storage

Safe storage conditions Store away from incompatible materials (see Section 10 of the SDS).

Safe packaging materials Store in original tightly closed container.

8. Exposure controls/personal protection

Follow standard monitoring procedures. **Control parameters**

Occupational exposure limits

Japan. OELs - JSOH (Japan Society of Occupational Health: Recommendation of Occupational Exposure Limits)

Components **Type** Value

LITHIUM HYDROXIDE MONOHYDRATE (CAS 1310-66-3)

TWA 1 mg/m3

Company name: Nye Lubricants, Inc. Product name NYOGEL 741F MSDS JAPAN

NYOGEL 741F Version #: 11 Revision date: May-14-2024 Issue date: March-01-2011



NYOGEL 741F

According to EC Directive 2001/58/EC

US. ACGIH Threshold Limit Values

ComponentsTypeValueDIPHENYLAMINE (CAS 122-39-4)TWA 10 mg/m3

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
DIPHENYLAMINE (CAS 122-39-4)	1.5 %	Methemoglobin	Hemoglobin in blood	*

^{* -} For sampling details, please see the source document.

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.





9. Physical and chemical properties

Physical state Solid.

Form Solid. Semi-solid
Color White Off-white.
Odor Not available.
Melting point/freezing point Not available.
Boiling point, initial boiling Not available.

point, and boiling range

Explosive limit - lower (%)

Combustibility Not available.

Lower and upper explosion limit / flammability limit

Explosive limit - upper (%) Not available.

Flash point Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility(ies)

Solubility (water) Not available.

Vapor pressure Not available.

Density and/or relative density

Density 1.01 g/cm³
Relative density Not available.
Vapor density Not available.

Company name: Nye Lubricants, Inc. Product name NYOGEL 741F

NYOGEL 741F Version #: 11 Revision date: May-14-2024 Issue date: March-01-2011

Not available.



NYOGEL 741F

According to EC Directive 2001/58/EC

Particle characteristics

Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Shelf life 4 years

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Acute toxicity Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

DIPHENYLAMINE (CAS 122-39-4)

A4 Not classifiable as a human carcinogen.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulation

Bioaccumulative potential

Octanol/water partition coefficient log Kow

DIPHENYLAMINE 3.5

Mobility in soil No data available for this product.

Hazardous to the ozone layer No data available.

Other hazardous effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Company name: Nye Lubricants, Inc. Product name NYOGEL 741F

NYOGEL 741F Version #: 11 Revision date: May-14-2024 Issue date: March-01-2011



NYOGEL 741F

According to EC Directive 2001/58/EC

13. Disposal considerations

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Local disposal regulations Contract with a disposal operator licensed by the Law on Disposal and Cleaning. When your own

wastewater treatment plant is not available, collect entire waste and then charge to a licensed

industrial waste management professional with manifests for industrial waste.

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

National regulations Follow regulation in section 15 for domestic transportation.

15. Regulatory information

Industrial Safety and Health Act

Notifiable substances

DIPHENYLAMINE

Table 9 Ordinance No. 277 0.10 - 1.0 %

Labeling substances

Not regulated.

Poisonous and Deleterious Substances Control Act

Specified poisonous substances

Not regulated.

Poisonous substances

Not regulated.

Deleterious substances

Lithium hydroxide and its preparations

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Class I specified chemical substances

Not regulated.

Class II specified chemical substances

Not regulated.

Monitoring chemical substances

Not regulated.

Priority Assessment Chemical Substances (PACs)

Not regulated.

Reporting Exempted Substances

Not regulated.

Law concerning Pollutant Release and Transfer Register

Specified class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Ship Safety Law, Dangerous Goods Marine Transport and

Not regulated.

Storage Rule

Company name: Nye Lubricants, Inc. Product name NYOGEL 741F

NYOGEL 741F Version #: 11 Revision date: May-14-2024 Issue date: March-01-2011



NYOGEL 741F

According to EC Directive 2001/58/EC

Air Law, Enforcement Rule

Not regulated.

Explosives Control Act

Not regulated.

Act on Prevention of Marine Pollution and Maritime Disaster

DIPHENYLAMINE Category: Y

16. Other information

Bibliography ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Japan Chemical Industry Association (JCIA) GHS Guideline, June 2019

Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of

Classification and Labelling of Chemicals (GHS)"

JIS Z 7253:2019 Hazard communication of chemicals based on GHS - Labelling and Safety Data

Sheet (SDS)

National Toxicology Program (NTP) Report on Carcinogens

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Company name: Nye Lubricants, Inc. Product name NYOGEL 741F MSDS JAPAN