RHEOLUBE 362HB

According to EC Directive 2001/58/EC

1. Chemical and company identification

Name of chemical (Product

RHEOLUBE 362HB

name)

Supplier's company name, address and phone number

Company name Nye Lubricants, Inc. A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02719 United States

+1-508-996-6721 **Telephone** sds@fuchs.com e-mail address

Americas +1 760 476 3961 **Emergency telephone number**

Europe +1 760 476 3962 Asia Pacific +1 760 476 3960

Access code 334212

Product Code RHEOLUBE 362HB

Recommended use of the chemical and restrictions on use

Intended use **Lubricating Grease**

2. Hazards identification

GHS classification

The product is not classified according to GHS.

GHS label elements

Pictograms None. Signal words None

The mixture does not meet the criteria for classification. **Hazard statement**

Precautionary statement

Observe good industrial hygiene practices. Prevention

Response Wash hands after handling.

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards which do not

result in classification

None known.

Supplemental information None. Main symptoms and emergency overview

> Main symptoms Direct contact with eyes may cause temporary irritation.

3. Composition/information on ingredients

Substance or mixture Mixture

	Gazette notification			
Chemical name or generic name	CAS Number	ENCS no.	ISHL no.	Concentration (%)
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH	68411-46-1	3-137		0.10 - 1.0

2,4,4-TRIMETHYLPENTENE			
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC	64742-54-7	9-1692	0.10 - 1.0

Other components below reportable levels 95 - 100

4. First aid measures

If inhaled Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. If on skin

RHEOLUBE 362HB

According to EC Directive 2001/58/EC

If in eyes Rinse with water. Get medical attention if irritation develops and persists.

If swallowedRinse mouth. Get medical attention if symptoms occur. **Most important**Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

Protection of first-aid

delayed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

responders protect themselves.

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). **Extinguishing media to avoid** Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Protection of fire-fightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Environmental precautions A

Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling

Technical measures (e.g.

Local and general ventilation)

Provide adequate ventilation.

Safe handling advice

Contact avoidance

measures

Avoid prolonged exposure. Observe good industrial hygiene practices.

Strong oxidizing agents. For further information, please refer to section 10 of the SDS.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Storage

Safe storage conditions Store away from incompatible materials (see Section 10 of the SDS).

Safe packaging materials Store in original tightly closed container.

8. Exposure controls/personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Japan. OELs - JSOH (Japan Society of Occupational Health) Recommendation of Occupational Exposure Limits
Components Type Value Form

PETROLEUM TWA 3 mg/m3 Mist.

DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS

64742-54-7)

RHEOLUBE 362HB

According to EC Directive 2001/58/EC

US. ACGIH Threshold Limit Values (TLV)

Components
Type
Value
Form

PETROLEUM
DISTILLATES,
HYDROTREATED HEAVY
PARAFFINIC (CAS
64742-54-7)
Form

TWA
5 mg/m3
Inhalable fraction.

Engineering measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Not available.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.





9. Physical and chemical properties

Physical state Solid.

Form Solid. Semi-solid

Color White. Off-white.

Odor Not available.

Melting point/freezing point Not available.

Boiling point, initial boiling point, and boiling range

Combustibility Not available.

Explosive limit - lower (%)

Lower and upper explosion limit / flammability limit

Explosive limit - upper (%) Not available.

Flash point Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH Not available.

Kinematic viscosity Not available.

Solubility(ies)

Solubility (water)

Partition coefficient

Not available.

Not available.

(n-octanol/water) (log value)

Vapor pressure Not available.

Density and/or relative density

Density Not available.

Relative density Not available.

Vapor density Not available.

Particle characteristics Not available.

RHEOLUBE 362HB

According to EC Directive 2001/58/EC

Other information

404.6 °F (207 °C) **Dropping point Explosive properties** Not explosive. Oxidizing properties Not oxidizing

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Not available. Acute toxicity

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

PETROLEUM DISTILLATES, HYDROTREATED HEAVY A4 Not classifiable as a human carcinogen.

PARAFFINIC (CAS 64742-54-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

PARAFFINIC (CAS 64742-54-7)

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulation No data available.

Mobility in soil No data available for this product.

No data available. Hazardous to the ozone laver

Other hazardous effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

RHEOLUBE 362HB

According to EC Directive 2001/58/EC

13. Disposal considerations

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Local disposal regulationsContract with a disposal operator licensed by the Law on Disposal and Cleaning. Collect and

reclaim or dispose in sealed containers at licensed waste disposal site. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed

industrial waste management professional with manifests for industrial waste.

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

National regulations Follow regulation in section 15 for domestic transportation.

15. Regulatory information

Industrial Safety and Health Act

Notifiable substances

Mineral oil

Table 9 Ordinance No. 168 0.10 - 1.0 %

Labeling substances

Not regulated.

SDS and Risk Assessment

Mineral oil

Poisonous and Deleterious Substances Control Act

Specified poisonous substances

Not regulated.

Poisonous substances

Not regulated.

Deleterious substances

Not regulated.

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Class I specified chemical substances

Not regulated.

Class II specified chemical substances

Not regulated.

Monitoring chemical substances

Not regulated.

Priority Assessment Chemical Substances (PACs)

Not regulated.

Reporting Exempted Substances

Not regulated.

Law concerning Pollutant Release and Transfer Register from April 1, 2023

Specified class 1 substances (substance name, control number and content)

Not regulated.

Class 1 substances (substance name, control number and content)

Not regulated.

Class 2 substances (substance name, control number and content)

Not regulated.

RHEOLUBE 362HB

According to EC Directive 2001/58/EC

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule

Not regulated.

Storage Rule
Air Law, Enforcement Rule

Not regulated.

Inventory name

Explosives Control Act

Not regulated.

International Inventories

Country(s) or region

Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Provision on the Environmental Administration of New Chemical Substances

SPECIAL CASE

Not applicable.

16. Other information

Bibliography

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Japan Chemical Industry Association (JCIA) GHS Guideline, June 2019

Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of

Classification and Labelling of Chemicals (GHS)"

JIS Z 7253:2019 Hazard communication of chemicals based on GHS - Labelling and Safety Data

Sheet (SDS)

National Toxicology Program (NTP) Report on Carcinogens

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information Product and Company Identification: Product and Company Identification

Hazards identification: Hazard statement

Hazards identification: Other hazards which do not result in classification

Composition / Information on Ingredients: Disclosure Overrides Exposure controls/personal protection: Exposure guidelines

Physical and chemical properties: Color Toxicological information: Acute toxicity Toxicological information: Reproductivity Regulatory information: SPECIAL CASE Other information: Bibliography

Material Attributes & Uses; Experimental Data: Product Uses

Company name: Nye Lubricants, Inc. A Member of the FUCHS Group Product name RHEOLUBE 362HB RHEOLUBE 362HB Version #: 18 Revision date: May-02-2025 Issue date: March-01-2011

On inventory (yes/no)*