Issue date: February-01-2014 Revision date: January-31-2023 Supersedes date: July-14-2022 Version number: 10



SAFETY DATA SHEET

SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

Name of the hazardous NYOGEL 792D

chemical substance or mixture

Other means of identification

Product Code NYOGEL 792D

Recommended use of the hazardous chemical substance or mixture, and restrictions of use

Recommended use Lubricating Grease
Recommended restrictions None known.

Suppliers details

Company name
Address
Nye Lubricants, Inc.
12 Howland Road
Fairhaven, MA 02719

United States

Telephone General Assistance 508-996-6721

Website www.nyelubricants.com
E-mail sds@nyelubricants.com
Contact person Nye Lubricants EH&S

Emergency phone number 3E Online 800-451-8346

SECTION 2. Hazard identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

Environmental hazards Not classified.

Elements of labeling, including precautionary statements and warning pictograms



Signal word Warning

Hazard statement

H361 Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not

result in classification

None known.

Supplemental information None.

ouppiemental information None.

Material name: NYOGEL 792D SDS MEXICO

Issue date: February-01-2014 Revision date: January-31-2023 Supersedes date: July-14-2022

Version number: 10

SECTION 3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
1-DODECENE, POLYMER WITH 1-DECENE AND 1-OCTENE, HYDROGENATED		163149-28-8	30 - < 40
PARAFFIN WAXES AND HYDROCARBON WAXES		8002-74-2	3 - < 5
ALKYLATED DIPHENYLAMINE		Trade Secret	< 1
Other components below reportable	levels		60 - < 70

SECTION 4. First-aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s)

involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

SECTION 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective actions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

Personal precautionary measures, protective equipment and emergency procedure

For non-emergency

personnel

Wear appropriate protective equipment and clothing during clean-up.

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be For emergency responders

advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Material name: NYOGEL 792D SDS MEXICO 2/7

NYOGEL 792D

Issue date: February-01-2014 Revision date: January-31-2023 Supersedes date: July-14-2022 Version number: 10

Methods and materials for containing and cleaning up spills or releases

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

SECTION 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Mexico. Occupational Exposure Limit Values Components Type Value **Form** PARAFFIN WAXES AND **TWA** 2 mg/m3 Fume.

HYDROCARBON WAXES (CAS 8002-74-2)

US. ACGIH Threshold Limit Values

Form Components Value Type PARAFFIN WAXES AND **TWA** Fume. 2 mg/m3

HYDROCARBON WAXES (CAS 8002-74-2)

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Not available.

Control banding approach

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Blue green. Odor Not available.

Material name: NYOGEL 792D

NYOGEL 792D

Issue date: February-01-2014 Revision date: January-31-2023 Supersedes date: July-14-2022

Version number: 10

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point 546.8 °F (286.0 °C) ASTM D-92

Not available.

Evaporation rate
Not available.
Flammability (solid, gas)
Not applicable.
Upper/lower flammability or explosive limits
Explosive limit - lower (%)
Not available.
Vapor pressure
Not available.
Vapor density
Not available.

Relative density Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Molecular weightNot available.

Other information

Density 0.91 g/cm³

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Shelf life 4 years

Specific gravity 0.88 estimated

SECTION 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions that must be

avoided

products

Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

on

No hazardous decomposition products are known.

SECTION 11. Toxicological information

Information about likely routes of entry

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Delayed and immediate effects and also chronic effects from short and long term exposure

Numerical measures of toxicity (such as acute toxicity estimates)

Acute toxicity Not known.

Material name: NYOGEL 792D SDS MEXICO

Issue date: February-01-2014 Revision date: January-31-2023 Supersedes date: July-14-2022

Version number: 10

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Direct contact with eyes may cause temporary irritation.

Serious eye damage/eye irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Other information Not available.

SECTION 12. Ecotoxicological information

Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13. Disposal considerations

Disposal methods

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

SECTION 14. Transport information

SCT

Not regulated as dangerous goods.

DOT

UN number UN1306

Proper shipping name Wood preservatives, liquid, solution (PARAFFIN WAXES AND HYDROCARBON WAXES)

Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B1, IB3, T2, TP1

Packaging exceptions 150
Packaging non bulk 203
Packaging bulk 242

Material name: NYOGEL 792D SDS MEXICO

Version number: 10

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

DOT



SECTION 15. Regulatory information

Safety, health and environmental regulations specific for the hazard chemical substance or mixture in question

This safety data sheet was prepared in accordance with the Official Mexican Standard (NOM-018-STPS-2015).

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not listed.

International regulations

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe European Inventory of Existing Commercial Chemical Substances (EINECS)		No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes

Material name: NYOGEL 792D SDS MEXICO

Issue date: February-01-2014 Revision date: January-31-2023 Supersedes date: July-14-2022 Version number: 10

Country(s) or region Inventory name On inventory (yes/no)*

New Zealand New Zealand Inventory

Philippines Philippine Inventory of Chemicals and Chemical Substances No

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

February-01-2014 Issue date Revision date January-31-2023

Version # 10

List of abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AICIS: Australian Inventory of Industrial Chemicals.

ANTT: National Agency of Land Transport.

CAS: Chemical Abstract Service. DOT: Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

NFPA: National Fire Protection Association.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. SCT: Secretariat of Communications and Transportation (NOM-002-SCT/2011).

STEL: Short term exposure limit. TWA: Time Weighted Average.

NMX-R-019-SCFI-2011 - Harmonized system of classification and communication of dangers of References

chemical products

NOM-010-STPS-2014 (second revision) - Occupational Exposure Limits - becomes effective on

April 28, 2016

NOM-018-STPS-2015 - Harmonized system for the identification and communication of hazards

and risks for hazardous chemicals in the workplace

NOM-026-STPS-2008 - Colors and signals of safety and hygiene, and risk identification through

fluids in pipes

NOM-028-STPS-2012 - Work-Safety Management System for Processes and Critical Equipment

Handling Hazardous Chemical Substances

NOM-047-SSA1-2011 - Workplace Biological Exposure Indices (BEIs) to Chemical Substances

Workplace Threshold Quantities of Hazardous Chemicals

HMIS® ratings Health: 0*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 0 Instability: 0

Disclaimer Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: NYOGEL 792D

SDS MEXICO NYOGEL 792D