Issue date: February-01-2014 Revision date: March-22-2023 Supersedes date: September-23-2014

Version number: 04



## SAFETY DATA SHEET

# SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

Name of the hazardous NYOGEL 795LT

chemical substance or mixture
Other means of identification

Product Code NYOGEL 795LT

Recommended use of the hazardous chemical substance or mixture, and restrictions of use

Recommended use Lubricating Grease
Recommended restrictions None known.

Suppliers details

Company name

Address

Nye Lubricants, Inc.

12 Howland Road
Fairhaven, MA 02719

**United States** 

**Telephone** General Assistance 508-996-6721

Websitewww.nyelubricants.comE-mailsds@nyelubricants.comContact personNye Lubricants EH&S

Emergency phone number 3E Online 800-451-8346

## **SECTION 2. Hazard identification**

### Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

Aspiration hazard Category 1

**Environmental hazards** Not classified.

## Elements of labeling, including precautionary statements and warning pictograms



Signal word Danger

**Hazard statement** 

H304 May be fatal if swallowed and enters airways.
H361 Suspected of damaging fertility or the unborn child.

## **Precautionary statement**

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supersedes date: September-23-2014

Version number: 04

Other hazards which do not

None known.

result in classification Supplemental information

None.

## SECTION 3. Composition/information on ingredients

#### **Mixtures**

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
POLYBUTENE		9003-29-6	50 - < 60
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE		112945-52-5	5 - < 10
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE		68411-46-1	<1
Other components below reportable	levels		30 - < 40

## SECTION 4. First-aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delaved

Indication of immediate medical attention and special

treatment needed

Aspiration may cause pulmonary edema and pneumonitis.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice **General information** 

> (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

## SECTION 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective actions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

## SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

## Personal precautionary measures, protective equipment and emergency procedure

For non-emergency

personnel

Wear appropriate protective equipment and clothing during clean-up.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

Issue date: February-01-2014 Revision date: March-22-2023 Supersedes date: September-23-2014

Version number: 04

Methods and materials for containing and cleaning up spills or releases

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## SECTION 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## SECTION 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Control banding approach Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment (PPE)

Not available.

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Other Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## SECTION 9. Physical and chemical properties

## **Appearance**

**Physical state** Liquid. Form Liquid. Not available. Color Not available. Odor **Odor threshold** Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point

478.4 °F (248.0 °C) ASTM D-92

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

SDS MEXICO NYOGEL 795LT

Supersedes date: September-23-2014

Version number: 04

#### Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Molecular weightNot available.

Other information

**Density** 0.83 g/cm³ 0.83 g/cm³

**Explosive properties** Not explosive. **Flash point class** Combustible IIIB

Kinematic viscosity 2100 cSt Kinematic viscosity 104  $^{\circ}$ F (40  $^{\circ}$ C)

temperature

Oxidizing properties Not oxidizing.

Percent volatile 55.9 % estimated

Shelf life 4 years

VOC 55.9 % estimated

## SECTION 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions that must be

avoided

Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** No hazardous decomposition products are known.

products

## **SECTION 11. Toxicological information**

## Information about likely routes of entry

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Aspiration may cause pulmonary edema and pneumonitis.

Delayed and immediate effects and also chronic effects from short and long term exposure

Numerical measures of toxicity (such as acute toxicity estimates)

**Acute toxicity** May be fatal if swallowed and enters airways.

Issue date: February-01-2014 Revision date: March-22-2023 Supersedes date: September-23-2014

Version number: 04

Product	Species	Test Results
NYOGEL 795LT		
<u>Acute</u>		
Dermal		
LD50	Rabbit	466700 mg/kg
		2100 g/kg
Oral		
LD50	Guinea pig	246 g/kg
	Rabbit	330 g/kg
	Rat	3450 ml/kg
		584 g/kg
Other		
LD50	Rat	32 g/kg
Components	Species	Test Results

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

Acute Oral

LD50 Rat 3160 mg/kg

Skin corrosion/irritation

Serious eye damage/eye irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE 3 Not classifiable as to carcinogenicity to humans.

(CAS 112945-52-5)

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** May be fatal if swallowed and enters airways.

Other information Not available.

## SECTION 12. Ecotoxicological information

**Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

## SECTION 13. Disposal considerations

Disposal methods

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Supersedes date: September-23-2014

Version number: 04

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## SECTION 14. Transport information

Not regulated as dangerous goods.

#### DOT

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

## SECTION 15. Regulatory information

Safety, health and environmental regulations specific for the hazard

This safety data sheet was prepared in accordance with the Official Mexican Standard

(NOM-018-STPS-2015).

chemical substance or mixture in question

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not listed.

## International regulations

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Furone	Furopean List of Notified Chemical Substances (FLINCS)	No

Material name: NYOGEL 795LT SDS MEXICO

Inventory of Existing and New Chemical Substances (ENCS)

Japan

No

Supersedes date: September-23-2014 Version number: 04

Yes

Country(s) or region Inventory name On inventory (yes/no)\*

KoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYes

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

**Issue date** February-01-2014 **Revision date** March-22-2023

Version # 04

List of abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AICIS: Australian Inventory of Industrial Chemicals.

ANTT: National Agency of Land Transport.

CAS: Chemical Abstract Service. DOT: Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

NFPA: National Fire Protection Association.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. SCT: Secretariat of Communications and Transportation (NOM-002-SCT/2011).

STEL: Short term exposure limit. TWA: Time Weighted Average.

References NMX-R-019-SCFI-2011 - Harmonized system of classification and communication of dangers of

chemical products

NOM-010-STPS-2014 (second revision) - Occupational Exposure Limits - becomes effective on

April 28, 2016

NOM-018-STPS-2015 - Harmonized system for the identification and communication of hazards

and risks for hazardous chemicals in the workplace

NOM-026-STPS-2008 - Colors and signals of safety and hygiene, and risk identification through

fluids in pipes

NOM-028-STPS-2012 – Work-Safety Management System for Processes and Critical Equipment

Handling Hazardous Chemical Substances

NOM-047-SSA1-2011 – Workplace Biological Exposure Indices (BEIs) to Chemical Substances

Workplace Threshold Quantities of Hazardous Chemicals

HMIS® ratings Health: 0\*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 0 Instability: 0

**Disclaimer**Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.