

# SAFETY DATA SHEET

## Section 1: Identification

<b>Product identifier</b>	<b>NYOGEL 756G</b>
<b>Other means of identification</b>	
<b>Product Code</b>	NYOGEL 756G
<b>Recommended use of the chemical and restrictions on use</b>	
<b>Recommended use</b>	Lubricating Grease
<b>Restrictions on use</b>	None known.
<b>Details of manufacturer or importer</b>	
<b>Company name</b>	Nye Lubricants, Inc. A Member of the FUCHS Group
<b>Address</b>	12 Howland Road Fairhaven, MA 02179 USA
<b>Telephone</b>	+1 508 996 6721
<b>E-mail</b>	sds@fuchs.com
<b>Emergency telephone number</b>	+64 800 451719
<b>Access code</b>	334212
<b>Website</b>	www.nyelubricants.com

## Section 2: Hazard identification

### Classification of the hazardous chemical

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Sensitization, skin	Category 1
	Reproductive toxicity	Category 2
<b>Environmental hazards</b>	Not classified.	

### Label elements, including precautionary statements

#### Hazard symbol(s)



Health hazard

Exclamation mark

<b>Signal word</b>	Warning
<b>Hazard statement(s)</b>	May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.
<b>Precautionary statement(s)</b>	

<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
<b>Response</b>	IF ON SKIN: Wash with plenty of water. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards which do not result in classification** None.

**Supplemental information** None.

## Section 3: Composition/information on ingredients

### Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
CARBON BLACK	1333-86-4	10 - < 20
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE	68411-46-1	1 - < 3
2,5-FURANDIONE, DIHYDRO-3-(OCTADECENYL)-	28777-98-2	< 1
Other components below reportable levels		80 - < 90

#### Section 4: First-aid measures

##### Description of necessary first aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Personal protection for first-aid responders</b>	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
<b>Symptoms caused by exposure</b>	May cause an allergic skin reaction. Dermatitis. Rash.
<b>Medical attention and special treatment</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

#### Section 5: Fire-fighting measures

##### Extinguishing media

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for fire fighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Use water spray to cool unopened containers.
<b>Hazchem code</b>	None.
<b>Hazards from combustion products</b>	None.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

#### Section 6: Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
<b>For emergency responders</b>	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.
<b>Methods and materials for containment and cleaning up</b>	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

#### Section 7: Handling and storage

<b>Precautions for safe handling</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

## Section 8: Exposure controls/personal protection

**Control parameters** Follow standard monitoring procedures.

### Occupational exposure limits

#### New Zealand. OELs (Workplace Exposure Standards and Biological Exposure Indices)

Components	Type	Value
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3

#### US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.

#### UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Type	Value
CARBON BLACK (CAS 1333-86-4)	STEL	7 mg/m3
	TWA	3.5 mg/m3

#### Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, for example personal protective equipment (PPE)

**Eye/face protection** If contact is likely, safety glasses with side shields are recommended.

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.



### Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## Section 9: Physical and chemical properties

<b>Appearance</b>	Smooth
<b>Physical state</b>	Solid.
<b>Form</b>	Solid. Semi-solid
<b>Color</b>	Black
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.

**Upper/lower flammability or explosive limits****Explosive limit - lower (%)** Not available.**Explosive limit - upper (%)** Not available.**Vapor pressure** Not available.**Vapor density** Not available.**Relative density** Not available.**Solubility(ies)****Solubility (water)** Not available.**Partition coefficient (n-octanol/water)** Not available.**Auto-ignition temperature** Not available.**Decomposition temperature** Not available.**Kinematic viscosity** Not available.**Other physical and chemical parameters****Density** 0.88 g/cm<sup>3</sup>**Explosive properties** Not explosive.**Oxidizing properties** Not oxidizing.**Section 10: Stability and reactivity****Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.**Chemical stability** Material is stable under normal conditions.**Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.**Conditions to avoid** Contact with incompatible materials.**Incompatible materials** Strong oxidizing agents.**Hazardous decomposition products** No hazardous decomposition products are known.**Section 11: Toxicological information****Information on likely routes of exposure****Inhalation** No adverse effects due to inhalation are expected.**Skin contact** May cause an allergic skin reaction.**Eye contact** Direct contact with eyes may cause temporary irritation.**Ingestion** Expected to be a low ingestion hazard.**Symptoms related to the physical, chemical and toxicological characteristics** May cause an allergic skin reaction. Dermatitis. Rash.**Information on toxicological effects****Acute toxicity**

Components	Species	Test Results
------------	---------	--------------

CARBON BLACK (CAS 1333-86-4)

**Acute****Oral**

LD50 Rat &gt; 8000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.**Respiratory irritation** Not available.**Respiratory or skin sensitization****Respiratory sensitization** Not a respiratory sensitizer.**Skin sensitization** May cause an allergic skin reaction.**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.**Carcinogenicity** Not available.

**ACGIH Carcinogens**

CARBON BLACK (CAS 1333-86-4)

A3 Confirmed animal carcinogen with unknown relevance to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

CARBON BLACK (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.**Specific target organ toxicity - single exposure** Not classified.**Specific target organ toxicity - repeated exposure** Not classified.**Aspiration hazard** Not an aspiration hazard.**Narcotic effects** Due to lack of data the classification is not possible.**Section 12: Ecological information****Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.**Bioaccumulative potential** No data available.**Mobility in soil** No data available for this product.**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.**Section 13: Disposal considerations****Disposal methods** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.**Special precautions to be taken during disposal** Dispose in accordance with all applicable regulations.**Method of disposal that should not be used** None known.**Section 14: Transport information****IATA**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.**Section 15: Regulatory information****Applicable regulations****New Zealand Inventory of Chemicals (NZIoC): Registration status**2,5-FURANDIONE, DIHYDRO-3-(OCTADECENYL)-  
(CAS 28777-98-2)

Does not have individual approval but may be used under an appropriate group standard

BENZENAMINE, N-PHENYL-, REACTION PRODUCTS  
WITH 2,4,4-TRIMETHYLPENTENE (CAS 68411-46-1)

Does not have individual approval but may be used under an appropriate group standard

CARBON BLACK (CAS 1333-86-4)

HSNO Approved

**Section 16: Other information****Issue date** March-18-2011**Revision date** October-25-2024**Version #** 14**Key abbreviations or acronyms used** Not available.

**Disclaimer**

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

**Revision information**

This document has undergone significant changes and should be reviewed in its entirety.