

SAFETY DATA SHEET

Section 1: Identification

Product identifier NYOGEL 756P

Other means of identification Not available.

Recommended use of the chemical and restrictions on use

Recommended use Lubricating Grease
Restrictions on use None known.

Details of manufacturer or importer

Manufacturer

Company name Nye Lubricants, Inc. Address 12 Howland Road

Fairhaven MA 02719 United States

Telephone General Assistance 508-996-6721

Website www.nyelubricants.com
E-mail sds@nyelubricants.com
Contact person Nye Lubricants EH&S

Emergency phone number 3E Online 800-451-8346

Section 2: Hazard identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazardsReproductive toxicityCategory 2Environmental hazardsHazardous to the aquatic environment, acuteCategory 3

nazaro

Hazardous to the aquatic environment,

long-term hazard

Category 3

Label elements, including precautionary statements

Hazard symbol(s)



Health hazard

Signal word Warning

Hazard statement(s) Suspected of damaging fertility or the unborn child. Harmful to aquatic life. Harmful to aquatic life

with long lasting effects.

Precautionary statement(s)

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid release to the environment. Use personal protective equipment as

required.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None.

Supplemental information None.

Section 3: Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
1-DECENE, DIMER, HYDROGENATED	68649-11-6	5 - < 10
ZINC DIALKYLTHIOPHOSPHATE	68649-42-3	3 - < 5
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE	68411-46-1	1 - < 3
Other components below reportable levels		80 - < 90

Section 4: First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Personal protection for first-aid

responders

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

rmptoms caused by exposure Direct contact with eyes may cause temporary irritation.

Symptoms caused by exposure Medical attention and special

treatment

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for fire

fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Hazchem code
Hazards from combustion

products

None.

General fire hazards No unusual fire or explosion hazards noted.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate protective equipment and clothing during clean-up.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Section 7: Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

CAUTION Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8: Exposure controls/personal protection

Control parameters

Follow standard monitoring procedures.

Occupational exposure limits

New Zealand. WES. (Workplace Exposure Standards)

 Components
 Type
 Value

 CARBON BLACK (CAS
 TWA
 3 mg/m3

1333-86-4)

US. ACGIH Threshold Limit Values
Components

Type

Value

Form

CARBON BLACK (CAS

TWA

3 mg/m3

Inhalable fraction.

UK. EH40 Workplace Exposure Limits (WELs)

 Components
 Type
 Value

 CARBON BLACK (CAS 1333-86-4)
 STEL
 7 mg/m3

 TWA
 3.5 mg/m3

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)
Components

Type

Value

CARBON BLACK (CAS TWA 3 mg/m3 1333-86-4)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







Hygiene measures

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9: Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Not available.
Odor Not available.
Odor threshold Not available.
ph Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Kinematic viscosity 20 cSt

Kinematic viscosity temp 104 °F (40 °C)

Other physical and chemical parameters

Density 0.88 g/cm3

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Shelf life 4 years

Specific gravity 0.87 estimated

Section 10: Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

CARBON BLACK (CAS 1333-86-4)

Acute Dermal

LD50 Rabbit 3000 mg/kg

Oral

LD50 Rat > 8000 mg/kg

Components Species Test Results

15400 mg/kg

Skin corrosion/irritation Serious eye damage/eye Prolonged skin contact may cause temporary irritation.

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory irritation Not available

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not available.

ACGIH Carcinogens

CARBON BLACK (CAS 1333-86-4)

A3 Confirmed animal carcinogen with unknown relevance to

humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

CARBON BLACK (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Narcotic effects Due to lack of data the classification is not possible.

Section 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components Species Test Results

ZINC DIALKYLTHIOPHOSPHATE (CAS 68649-42-3)

Aquatic

Crustacea EC50 Daphnia 1.25, 48 Hours

Persistence and degradability

No data available.

Bioaccumulative potential

No data available for this product.

Other adverse effects

Mobility in soil

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13: Disposal considerations

Disposal methodsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

No data is available on the degradability of any ingredients in the mixture.

local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Special precautions to be taken during disposal

Dispose in accordance with all applicable regulations.

Method of disposal that should

None known

not be used

Section 14: Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

Section 15: Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

1-DECENE, DIMER, HYDROGENATED

(CAS 68649-11-6)

BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE (CAS 68411-46-1)

CARBON BLACK (CAS 1333-86-4)

ZINC DIALKYLTHIOPHOSPHATE (CAS 68649-42-3)

May be used as a single component chemical under an

appropriate group standard

HSNO Approved

HSNO Approved

May be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own

right.

Section 16: Other information

Issue dateAugust-30-2011Revision dateMarch-16-2023

Version # 08

Key abbreviations or acronyms

used

Not available.

Disclaimer Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.