SAFETY DATA SHEET



Version #: 26 Issue date: 07-01-2013 Revision date: 09-12-2024 Supersedes date: 08-27-2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	NYOGEL 760G
Synonyms	None.
Product code	NYOGEL 760G
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Identified uses	Lubricating grease
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company name	FUCHS LUBRICANTS GERMANY GmbH
Address	Friesenheimer Str. 19
	68169 Mannheim
	Germany
Telephone	+49 621 3701-0
E-mail	produktsicherheit-FLG@fuchs.com
Emergency telephone number	+1 760 476 3962
Access Code	334212
Manufacturer	Nye Lubricants, Inc. A member of the FUCHS Group www.nyelubricants.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Supplemental label information	EUH208 - Contains 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl May produce an allergic reaction. EUH210 - Safety data sheet available on request.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information Chemical name	%		. REACH Registration I	No. Index No.	Notes
1H-Benzotriazole-1-methanar		94270-86-7	-	<u>. 10. index No.</u>	Notes
N,N-bis(2-ethylhexyl)-ar-meth	-	939-700-4			
Classi		2;H315, Skin Sens. 1 hronic 2;H411	B;H317, Aquatic Acute 1	;H400(M=1),	
Other components below repo levels	ortable 90 - 100				
ist of abbreviations and symbo	ols that may be us	ed above			
ATE: Acute toxicity estimate. M: M-factor					
vPvB: very persistent and very	y bioaccumulative s	substance.			
PBT: persistent, bioaccumula #: This substance has been a			(a)		
All concentrations are in perce				n percent by volume	
SECTION 4: First aid mea	sures				
General information			are of the material(s) invo	olved, and take preca	autions to
4 Description of first sid mass	protect themselve	es.			
I.1. Description of first aid meas Inhalation		Call a physician if s	ymptoms develop or pers	ist	
Skin contact		• •	edical attention if irritation		ts.
Eye contact		-	n if irritation develops and		
Ingestion		t medical attention if	•	•	
I.2. Most important symptoms	Exposure may ca	ause temporary irritat	ion, redness, or discomfo	ort.	
and effects, both acute and lelayed					
4.3. Indication of any mmediate medical attention	Treat symptomat	ically.			
and special treatment needed					
SECTION 5: Firefighting n	neasures				
General fire hazards	No unusual fire o	r explosion hazards	noted.		
5.1. Extinguishing media					
Suitable extinguishing media	-		er. Carbon dioxide (CO2).		
Unsuitable extinguishing media			er, as this will spread the t	fire.	
5.2. Special hazards arising rom the substance or mixture	During fire, gases	s hazardous to health	ı may be formed.		
5.3. Advice for firefighters Special protective	Self-contained br	eathing apparatus a	nd full protective clothing	must be worn in case	e of fire
equipment for firefighters		on and approved a			
Special fire fighting procedures	Use water spray	to cool unopened co	ntainers.		
Specific methods	Use standard fire	fighting procedures a	and consider the hazards	of other involved ma	terials.
SECTION 6: Accidental re	lease measure	S			
6.1. Personal precautions, prote	ctive equipment a	and emergency proc	edures		
For non-emergency personnel	Wear appropriate	e personal protective	equipment.		
For emergency responders	Keep unnecessa	ry personnel away. F	or personal protection, se	e section 8 of the SI	DS.
3.2. Environmental precautions	-		urses or onto the ground.		
δ.3. Methods and material for containment and cleaning up			out risk. Following produc		
6.4. Reference to other sections	For personal prot	tection, see section 8	of the SDS. For waste di	isposal, see section ²	13 of the SDS
SECTION 7: Handling and	storage				
7.1. Precautions for safe	Avoid prolonged		jood industrial hygiene pra		

7.2. Conditions for safe	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the
storage, including any incompatibilities	SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above
	storage classes)

Observe industrial sector guidance on best practices.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

•	
8.1. Control parameters	
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Follow standard monitoring procedures.
Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
8.2. Exposure controls	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures,	such as personal protective equipment
General information	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves.
- Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

Environmental exposure

controls

9.1. Information on basic physic	cal and chemical properties	
Physical state	Solid Semi-solid.	
Form	Solid.	
Colour	Yellow	
Odour	Not available.	
Melting point/freezing point	Not available.	
Boiling point or initial boiling point and boiling range	Not available.	
Flammability	Not available.	
Upper/lower flammability or exp	olosive limits	
Explosive limit - lower (%)	Not available.	
Explosive limit – upper (%)	Not available.	
Flash point	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Material name: NYOGEL 760G		SDS NORWAY

рН	Not available.		
Kinematic viscosity	Not available.		
Solubility	Not available.		
Solubility (water) Partition coefficient	Not available.		
(n-octanol/water) (log value)			
Vapour pressure	Not available.		
Density and/or relative density			
Density	0,88		
Vapour density	Not available.		
Particle characteristics	Not available.		
9.2. Other information			
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.		
9.2.2. Other safety characteristi	ics		
Dropping point	≥260 °C (≥500 °F)		
Shelf life	4 years		
SECTION 10: Stability an	d reactivity		
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
10.2. Chemical stability	Material is stable under normal conditions.		
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
10.4. Conditions to avoid	Contact with incompatible materials.		
10.5. Incompatible materials	Strong oxidising agents.		
10.6. Hazardous decomposition products	No hazardous decomposition products are known.		
SECTION 11: Toxicologic	cal information		
General information	Occupational exposure to the substance or mixture may cause adverse effects.		
General information Information on likely routes of e Inhalation			
Information on likely routes of e	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation		
Information on likely routes of e Inhalation	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.		
Information on likely routes of e Inhalation Skin contact	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction.		
Information on likely routes of a Inhalation Skin contact Eye contact	 exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of 		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms	 exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. 		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms	 Any cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. 		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class	 Any cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. 		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components	 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. 		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine Acute	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. sses as defined in Regulation (EC) No 1272/2008 Species Test Results		
Information on likely routes of e Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. sses as defined in Regulation (EC) No 1272/2008 Species Test Results		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine Acute Dermal	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. sses as defined in Regulation (EC) No 1272/2008 Test Results a, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7)		
Information on likely routes of e Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine Acute Dermal LD50	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. sses as defined in Regulation (EC) No 1272/2008 Test Results a, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7)		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine Acute Dermal LD50 Oral	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. sses as defined in Regulation (EC) No 1272/2008 Test Results a, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7) > 2000 mg/kg		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine Acute Dermal LD50 Oral LD50	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. Sees as defined in Regulation (EC) No 1272/2008 Test Results s, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7) > 2000 mg/kg Rat > 2000 mg/kg Rat 3313 mg/kg		
Information on likely routes of a Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine <u>Acute</u> Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. sses as defined in Regulation (EC) No 1272/2008 Species Test Results a, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7) Rat > 2000 mg/kg Rat 3313 mg/kg Due to partial or complete lack of data the classification is not possible.		
Information on likely routes of e Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. sses as defined in Regulation (EC) No 1272/2008 Species Test Results a, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7) > 2000 mg/kg Rat 3313 mg/kg Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.		
Information on likely routes of e Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitisation	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. sses as defined in Regulation (EC) No 1272/2008 Species Test Results a, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7) Rat > 2000 mg/kg Rat 3313 mg/kg Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.		
Information on likely routes of e Inhalation Skin contact Eye contact Ingestion Symptoms 11.1. Information on hazard class Acute toxicity Components 1H-Benzotriazole-1-methanamine <u>Acute</u> Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitisation	exposure May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. Exposure may cause temporary irritation, redness, or discomfort. ssees as defined in Regulation (EC) No 1272/2008 Species Test Results a, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7) Rat > 2000 mg/kg Rat 3313 mg/kg Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.		

Specific target organ toxicity - single exposure		
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Mixture versus substance information	No information available.	
11.2. Information on other hazard	ds	
Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.	
Other information	May cause allergic respiratory and skin reactions.	
SECTION 12: Ecological in	nformation	
12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.	
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
12.3. Bioaccumulative potential	No data available.	
Partition coefficient n-octanol/water (log Kow)	Not available.	

n-octanol/water (log Kow)	
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods Dispose of in accordance with local regulations. Empty containers or liners may retain some **Residual waste** product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. **Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. **Special precautions** Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary hazard	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions	Not assigned.
for user	
RID	
14.1. UN number	Not regulated as dangerous goods.

14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Not assigned. Class Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No. Not assigned. 14.6. Special precautions for user ADN 14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping name 14.3. Transport hazard class(es) Not assigned. Class Subsidiary hazard _ 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user ΙΑΤΑ Not regulated as dangerous goods. 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user IMDG 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards Marine pollutant No. EmS Not assigned. 14.6. Special precautions Not assigned. for user 14.7. Maritime transport in bulk Not applicable. according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended
 - Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 16 Not listed.	6/2006 Annex II Pollutant Release and Transfer Registry, as amended
Regulation (EC) No. 19 Not listed.	07/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Authorisations	
Regulation (EC) No. 19	07/2006, REACH Annex XIV Substances subject to authorization, as amended
Not listed.	
Restrictions on use	
• • • •	07/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended ion given for the associated entry number should be considered
Not listed. Directive 2004/37/EC: c work, as amended.	on the protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
•	on Marketing and Use of Explosive Precursors, Annex I, as amended
Not listed.	
•	on Marketing and Use of Explosive Precursors, Annex II, as amended
Not listed.	
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety	No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations	
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full	
under sections 2 to 15	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Revision information	Product and Company Identification: Product and Company Identification
Training information	Follow training instructions when handling this material.
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.