# SAFETY DATA SHEET



# 1. Identification

**GHS** product identifier **RHEOLUBE 362HB** 

Other means of identification

**RHEOLUBE 362HB Product Code** 

Recommended use of the chemical and restrictions on use

Recommended use **Lubricating Grease** Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Website

Nye Lubricants, Inc. A Member of the FUCHS Group Company name

12 Howland Road **Address** 

Fairhaven, MA 02719

**United States** Telephone +1-508-996-6721 www.nyelubricants.com

sds@fuchs.com E-mail

+1 760 476 3961 **Emergency phone number Americas** 

Europe +1 760 476 3962 Asia Pacific +1 760 476 3960

Access code 334212

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Reproductive toxicity Category 2

**Environmental hazards** Not classified.

Label elements



Signal word Warning

**Hazard statement** 

Suspected of damaging fertility or the unborn child. H361

**Precautionary statement** 

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202 Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

Store locked up. P405

**Disposal** 

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Other hazards which do not

result in classification

None known.

Supplemental information None National/local information Not available

# 3. Composition/information on ingredients

**Mixtures** 

Material name: RHEOLUBE 362HB SDS PHILIPPINES

RHEOLUBE 362HB Version #: 03 Revision date: May-02-2025 Issue date: June-22-2016

Chemical identity	Common name and synonyms	CAS number	%
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE		68411-46-1	< 1
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC		64742-54-7	< 1
Other components below reportab	le levels		90 - 100

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDirect contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed
General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use water spray to cool unopened containers.

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Environmental precautions

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

Material name: RHEOLUBE 362HB SDS PHILIPPINES

## 8. Exposure controls/personal protection

### Occupational exposure limits

Philippines. OELs. Threshold Limit Values for Airborne Contaminants (Rule 1070: Occupational Health and

**Environmental Control, as amended)** 

 Components
 Type
 Value
 Form

 PETROLEUM
 TWA
 5 mg/m3
 Mist.

DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Smooth Physical state Solid.

Form Solid. Semi-solid
Color White. Off-white.

Odor Not available.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Material name: RHEOLUBE 362HB SDS PHILIPPINES SDS PHILIPPINES

Viscosity Not available.

Other information

Dropping point 404.6 °F (207 °C)

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

## 10. Stability and reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

## IARC Monographs. Overall Evaluation of Carcinogenicity

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

PARAFFINIC (CAS 64742-54-7)

Philippines OELs: Carcinogen category

Not listed.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: RHEOLUBE 362HB SDS PHILIPPINES

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: products

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

## **ADR**

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

ΙΔΤΔ

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

#### CCO Chemical List

Not regulated.

Controlled Precursors & Essential Chemicals (Comprehensive Dangerous Drugs Act of 2002 (Republic Act 9165), as amended thru Dangerous Drugs Board Regulations)

Narcotic and Psychotropic Substances (Comprehensive Dangerous Drugs Act of 2002 (Republic Act 9165), as amended

Ozone Depleting Substances (ODS) (Chemical Control Order, DENR Admin. Order No. 2013-25)

Not regulated.

Priority Chemical List (PCL) (DENR Administrative Order No. 98-58)

Inventory name

RHEOLUBE 362HB Version #: 03 Revision date: May-02-2025 Issue date: June-22-2016

Not regulated.

### International regulations

### **Stockholm Convention**

Not applicable.

## **Rotterdam Convention**

Not applicable.

### **Montreal Protocol**

Not applicable.

### **Kyoto protocol**

Not applicable.

### **Basel Convention**

Not applicable.

### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Material name: RHEOLUBE 362HB

On inventory (yes/no)\*

Country(s) or region Inventory name On inventory (yes/no)\*

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

Issue dateJune-22-2016Revision dateMay-02-2025

Version # 03

**Disclaimer** Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

**Revision information**This document has undergone significant changes and should be reviewed in its entirety.

Material name: RHEOLUBE 362HB SDS PHILIPPINES SDS PHILIPPINES