# Nye Lubricants TECHNOLOGY IN MOTION TO

## SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

NYOGEL 783H

of the mixture

Registration number

Synonyms None.

Product code NYOGEL 783H Issue date 02-13-2014

Version number 03

 Revision date
 09-24-2020

 Supersedes date
 06-05-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

 Identified uses
 Lubricating grease

 Uses advised against
 None known.

 1.3. Details of the supplier of the safety data sheet

Supplier

Company name

Address

Nye Lubricants, Inc.

12 Howland Road
Fairhaven, MA 02719

**United States** 

**Division** 

**Telephone** General Assistance 001-508-996-6721

e-mail sds@nyelubricants.com

Contact person Not available.

**1.4. Emergency telephone** 3E Online 800-451-8346

number

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies

## Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

**Supplemental label information** 5,5 % of the mixture consists of component(s) of unknown acute oral toxicity. 5,5 % of the mixture

consists of component(s) of unknown acute dermal toxicity. 94,5 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 5,5 % of the mixture consists of component(s)

of unknown acute hazards to the aquatic environment. 100 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

component(3) of unknown long-term hazards to the aquatic c

**2.3. Other hazards**Not a PBT or vPvB substance or mixture.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

#### List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

Exposure may cause temporary irritation, redness, or discomfort.

delayed 4.3. Indication of any

Treat symptomatically.

immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

No unusual fire or explosion hazards noted. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

personnel

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the For emergency responders

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s) Not available.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components Type

POLY(DIMETHYLSILOXAN STEL 300 mg/m3 E) (CAS 63148-62-9)

> **TWA** 200 mg/m3

**Biological limit values** 

Recommended monitoring

No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures.

procedures

Derived no effect levels

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

This material does not have established exposure limits. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter

8.2. Exposure controls

Appropriate engineering controls

(DNELs)

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information** 

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. - Hand protection

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.





Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Liquid. Physical state **Form** Liquid. Colour Gray

Odour Not available.

Odour threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

**Flash point** 315,0 °C (599,0 °F) ASTM D-92

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits
Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

Density0,98 g/cm³Pour point-50 °C (-58 °F)Shelf life4 yearsSpecific gravity0,94 estimated

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

**10.5. Incompatible materials** Strong oxidising agents.

**10.6. Hazardous** Formaldehyde.

decomposition products

#### SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible.

irritation

Material name: NYOGEL 783H

NYOGEL 783H Version #: 03 Revision date: 09-24-2020 Issue date: 02-13-2014

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible. Skin sensitisation

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard** 

Mixture versus substance

information

No information available.

Other information Not available

## SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

No data available. 12.3. Bioaccumulative potential Partition coefficient Not available

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Special precautions

## SECTION 14: Transport information

#### **ADR**

14.1. UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 14.2. UN proper shipping

(POLY(DIMETHYLSILOXANE)) name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) Hazard No. (ADR) 90 **Tunnel restriction code** Ε 14.4. Packing group Ш

14.6. Special precautions

14.5. Environmental hazards Yes

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name (POLY(DIMETHYLSILOXANE))

## 14.3. Transport hazard class(es)

Subsidiary risk 9 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards Yes

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

**ADN** 

14.1. UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 14.2. UN proper shipping

(POLY(DIMETHYLSILOXANE))

#### 14.3. Transport hazard class(es)

9 Class Subsidiary risk Label(s) 9 14.4. Packing group Ш 14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3082

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s. (POLY(DIMETHYLSILOXANE))

name

### 14.3. Transport hazard class(es)

9 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Yes 9L **ERG Code** 

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

14.1. UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 14.2. UN proper shipping

(POLY(DIMETHYLSILOXANE)), MARINE POLLUTANT name

## 14.3. Transport hazard class(es)

Class 9 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant **EmS** F-A. S-F

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Not established. 14.7. Transport in bulk

according to Annex II of MARPOL 73/78 and the IBC

Code

ADN; ADR; IATA; IMDG; RID



## Marine pollutant



**General information** IMDG Regulated Marine Pollutant.

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

## Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

## Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as **National regulations** 

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### SECTION 16: Other information

Not available. List of abbreviations References Not available

Information on evaluation method leading to the

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

classification of mixture

Full text of any H-statements

Sections 2 to 15

not written out in full under

None.

Material name: NYOGEL 783H SDS ROMANIA

NYOGEL 783H Version #: 03 Revision date: 09-24-2020 Issue date: 02-13-2014

Revision information Training information Issued by Disclaimer This document has undergone significant changes and should be reviewed in its entirety. Follow training instructions when handling this material.

Geno Manzone

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.