# MATERIAL SAFETY DATA SHEET



# 1. Product and company identification

Name of the chemical RHEOLUBE 362HB

Other means of identification

Product Code RHEOLUBE 362HB

Recommended use of the chemical and restrictions on use

**Recommended use** Lubricating Grease **Recommended restrictions** None known.

Manufacturer/Importer/Supplier

/Distributor information

Nye Lubricants, Inc. A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven MA 02719

**United States** 

Telephone +1-508-996-6721
E-mail sds@fuchs.com
Contact person Not available.

**Emergency telephone** 

number

Americas +1 760 476 3961

Europe +1 760 476 3962 Asia Pacific +1 760 476 3960

Access code 334212

# 2. Hazards identification

Hazard classification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

**Environmental hazards** Not classified.

Label elements

**Symbols** 



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

## 3. Composition/information on ingredients

### **Mixture**

Chemical name	CAS Number	Concentration (%)
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE	68411-46-1	< 1
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC	64742-54-7	< 1
Other components below reportable levels		90 - 100

## 4. First aid measures

First aid measures for different exposure routes

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation. Most important symptoms and

effects

Personal protection for first-aid

responders

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Notes to physician

Symptoms may be delayed.

# 5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). **Extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire. Extinguishing media to avoid

Specific hazards during fire

fighting

Use water spray to cool unopened containers.

procedures Protection of fire-fighters

Special fire fighting

General fire hazards Specific methods

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

During fire, gases hazardous to health may be formed.

Use standard firefighting procedures and consider the hazards of other involved materials.

# 6. Accidental release measures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear Personal precautions

appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection,

see section 8 of the SDS.

**Environmental precautions** 

Spill cleanup methods

Avoid discharge into drains, water courses or onto the ground.

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

Obtain special instructions before use. Do not handle until all safety precautions have been read Handling

and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear

appropriate personal protective equipment. Observe good industrial hygiene practices.

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS)

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above

storage classes)

## 8. Exposure controls/personal protection

## **Exposure limits**

Storage

Taiwan. OELs (Standards of Permissible Exposure Limits at Workplace, Notice No. 58463, as amended)

**Form** Components Value Type **PETROLEUM** STEL 10 mg/m3 Mist. DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7) **TWA** 5 mg/m3 Mist.

Material name: RHEOLUBE 362HB SDS TAIWAN

RHEOLUBE 362HB Version #: 16  2/6

# **US. ACGIH Threshold Limit Values (TLV)**

ComponentsTypeValueFormPETROLEUMTWA5 mg/m3Inhalable fraction.

DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Smooth
Physical state Solid.

Form Solid. Semi-solid
Color White. Off-white.

Odor Not available.

Odor threshold Not available.

Melting point/freezing point Not available.

PH Not available.

Boiling point, initial boiling point, and boiling range

Not available.

Flash point Not available.

Plash point Not available.

Decomposition temperature Not available.

Auto-ignition temperature Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

**Evaporation rate** Not available.

Other data

Dropping point 404.6 °F (207 °C)

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

**Symptoms** Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

Acute toxicity Not available.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

#### **ACGIH Carcinogens**

PETROLEUM DISTILLATES, HYDROTREATED HEAVY A4 Not classifiable as a human carcinogen.

PARAFFINIC (CAS 64742-54-7)

## IARC Monographs. Overall Evaluation of Carcinogenicity

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

PARAFFINIC (CAS 64742-54-7)

**Reproductive toxicity**Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard**Not an aspiration hazard

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

sociality that large of inequalit opinio darriate a framinal of darriaging effect of the

Persistence and degradability No

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulation No data available.

Mobility in soil No data available for this product.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

# 14. Transport information

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

# 15. Regulatory information

Applicable regulations Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste

Regulations for the Labeling and Hazard Communication of Hazardous Chemicals

Toxic Chemical Substances Control Act

Toxic Chemical Substances Labeling and Materials Safety Data Sheets Regulations

This material safety data sheet was prepared in accordance with the Regulation of Labeling and

Hazard Communication of Hazardous Chemicals.

## Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste

Not listed.

# Regulations Governing Designating and Handling of Priority Management Chemicals

Not listed.

## Categories and Management of Handling for Toxic Chemical Substances

Not listed.

#### Standards on Workplace Atmosphere of Dangerous and Hazardous Materials

PETROLEUM DISTILLATES, HYDROTREATED HEAVY Listed.

PARAFFINIC (CAS 64742-54-7)

#### International regulations

## **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

## **Montreal Protocol**

Not applicable.

# Kyoto protocol

Not applicable.

## **Basel Convention**

Not applicable.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Country(s) or region Europe European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS) Taiwan Chemical Substance Inventory (TCSI) Taiwan Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information

**ACGIH** References

EPA: AQUIRE database

Inventory name

NLM: Hazardous Substances Data Base

Taiwan, Dangerous Materials (Regulations for the Labeling and Hazard Communication of

Hazardous Chemicals), as amended

Taiwan. Industrial Precursor Chemicals (Categories and Regulations Governing Inspection and

Declaration of Industrial Precursor Chemicals, MOEA Decree No. 87, as amended) Taiwan. OELs (Standards of Permissible Exposure Limits at Workplace), as amended

Taiwan. Toxic Chemical Substances (TCS) (List of Toxic Chemical Substances announced by the

Environmental Protection Administration)

Taiwan. Toxic Materials (Toxic and Concerned Chemical Substances Control Act)

US. IARC Monographs on Occupational Exposures to Chemical Agents

Issued by Not available.

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which Disclaimer

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

March-01-2011 Issue date **Revision date** May-02-2025

Material name: RHEOLUBE 362HB SDS TAIWAN

On inventory (yes/no)\*

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).