# **SAFETY DATA SHEET**



# 1. Identification of the substance or mixture and of the supplier

1.1 GHS product identifier RHEOLUBE 362HB

1.2 Other means of identification

Product Code RHEOLUBE 362HB

1.3 Recommendations and restrictions on the use of substances or mixtures

**Recommended use** Lubricating Grease **Recommended restrictions** Not available.

1.4 Supplier's details

Manufacturer

Company name Nye Lubricants, Inc. A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven MA 02719

**United States** 

**Telephone** +1-508-996-6721

Website www.nyelubricants.com

**E-mail** sds@fuchs.com **Contact person** Not available.

**1.5 Emergency phone number** Americas +1 760 476 3961

Europe +1 760 476 3962 Asia Pacific +1 760 476 3960

Access code 334212

# 2. Hazards identification

2.1 GHS classification of substance or mixture, and national or regional information

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

2.2 GHS label elements

Hazard symbol(s) None.
Signal word None.

**Hazard statement(s)** The mixture does not meet the criteria for classification.

Precautionary statement(s)

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

2.3 Other hazards which do not

result in GHS classification

None known.

Supplemental information None.

# 3. Composition/information on ingredients

### 3.2 Mixture

Chemical identity	Common name and synonym	CAS number and other unique identifiers	Concentration or concentration range
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE		68411-46-1	< 1
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC		64742-54-7	< 1
Other components below reportable le	evels		90 - 100

Material name: RHEOLUBE 362HB SDS THAILAND

#### 4. First-aid measures

### 4.1 Description of first-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. 4.2 Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

4.3 Indication of immediate medical considerations and important specific treatment that should be performed

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General advice

protect themselves.

# 5. Fire-fighting measures

## 5.1 Prohibited extinguishing media and suitable extinguishing media

Suitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Specific hazards arising

from chemicals

During fire, gases hazardous to health may be formed.

5.3 Special protective equipment and precautions for

fire-fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

### 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

6.2 Environmental precautions

6.3 Methods and materials for containment and cleaning up

Avoid discharge into drains, water courses or onto the ground.

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

7.1 Precautions for safe handling, use and storage Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above

storage classes)

# 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

**US. ACGIH Threshold Limit Values (TLV)** 

Form Components Value Type **PETROLEUM TWA** 5 mg/m3 Inhalable fraction.

DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS

64742-54-7)

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Material name: RHEOLUBE 362HB 2/5

RHEOLUBE 362HB Version #: 10 Issue date: November-25-2013 Revision date: May-02-2025

#### 8.2 Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### 8.3 Personal protective measures

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Wear suitable protective clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.





General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Smooth 9.1 Appearance Physical state Solid.

**Form** Solid. Semi-solid Color White. Off-white. 9.2 Odor Not available. 9.3 Odor threshold limit Not available. Not available. 9.4 pH Not available. 9.5 Melting point/freezing point

9.6 Initial boiling point and

Explosive limit - lower (%)

boiling range

Not available.

Not available.

Not available. 9.7 Flash point Not available. 9.8 Evaporation rate 9.9 Flammability (solid, gas) Not available. 9.10 Upper/lower flammability or explosive limits

Explosive limit - upper (%) Not available. Not available. 9.11 Vapor pressure Not available. 9.12 Vapor density Not available.

9.13 Relative density

9.14 Solubility(ies) Solubility (water) Not available. 9.15 Partition coefficient: Not available.

n-octanol/water

Not available. 9.16 Auto-ignition temperature Not available. 9.17 Decomposition

temperature

9.18 Viscosity Not available.

Other information

404.6 °F (207 °C) **Dropping point** Not explosive. **Explosive properties** Not oxidizing. **Oxidizing properties** 

### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1 Reactivity

10.2 Chemical stability Material is stable under normal conditions.

10.3 Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

Material name: RHEOLUBE 362HB

SDS THAILAND

10.4 Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. 10.5 Incompatible materials

No hazardous decomposition products are known. 10.6 Hazardous decomposition

products

# 11. Toxicological information

### 11.1 Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

11.2 Symptoms related to physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

11.3 Delayed and immediate effects, including chronic effects from short- and long-term exposure

Occupational exposure to the substance or mixture may cause adverse effects.

### 11.4 Numerical values of toxicity

Not available. Acute toxicity

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

### Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

### Carcinogenicity

#### **ACGIH Carcinogens**

PETROLEUM DISTILLATES, HYDROTREATED HEAVY A4 Not classifiable as a human carcinogen.

PARAFFINIC (CAS 64742-54-7)

#### IARC. Monographs on the evaluation of carcinogenic risks to humans

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

PARAFFINIC (CAS 64742-54-7)

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

# 12. Ecological information

12.1 Ecological toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2 Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

No data available. 12.3 Bioaccumulative potential 12.4 Mobility in soil No data available.

12.5 Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Material name: RHEOLUBE 362HB

SDS THAILAND

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

#### **ADR**

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

14.7 Transport in bulk according Not applicable.

to Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

Safety, health and environmental regulation/legislation specific for the substance or mixture

Inventory name

Hazardous substances in the work place (DLPW Notification Re: List of Hazardous Chemicals, Royal Gazette, Vol. 130 Part 185 Ngor, issued December 20, B.E.2556 (2013))

Not listed.

Thailand. Explosive Substances & Precursors (Ministry of Defense Notification Re: Arms Subject to Imports License)

Not regulated.

Thailand. Reportable Hazardous Substances (Notification of Ministry of Industry Re: Bases respecting report of quantity of hazardous materials under Department of Industrial Works, B.E. 2547)

Not regulated.

Country(s) or region

#### **International Inventories**

Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Revision date

November-25-2013

May-02-2025

Version # 10

Disclaimer Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

**Revision information** Product and Company Identification: Product and Company Identification

Physical and chemical properties: Color

Material name: RHEOLUBE 362HB SDS THAILAND

On inventory (yes/no)\*