# SAFETY DATA SHEET



### 1. Identification

**Product identifier FUCHS TIM EJC 741** 

Other means of identification None.

**Electrical Joint Compound** Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information Company name Nye Lubricants, Inc.

A Member of the FUCHS Group

**Address** 12 Howland Road

Fairhaven, MA 02719

USA

+1 508 996 6721 **Telephone** sds@fuchs.com E-mail

**Emergency telephone** 

+1 866 519 4752

number

Website

334212

Access code

www.nyelubricants.com

## 2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. Hazard symbol Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. Storage

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
GRAPHITE		7782-42-5	10 - < 20
QUARTZ		14808-60-7	< 1
Other components below reportable levels			80 - < 90

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Material name: FUCHS TIM EJC 741

Ingestion

Most important

symptoms/effects, acute and

Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media

Powder. Dry sand.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up **Environmental precautions** 

Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

## |7. Handling and storage

Precautions for safe handling Conditions for safe storage,

Observe good industrial hygiene practices.

including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)  Components Value Form				
Components	Туре	Value	FUIII	
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.	
US. OSHA Table Z-3 Permissible Exposur Components	re Limits (PEL) for Mineral Dusts (2 Type	9 CFR 1910.1000) Value	Form	
GRAPHITE (CAS 7782-42-5)	TWA	15 mppcf		
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.	
		2.4 mppcf	Respirable.	
US. ACGIH Threshold Limit Values (TLV)				
Components	Туре	Value	Form	
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	

9228 Version #: 01 Issue date: March-25-2025

## NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Type **GRAPHITE (CAS IDLH** 1250 mg/m3

7782-42-5)

Components

QUARTZ (CAS 14808-60-7) **IDLH** 50 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

**Form** Components Type Value **GRAPHITE (CAS TWA** 2.5 mg/m3 Respirable. 7782-42-5) QUARTZ (CAS 14808-60-7) **TWA** 0.05 mg/m3 Respirable dust.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Value

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards





General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

#### **Appearance**

Solid. **Physical state** 

**Form** Solid. Semi-solid

Color Grey.

Not available. Odor **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Not available. Solubility (water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

products

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

No hazardous decomposition products are known.

### 11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

**Acute toxicity** 

Components Species Test Results

GRAPHITE (CAS 7782-42-5)

Acute Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eve damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7)

Cancer

**US. National Toxicology Program (NTP) Report on Carcinogens** 

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity - Not classified.

repeated exposure

Material name: FUCHS TIM EJC 741
9228 Version #: 01 Issue date: March-25-2025

**Aspiration hazard** Not an aspiration hazard.

#### 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

No data available. Bioaccumulative potential No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

UN3077 **UN** number

Environmentally hazardous substance, solid, n.o.s. (ZINC POWDER - ZINC DUST **UN proper shipping name** 

(STABILIZED))

Transport hazard class(es)

Class 9 **Subsidiary hazard** Ш Packing group **Environmental hazards** Yes **ERG Code** 9L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

**UN number** 

UN3077

**UN proper shipping name** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC POWDER - ZINC DUST (STABILIZED)), MARINE POLLUTANT (ZINC POWDER - ZINC DUST (STABILIZED),

1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-)

Transport hazard class(es)

Class 9 **Subsidiary hazard** Ш Packing group **Environmental hazards** 

Marine pollutant Yes F-A. S-F **EmS** 

Transport in bulk according to

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.


Annex II of MARPOL 73/78 and

the IBC Code

Material name: FUCHS TIM EJC 741 9228 Version #: 01 Issue date: March-25-2025

Not applicable.

### IATA; IMDG



#### Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

### 15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7)

Cancer lung effects

immune system effects

kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US state regulations**

# **California Proposition 65**



WARNING: This product can expose you to chemicals including LEAD POWDER; [PARTICLE DIAMETER < 1 MM], which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Material name: FUCHS TIM EJC 741

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

LEAD POWDER; [PARTICLE DIAMETER < 1 MM] Listed: October 1, 1992

(CAS 7439-92-1)

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

#### California Proposition 65 - CRT: Listed date/Developmental toxin

LEAD POWDER; [PARTICLE DIAMETER < 1 MM] Listed: February 27, 1987

(CAS 7439-92-1)

#### California Proposition 65 - CRT: Listed date/Female reproductive toxin

LEAD POWDER; [PARTICLE DIAMETER < 1 MM] Listed: February 27, 1987

(CAS 7439-92-1)

#### California Proposition 65 - CRT: Listed date/Male reproductive toxin

Inventory name

LEAD POWDER; [PARTICLE DIAMETER < 1 MM] Listed: February 27, 1987

(CAS 7439-92-1)

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date March-25-2025

Version # 01

**Disclaimer**Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

On inventory (yes/no)\*