# SAFETY DATA SHEET



## 1. Identification

1. Identification			
Product identifier	FUCHS TIM EPOXY 816HTC PART A		
Other means of identification	None.		
Recommended use	Epoxy Adhesive		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	r/Distributor information		
Company name	Nye Lubricants, Inc.		
	A Member of the FUCHS Group		
Address	12 Howland Road		
	Fairhaven, MA 02719		
	USA		
Telephone	+1 508 996 6721		
E-mail	sds@fuchs.com		
Emergency telephone number	+1 866 519 4752		
Access code	334212		
Website	www.nyelubricants.com		
2. Hazard(s) identification	n		
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2	
	Sensitization, skin	Category 1	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	Causes skin irritation. May cause an allergic s cause respiratory irritation.	kin reaction. Causes serious eye irritation. May	
Precautionary statement			
Prevention	Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.		
Response	If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store in a well-ventilated place. Keep containe	Store in a well-ventilated place. Keep container tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance v	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/informatic	-		
Chemical name	Common name and synonyms	CAS number	%
REACTION PRODUCT: BISPHENOL-A-(EPICHLORHY N) EPOXY RESIN (NUMBER AVERAGE MOLECULARWEIG		25068-38-6	50 - < 60
<= 700)			
ALUMINUM NITRIDE		24304-00-5	30 - < 40
ALUMINIUM SILICA, AMORPHOUS, FUMEI CRYSTAL-FREE	О,	7429-90-5 112945-52-5	10 - < 20 1 - < 3
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in center or doctor/physician if you feel unwell.	a position comfortable for bre	eathing. Call a poison
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get		
ngestion	Rinse mouth. Get medical attention if sympto		
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include vision. May cause respiratory irritation. Skin in allergic skin reaction. Dermatitis. Rash.		
ndication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
General information	If you feel unwell, seek medical advice (show personnel are aware of the material(s) involve contaminated clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Powder. Dry sand.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and con	sider the hazards of other invo	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, baseme		
	Large Spills: Stop the flow of material, if this i with water.	s without risk. Following produ	ici recovery, flush area
	Small Spills: Clean surface thoroughly to rem	ove residual contamination.	
Environmental precautions	Never return spills to original containers for re Avoid discharge into drains, water courses or	-	section 13 of the SD

. Handling and storage	Avoid breathing dust/fume/gas/mict/v	anors/spray Avoid contact with	neves skin and clothing
ecautions for sale lidituling	Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.		
nditions for safe storage, cluding any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)		
. Exposure controls/pers	, ,		
cupational exposure limits			
The following constituents are At this time, the other constitu	the only constituents of the product wh ents have no known exposure limits.		
US. OSHA Table Z-1 Permis Components	sible Exposure Limits (PEL) for Air C Type	ontaminants (29 CFR 1910.1 Value	000) Form
ALUMINIUM (CAS 7429-90-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 Permis Components	sible Exposure Limits (PEL) for Mine Type	ral Dusts (29 CFR 1910.1000 Value	) Form
ALUMINIUM (CAS 7429-90-5)	TWA	5 mg/m3	Respirable fraction.
· · · · · ,		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	TWA	5 mg/m3	Respirable fraction.
(0.12.1.2000.02.0)		15 mg/m3	Total dust.
		0.8 mg/m3	
US. ACGIH Threshold Limit	Values (TLV)		
Components	Туре	Value	Form
ALUMINIUM (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction.
ALUMINUM NITRIDE (CAS 24304-00-5)	TWA	1 mg/m3	Respirable fraction.
NIOSH. Immediately Danger Components	rous to Life or Health (IDLH) Values, a Type	as amended Value	
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	IDLH	3000 mg/m3	
, ,	Chemical Hazards Recommended E Type	xposure Limits (REL) Value	Form
ALUMINIUM (CAS 7429-90-5)	TWA	5 mg/m3	Welding fume or pyrophoric powder.
/		5 mg/m3	Respirable.
		10 mg/m3	Total
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	TWA	6 mg/m3	
ological limit values	No biological exposure limits noted fo	r the ingredient(s)	

Appropriate engineering Good general ventilation should be used. Ventilation rates should be matched to conditions. If controls applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower. Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. Other **Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

#### 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid. Paste.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	2.27

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

### 11. Toxicological information

Information on likely routes of exposure			
Inhalation	May cause irritation to the respiratory system.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Components	Species Test Results		
SILICA, AMORPHOUS, FUMED,	CRYSTAL-FREE (CAS 112945-52-5)		
Acute			
Oral			
LD50	Rat > 5000 mg/kg		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall Evaluation of Carcinogenicity			
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE 3 Not classifiable as to carcinogenicity to humans. (CAS 112945-52-5)			
	d Substances (29 CFR 1910.1001-1053)		
	Not listed. US. National Toxicology Program (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
12. Ecological information	1		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		

Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

### 14. Transport information

DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

UN number UN proper shipping name	UN3077 Environmentally hazardous substance, solid, n.o.s. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULARWEIGHT <= 700))
Transport hazard class(es)	
Class	9
Subsidiary hazard	-
Packing group	
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULARWEIGHT <= 700)), MARINE POLLUTANT (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULARWEIGHT <= 700))
Transport hazard class(es)	,,, ,,
Class	9
Subsidiary hazard	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

IATA; IMDG				
9				
Marine pollutant				
General information	IMDG Regulated Ma	rine Pollutant.		
15. Regulatory information	on			
US federal regulations	This product is a "Ha Standard, 29 CFR 19		efined by the OSHA Hazard	Communication
Toxic Substances Control	Act (TSCA)			
TSCA Section 12(b) Ex	port Notification (40 C	FR 707, Subpt. D)		
Not regulated.				
CERCLA Hazardous Substa	ance List (40 CFR 302.	4)		
Not listed. SARA 304 Emergency relea Not regulated. OSHA Specifically Regulate Not listed.		R 1910.1001-1053)		
Superfund Amendments and Re SARA 302 Extremely hazar		986 (SARA)		
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard categories	Skin corrosion or irrit Serious eye damage Respiratory or skin s Specific target organ	or eye irritation	ted exposure)	
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Aluminum (fume or dust)	)	7429-90-5	10 - < 20	
Other federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Air P	ollutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Re	lease Prevention (40 C	FR 68.130)	
Not regulated.	Not regulated			
Safe Drinking Water Act (SDWA)	Not regulated.			

#### **US state regulations**

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region	Inventory name On	inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Vee" indicates that all some	enerts of this product comply with the inventory requirements administered by the appendix	a = a + b + b + a + b + b + b + b + b + b +

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	April-08-2025
Version #	01
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.