# SAFETY DATA SHEET



# 1. Identification

Product identifier FUCHS TIM EPOXY 818

Other means of identification None.

**Recommended use** Epoxy Adhesive **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name

Nye Lubricants, Inc.

A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02719

USA

 Telephone
 +1 508 996 6721

 E-mail
 sds@fuchs.com

**Emergency telephone** 

number

+1 866 519 4752

Access code 334212

Website www.nyelubricants.com

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Sensitization, skin Category 1
Carcinogenicity Category 1B
Reproductive toxicity Category 1B
Specific target organ toxicity, repeated Category 2

exposure

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause an allergic skin reaction. Causes serious eye irritation. May cause cancer. May

damage fertility or the unborn child. May cause damage to organs through prolonged or repeated

exposure.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective

gloves/protective clothing/eye protection/face protection.

**Response** If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If in eyes: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: FUCHS TIM EPOXY 818
9017 Version #: 01 Issue date: March-21-2025

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

# Composition/information on ingredients

_	_	٠					
n	Л	ı	χſ	•	п	rn	c

Chemical name	Common name and synonyms	CAS number	%
ALUMINIUM HYDROXIDE		21645-51-2	60 - < 70
TETRAHYDROFURFURYL METHACRYLATE		2455-24-5	30 - < 40
METHACRYLIC ACID, MONOESTER WITH PROPANE-1,2-DIOL		27813-02-1	5 - < 10
CUMENE HYDROPEROXIDE		80-15-9	1 - < 3
CUMENE		98-82-8	< 0.3

### 4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Remove contaminated clothing immediately and wash skin with soap and water. In case of

Eye contact

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

**General information** 

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods General fire hazards Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### |6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled

Material name: FUCHS TIM EPOXY 818

9017 Version #: 01 Issue date: March-21-2025

containers. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 6.1C (Combustible substances of acute toxicity, category 3/hazardous substances that are toxic or produce chronic effects)

# 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits

Components	Exposure Limits (PEL) for Air Type	Value	(000)
CUMENE (CAS 98-82-8)	PEL	245 mg/m3	
		50 ppm	
US. OSHA Table Z-3 Permissible Components	Exposure Limits (PEL) for Min Type	eral Dusts (29 CFR 1910.1000 Value	) Form
ALUMINIUM HYDROXIDE (CAS 21645-51-2)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Value Components	es (TLV) Type	Value	
CUMENE (CAS 98-82-8)	TWA	5 ppm	
NIOSH. Immediately Dangerous to	o Life or Health (IDLH) Values	as amended	
, ,	` '	Value	
Components	Туре	Valuo	
CUMENE (CAS 98-82-8)	IDLH	0.9 %	
<u> </u>			
CUMENE (CAS 98-82-8)	IDLH	0.9 % 900 ppm	
CUMENE (CAS 98-82-8)  US. NIOSH: Pocket Guide to Cher	IDLH	0.9 % 900 ppm	
CUMENE (CAS 98-82-8)  US. NIOSH: Pocket Guide to Cher Components	IDLH mical Hazards Recommended	0.9 % 900 ppm Exposure Limits (REL)	
<u> </u>	IDLH mical Hazards Recommended Type	0.9 % 900 ppm Exposure Limits (REL) Value	
CUMENE (CAS 98-82-8)  US. NIOSH: Pocket Guide to Cher Components  CUMENE (CAS 98-82-8)	IDLH mical Hazards Recommended Type TWA	0.9 % 900 ppm Exposure Limits (REL) Value 245 mg/m3 50 ppm	
CUMENE (CAS 98-82-8)  US. NIOSH: Pocket Guide to Cher Components  CUMENE (CAS 98-82-8)  US. OARS. Workplace Environme	IDLH mical Hazards Recommended Type TWA	0.9 % 900 ppm Exposure Limits (REL) Value 245 mg/m3 50 ppm	
CUMENE (CAS 98-82-8)  US. NIOSH: Pocket Guide to Cher Components	IDLH mical Hazards Recommended Type  TWA ental Exposure Level (WEEL) C	0.9 % 900 ppm Exposure Limits (REL) Value 245 mg/m3 50 ppm	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Occupational Exposure Limits are not relevant to the current physical form of the product.

US - California OELs: Skin designation

**CUMENE (CAS 98-82-8)** Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

**CUMENE (CAS 98-82-8)** Skin designation applies.

US - Tennessee OELs: Skin designation

**CUMENE (CAS 98-82-8)** Can be absorbed through the skin.

Material name: FUCHS TIM EPOXY 818

SDS US 3/7 9017 Version #: 01 Issue date: March-21-2025

## US NIOSH Pocket Guide to Chemical Hazards: Skin designation

CUMENE (CAS 98-82-8)

Can be absorbed through the skin.

US WEEL Guides: Skin designation

CUMENE HYDROPEROXIDE (CAS 80-15-9)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

CUMENE (CAS 98-82-8)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.

Form Solid. Paste.
Color White.

Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

Specific gravity 1.64

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

**Skin contact** May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

# Information on toxicological effects

**Acute toxicity** 

Components Species Test Results

ALUMINIUM HYDROXIDE (CAS 21645-51-2)

Acute Oral

LD50

Rat 5000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

CUMENE (CAS 98-82-8) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### US. National Toxicology Program (NTP) Report on Carcinogens

CUMENE (CAS 98-82-8) Reasonably Anticipated to be a Human Carcinogen.

**Reproductive toxicity** May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

Material name: FUCHS TIM EPOXY 818
9017 Version #: 01 Issue date: March-21-2025

**Chronic effects** 

May cause damage to organs through prolonged or repeated exposure. Prolonged exposure may

cause chronic effects.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

TETRAHYDROFURFURYL METHACRYLATE (CAS 2455-24-5)

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) 31.1 - 38.8 mg/l, 96 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable.

the IBC Code

# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

CUMENE (CAS 98-82-8)

CUMENE HYDROPEROXIDE (CAS 80-15-9)

Listed.

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Material name: FUCHS TIM EPOXY 818
9017 Version #: 01 Issue date: March-21-2025

SARA 311/312 Hazardous

chemical

Yes

Classified hazard categories

Serious eye damage or eye irritation Respiratory or skin sensitization

Carcinogenicity
Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

## SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Cumene	98-82-8	< 0.3	_
Cumene hydroperoxide	80-15-9	1 - < 3	

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

**CUMENE (CAS 98-82-8)** 

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US state regulations**

### **California Proposition 65**



WARNING: This product can expose you to CUMENE, which is known to the State of California to cause

cancer. For more information go to www.P65Warnings.ca.gov.

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

CUMENE (CAS 98-82-8) Listed: April 6, 2010

#### **International Inventories**

Country(s) or region	Inventory name On inventory (ye	s/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date March-21-2025

Version # 01

**Disclaimer** Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Material name: FUCHS TIM EPOXY 818