# SAFETY DATA SHEET



# 1. Identification

**Product identifier FUCHS TIM GREASE 410** 

Other means of identification None.

Thermal Grease Recommended use Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information Company name Nye Lubricants, Inc.

A Member of the FUCHS Group

**Address** 12 Howland Road

Fairhaven, MA 02719

USA

+1 508 996 6721 **Telephone** sds@fuchs.com E-mail

**Emergency telephone** 

+1 866 519 4752

number

334212

Access code

Website www.nyelubricants.com

# 2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. Hazard symbol Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. **Storage** 

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
ZINC OXIDE		1314-13-2	70 - < 80
MICA		12001-26-2	5 - < 10
Other components below re	eportable levels		20 - < 30

# 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Material name: FUCHS TIM GREASE 410

SDS US 9075 Version #: 03 Revision date: May-23-2025 Issue date: March-03-2025

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

**General information** 

symptoms/effects, acute and delayed

Treat symptomatically.

Headache. Nausea, vomiting. Coughing.

Indication of immediate medical attention and special

treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Specific methods

equipment/instructions

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up **Environmental precautions** 

Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

# |7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

15 mppcf

### 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000) **Form** Components Type Value

ZINC OXIDE (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3	Fume.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 Permissible	<b>Exposure Limits (PEL) for Min</b>	eral Dusts (29 CFR 1910.1000	<b>)</b> )
Components	Type	Value	Form
Components MICA (CAS 12001-26-2)	<b>Type</b> TWA	Value 20 mppcf	Form
•			Form  Respirable fraction.
MICA (CAS 12001-26-2) ZINC OXIDE (CAS	TWA	20 mppcf	

Material name: FUCHS TIM GREASE 410

SDS US 9075 Version #: 03 Revision date: May-23-2025 Issue date: March-03-2025

Respirable fraction.

US. ACGIH Threshold Limit Values (TLV)				
Components	Туре	Value	Form	
MICA (CAS 12001-26-2)	TWA	0.1 mg/m3	Respirable fraction.	
ZINC OXIDE (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.	
	TWA	2 mg/m3	Respirable fraction.	
NIOSH. Immediately Dangerous to Life or	Health (IDLH) Values, as amended			
Components	Туре	Value		
MICA (CAS 12001-26-2)	IDLH	1500 mg/m3		
ZINC OXIDE (CAS 1314-13-2)	IDLH	500 mg/m3		

Components	Type	Value	Form
MICA (CAS 12001-26-2)	TWA	3 mg/m3	Respirable.
ZINC OXIDE (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		5 mg/m3	Dust.

No biological exposure limits noted for the ingredient(s).

Biological limit values

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.





General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.

Form Solid. Semi-solid

Color White.

Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%)

Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** 

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

2.7 Specific gravity

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact

Expected to be a low ingestion hazard. Ingestion Symptoms related to the Headache. Nausea, vomiting. Coughing.

physical, chemical and toxicological characteristics

### Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Material name: FUCHS TIM GREASE 410

9075 Version #: 03 Revision date: May-23-2025 Issue date: March-03-2025

# US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

**Aspiration hazard** 

Not classified.

Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture.

Persistence and degradability Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

**UN** number UN3077

**UN proper shipping name** 

Transport hazard class(es)

Environmentally hazardous substance, solid, n.o.s. (ZINC OXIDE)

Class 9 **Subsidiary hazard** Ш Packing group **Environmental hazards** Yes **ERG Code** 9L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

**IMDG** 

**UN** number UN3077

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), MARINE

POLLUTANT (ZINC OXIDE)

Transport hazard class(es)

9 Class **Subsidiary hazard** Ш Packing group **Environmental hazards** 

> Marine pollutant Yes

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Insport in bulk according to Not applicable.

the IBC Code

IATA; IMDG



# Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

# 15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

This product contains one or more components that are exempt from listing on the U.S. Toxic Substances Control Act (TSCA) inventory because it is a Naturally Occurring Substances in accordance with 40 CFR 710.4(b)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ZINC OXIDE (CAS 1314-13-2)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Zinc Compounds	1314-13-2	70 - < 80	

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: FUCHS TIM GREASE 410

ulated

9075 Version #: 03 Revision date: May-23-2025 Issue date: March-03-2025

Safe Drinking Water Act

(SDWA)

Not regulated.

### **US** state regulations

# California Proposition 65



WARNING: This product can expose you to chemicals including CADMIUM, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

CADMIUM (CAS ---) Listed: October 1, 1987 LEAD (CAS ---) Listed: October 1, 1992

#### California Proposition 65 - CRT: Listed date/Developmental toxin

CADMIUM (CAS ---) Listed: May 1, 1997

### California Proposition 65 - CRT: Listed date/Male reproductive toxin

Inventory name

CADMIUM (CAS ---) Listed: May 1, 1997

#### **International Inventories**

Australia

Country(s) or region

Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

Australian Inventory of Industrial Chemicals (AICIS)

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

# 16. Other information, including date of preparation or last revision

Issue date March-03-2025 May-23-2025 **Revision date** 

Version # 03

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which Disclaimer

> this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

**Revision information** Product and Company Identification: Product and Company Identification

On inventory (yes/no)\*

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).