SAFETY DATA SHEET



1. Identification

Product identifier	FUCHS TIM GREASE 510FG	
Other means of identification	None.	
Recommended use	Thermal Grease	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Company name	Nye Lubricants, Inc.	
	A Member of the FUCHS Group	
Address	12 Howland Road	
	Fairhaven, MA 02719	
	USA	
Telephone	+1 508 996 6721	
E-mail	sds@fuchs.com	
Emergency telephone number	+1 866 519 4752	
Access code	334212	
Website	www.nyelubricants.com	
2. Hazard(s) identification	n	
Physical hazards	Not classified.	
Health hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the criteria for classification.	

classified (HNOC) Supplemental information None.

Precautionary statement

Prevention

Response

Storage

Disposal Hazard(s) not otherwise

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ZINC OXIDE		1314-13-2	70 - < 80
Other components below reportable levels			30 - < 40
4. First-aid measures			
	Marrie ta fazzle ale Oall a standard i fazzenten		

Dispose of waste and residues in accordance with local authority requirements.

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

Observe good industrial hygiene practices.

Store away from incompatible materials.

Wash hands after handling.

None known.

Most important symptoms/effects, acute and delayed	Headache. Nausea, vomiting. Coughing.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
7. Handling and storage Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.

8. Exposure controls/personal protection

above storage classes)

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissik Components	Туре	Value	Form
ZINC OXIDE (CAS 1314-13-2)	PEL	5 mg/m3	Fume.
		5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
	la Evracura Limita (DEL) far Min	anal Duata (20 CED 4040 4000	
US. OSHA Table Z-3 Permissik Components	ble Exposure Limits (PEL) for Min Type	eral Dusts (29 CFR 1910.1000 Value)) Form
	• • • •	•	Form
Components ZINC OXIDE (CAS	Туре	Value	Form
Components ZINC OXIDE (CAS	Туре	Value 5 mg/m3	Form Respirable fraction.

Components	Туре	Value	Form
ZINC OXIDE (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
	TWA	2 mg/m3	Respirable fraction.
	erous to Life or Health (IDLH) Values, a		
Components	Туре	Value	
ZINC OXIDE (CAS 1314-13-2)	IDLH	500 mg/m3	
	to Chemical Hazards Recommended Ex	• • • •	
Components	Туре	Value	Form
ZINC OXIDE (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		5 mg/m3	Dust.
ological limit values	No biological exposure limits noted for	the ingredient(s).	
propriate engineering ntrols	Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recomr established, maintain airborne levels to	cal exhaust ventilation, or oth nended exposure limits. If ex	er engineering controls to
lividual protection measure	s, such as personal protective equipme		
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant g	loves.	
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear	suitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective c	othing, when necessary.	

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Solid. Semi-solid	
Color	White.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Explosive limit - lower (%)	Not available.	

Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	2.2

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Formaldehyde.

11. Toxicological information

Information on likely routes of exposure

Information on likely routes of e	exposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Nausea, vomiting. Coughing.
Information on toxicological eff	ects
Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	n
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not classifiable as to carcinogenicity to humans.
Not listed. OSHA Specifically Regulate Not listed.	Evaluation of Carcinogenicity ed Substances (29 CFR 1910.1001-1053) ogram (NTP) Report on Carcinogens
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information	1	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideratio	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

14. Transport information

DOT


Not regulated as dangerous goods.

ΙΑΤΑ

	UN number	UN3077
	UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (ZINC OXIDE)
	Transport hazard class(es)	
	Class	9
	Subsidiary hazard	-
	Packing group	III
	Environmental hazards	Yes
	ERG Code	9L
	Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
	Passenger and cargo	Allowed with restrictions.
	aircraft	
	Cargo aircraft only	Allowed with restrictions.
IME)G	
	UN number	UN3077
	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), MARINE POLLUTANT (ZINC OXIDE)
	Transport hazard class(es)	
	Class	9
	Subsidiary hazard	-
	Packing group	
	Environmental hazards	
	Marine pollutant	Yes
	EmS	F-A, S-F
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG





General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.					
Toxic Substances Control	Act (TSCA)					
TSCA Section 12(b) Ex	Export Notification (40 CFR 707, Subpt. D)					
Not regulated.						
CERCLA Hazardous Substa	ance List (40 CFR 3	802.4)				
ZINC OXIDE (CAS 1314	-13-2)	Listed.				
SARA 304 Emergency relea	se notification					
Not regulated.						
OSHA Specifically Regulate	ed Substances (29	CFR 1910.1001-1053)				
Not listed.						
Superfund Amendments and Re SARA 302 Extremely hazar		of 1986 (SARA)				
Not listed.						
SARA 311/312 Hazardous chemical	No					
SARA 313 (TRI reporting)						
Chemical name		CAS number	% by wt.			
Zinc Compounds		1314-13-2	70 - < 80			
Other federal regulations						
Clean Air Act (CAA) Section	n 112 Hazardous A	ir Pollutants (HAPs) List				
Not regulated.						
Clean Air Act (CAA) Section	n 112(r) Accidental	Release Prevention (40 Cl	FR 68.130)			
Not regulated.						
Safe Drinking Water Act (SDWA)	Not regulated.					

US state regulations

California Proposition 65

WARNING:	This product can expose you to chemicals including CADMIUM, which is known to the State of
	California to cause cancer and birth defects or other reproductive harm. For more information go
	to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

CADMIUM (CAS)	Listed: October 1, 1987	
LEAD (CAS)	Listed: October 1, 1992	
California Proposition 65 - CRT: Listed date/Developmental toxin		
CADMIUM (CAS)	Listed: May 1, 1997	
California Proposition 65 - CRT: Listed date/Male reproductive toxin		
CADMIUM (CAS)	Listed: May 1, 1997	

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Issue date	February-25-2025
Revision date	May-12-2025
Version #	02
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storag and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Product and Company Identification