SAFETY DATA SHEET



1. Identification

Product identifier	FUCHS TIM GREASE 611	
Other means of identification	None.	
Recommended use	Thermal Grease	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Company name	Nye Lubricants, Inc.	
	A Member of the FUCHS Group	
Address	12 Howland Road	
	Fairhaven, MA 02719	
	USA	
Telephone	+1 508 996 6721	
E-mail	sds@fuchs.com	
Emergency telephone number	+1 866 519 4752	
Access code	334212	
Website	www.nyelubricants.com	
2. Hazard(s) identification	1	
Physical hazards	Not classified.	
Health hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the criteria for classification.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
_		

Storage Store away from incompatible materials. Dispose of waste and residues in accordance with local authority requirements. Disposal

Wash hands after handling.

Hazard(s) not otherwise classified (HNOC) Supplemental information

Response

None.

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ALUMINIUM OXIDE		1344-28-1	20 - < 30
ZINC OXIDE		1314-13-2	20 - < 30
Other components below reportable levels			50 - < 60
4. First-aid measures	3		
Inhalation	Move to fresh air. Call a physician if symptom	is develop or persist.	
Skin contact	Wash off with soap and water. Get medical a	ttention if irritation develops a	nd persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.		

Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important	Headache. Nausea, vomiting. Coughing.	
symptoms/effects, acute and delayed		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Use water spray to cool unopened containers.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release mea	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 13 (Non-combustible solids that cannot be assigned to any of the above storage classes)	

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible I Components	Exposure Limits (PEL) for Air Type	Contaminants (29 CFR 1910.1 Value	000) Form
ALUMINIUM OXIDE (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
ZINC OXIDE (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3	Fume.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 Permissible	Exposure Limits (PEL) for Min	eral Dusts (29 CFR 1910.1000)
Components	Туре	Value	Form
ALUMINIUM OXIDE (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		00 mppol	rotar adot.

Components	issible Exposure Limits (PEL) for Minera Type	Value) Form
		15 mppcf	Respirable fraction.
ZINC OXIDE (CAS 1314-13-2)	TWA	5 mg/m3	Respirable fraction.
·		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Lim Components	it Values (TLV) Type	Value	Form
ZINC OXIDE (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
1014-10-2)	TWA	2 mg/m3	Respirable fraction.
	erous to Life or Health (IDLH) Values, as		
Components	Туре	Value	
ZINC OXIDE (CAS 1314-13-2)	IDLH	500 mg/m3	
US. NIOSH: Pocket Guide Components	to Chemical Hazards Recommended Exp Type	oosure Limits (REL) Value	Form
ZINC OXIDE (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
,	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		5 mg/m3	Dust.
logical limit values	No biological exposure limits noted for t	he ingredient(s).	
propriate engineering htrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
ividual protection measure	s, such as personal protective equipmen		
Eye/face protection	Wear safety glasses with side shields (c	or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistant glo	oves.	
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear s	uitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective clo		
neral hygiene siderations	Always observe good personal hygiene and before eating, drinking, and/or smo equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid. Semi-solid
Color	White.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.

Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Shelf life	5 years
Specific gravity	3

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Nausea, vomiting. Coughing.
Information on toxicological effe	octs
Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall E	Evaluation of Carcinogenicity	
Not listed.		
	d Substances (29 CFR 1910.1001-1053)	
Not listed.	ogram (NTP) Report on Carcinogens	
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information	1	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideration	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

IAIA	
UN number	UN3077
UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (ZINC OXIDE)
Transport hazard class(es)	
Class	9
Subsidiary hazard	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3077

UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), MARINE POLLUTANT (ZINC OXIDE)
Transport hazard class(es)	
Class	9
Subsidiary hazard	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS Special procedutions for user	F-A, S-F Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA; IMDG	
9	
Marine pollutant	
General information	IMDG Regulated Marine Pollutant.
15. Regulatory information	
US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Toxic Substances Control A	ct (TSCA)
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substa	nce List (40 CFR 302.4)
ZINC OXIDE (CAS 1314-	
SARA 304 Emergency releas	e notification
	d Substances (29 CFR 1910.1001-1053)
Not listed.	
Superfund Amendments and Rea	
SARA 302 Extremely hazard	DUS SUDSTANCE
Not listed.	Ne
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting)	
Chemical name	CAS number % by wt.
Aluminum oxide (fibrous f	· · · · · · · · · · · · · · · · · · ·
(

Chemical name		CAS number	% by wt.
Zinc Compounds		1314-13-2	20 - < 30
her federal regulations			
Clean Air Act (CAA) Section	on 112 Hazardous Air Pol	lutants (HAPs) List	
Not regulated.			
Clean Air Act (CAA) Section	on 112(r) Accidental Relea	ase Prevention (40 Cl	FR 68.130)
Not regulated. Safe Drinking Water Act	Not regulated.		
(SDWA)	Not regulated.		
S state regulations			
California Proposition 65			
		and birth defects or oth	ng CADMIUM, which is known to the State of er reproductive harm. For more information go
California Proposition	65 - CRT: Listed date/Ca	rcinogenic substanc	e
CADMIUM (CAS	-)	Listed: Octob	er 1, 1987
LEAD (CAS)		Listed: Octob	er 1, 1992
	65 - CRT: Listed date/De		4007
CADMIUM (CAS California Proposition	-) 65 - CRT: Listed date/Ma	Listed: May 1	
CADMIUM (CAS		Listed: May 1	
ternational Inventories	,	5	
Country(s) or region	Inventory name		On inventory (yes/no)
Australia	Australian Inventory of Industrial Chemicals (AICIS)		
Canada	Domestic Substances List (DSL)		Ye
Canada	Non-Domestic Substances List (NDSL)		N
China	Inventory of Existing Chemical Substances in China (IECSC)		China (IECSC) Ye
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)		Chemical No
Europe	European List of Notified Chemical Substances (ELINCS		es (ELINCS) No
Japan	Inventory of Existing and New Chemical Substances (ENCS)		stances (ENCS) Ye
Korea	Existing Chemicals List (ECL)		Ye
New Zealand	New Zealand Inventory		Ye
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)		cal Substances Ye
T = 1	Taiwan Chemical Substance Inventory (TCSI)) Ye
Taiwan			

16. Other information, including date of preparation or last revision	
---	--

Issue date	February-28-2025	
Revision date	April-29-2025	
Version #	02	
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.	
Revision information	Product and Company Identification: Product and Company Identification GHS: Classification	