SAFETY DATA SHEET



1. Identification

Product identifier FUCHS TIM GREASE 611LV

Other means of identification None.

Recommended useThermal Grease **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Company name

Nye Lubricants, Inc.

A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02719

USA

 Telephone
 +1 508 996 6721

 E-mail
 sds@fuchs.com

Emergency telephone

+1 866 519 4752

number

Website

334212

Access code

www.nyelubricants.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ALUMINIUM OXIDE		1344-28-1	20 - < 30
ZINC OXIDE		1314-13-2	20 - < 30
Other components below re	portable levels		50 - < 60

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Material name: FUCHS TIM GREASE 611LV

SDS US

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects acute

symptoms/effects, acute and delayed

Treat symptomatically.

Direct contact with eyes may cause temporary irritation.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Indication of immediate medical attention and special treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

and precautions for firefighters
Fire fighting

equipment/instructions
Specific methods

e fighting

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Environmental precautions

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities

Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 13 (Non-combustible solids that cannot be assigned to any of the above storage classes)

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000) Components Value Form

•			
ALUMINIUM OXIDE (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
ZINC OXIDE (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3	Fume.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 Permissible	Exposure Limits (PEL) for Min	•	
	Exposure Limits (PEL) for Min Type	•	
Components ALUMINIUM OXIDE (CAS	• • • • • • • • • • • • • • • • • • • •	eral Dusts (29 CFR 1910.1000))
US. OSHA Table Z-3 Permissible Components ALUMINIUM OXIDE (CAS 1344-28-1)	Туре	eral Dusts (29 CFR 1910.1000 Value) Form

Material name: FUCHS TIM GREASE 611LV

9050 Version #: 03 Revision date: May-26-2025 Issue date: March-03-2025 2 / 8

Components	Туре	Value	Form
		15 mppcf	Respirable fraction.
ZINC OXIDE (CAS 1314-13-2)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Va	alues (TLV)		
Components	Туре	Value	Form
ZINC OXIDE (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
	TWA	2 mg/m3	Respirable fraction
NIOSH. Immediately Dangerou	ıs to Life or Health (IDLH) Values,	as amended	
Components	Туре	Value	
•			
ZINC OXIDE (CAS 1314-13-2)	IDLH	500 mg/m3	
ZINC OXIDE (CAS 1314-13-2) US. NIOSH: Pocket Guide to C	hemical Hazards Recommended E	Exposure Limits (REL)	_
ZINC OXIDE (CAS 1314-13-2) US. NIOSH: Pocket Guide to C		•	Form
ZINC OXIDE (CAS 1314-13-2) US. NIOSH: Pocket Guide to C Components ZINC OXIDE (CAS	hemical Hazards Recommended E	Exposure Limits (REL)	Form Dust.
ZINC OXIDE (CAS 1314-13-2) US. NIOSH: Pocket Guide to C Components ZINC OXIDE (CAS	hemical Hazards Recommended E Type	Exposure Limits (REL) Value	
ZINC OXIDE (CAS 1314-13-2)	chemical Hazards Recommended E Type Ceiling	Exposure Limits (REL) Value 15 mg/m3	Dust.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).


Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards







General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. **Physical state**

Solid. Semi-solid **Form**

Color White.

Not available. Odor Not available. **Odor threshold** Not available. pН

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

Explosive properties Not explosive. Oxidizing properties Not oxidizing. 5 years Shelf life 3 Specific gravity

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Not available.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Material name: FUCHS TIM GREASE 611LV

SDS US 9050 Version #: 03 Revision date: May-26-2025 Issue date: March-03-2025

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Prolonged inhalation may be harmful. Chronic effects

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. **Disposal instructions**

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN3077 **UN** number

UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (ZINC OXIDE)

Transport hazard class(es)

Class 9 **Subsidiary hazard** Ш Packing group **Environmental hazards** Yes **ERG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN3077 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), MARINE POLLUTANT (ZINC OXIDE)

Transport hazard class(es)

Class 9
Subsidiary hazard Packing group III
Environmental hazards

Marine pollutant Yes EmS F-A, S-F


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ZINC OXIDE (CAS 1314-13-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous N

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Aluminum oxide (fibrous forms) (Alumina)	1344-28-1	20 - < 30	

Material name: FUCHS TIM GREASE 611LV

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Zinc Compounds	1314-13-2	20 - < 30	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to chemicals including CADMIUM, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

CADMIUM (CAS ---) Listed: October 1, 1987 Listed: October 1, 1992 LEAD (CAS ---) PENTADECAFLUOROOCTANOIC ACID Listed: February 25, 2022 (CAS 335-67-1)

California Proposition 65 - CRT: Listed date/Developmental toxin

CADMIUM (CAS ---) Listed: May 1, 1997 CARBON MONOXIDE (CAS 630-08-0) Listed: July 1, 1989 PENTADECAFLUOROOCTANOIC ACID Listed: November 10, 2017

(CAS 335-67-1)

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Inventory name

CADMIUM (CAS ---) Listed: May 1, 1997

International Inventories

Country(s) or region

Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

March-03-2025 Issue date **Revision date** May-26-2025

Version # 03

Disclaimer Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Material name: FUCHS TIM GREASE 611LV

SDS US

On inventory (yes/no)*

9050 Version #: 03 Revision date: May-26-2025 Issue date: March-03-2025

Revision information

Product and Company Identification: Product and Company Identification

Hazard(s) identification: Hazard statement Hazard(s) identification: GHS Signal Words

Composition / Information on Ingredients: Ingredients

First-aid measures: Most important symptoms/effects, acute and delayed Handling and storage: Conditions for safe storage, including any incompatibilities Toxicological information: Symptoms related to the physical, chemical and toxicological

characteristics

Ecological information: Ecotoxicity

Disposal considerations: Disposal instructions

Material name: FUCHS TIM GREASE 611LV

9050 Version #: 03 Revision date: May-26-2025 Issue date: March-03-2025 8 / 8