SAFETY DATA SHEET



1. Identification

Product identifier FUCHS TIM PUTTY 418

Other means of identification None.

Recommended use Thermal Conductive Gap Filler

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name

Nye Lubricants, Inc.

A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02719

USA

 Telephone
 +1 508 996 6721

 E-mail
 sds@fuchs.com

Emergency telephone

+1 866 519 4752

number

Access code 334212

Website www.nyelubricants.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ALUMINIUM OXIDE		1344-28-1	50 - < 60
ZINC OXIDE		1314-13-2	10 - < 20
Other components below re	portable levels		20 - < 30

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

6924 Version #: 01 Issue date: March-11-2025

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Treat symptomatically.

Indication of immediate medical attention and special treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Direct contact with eyes may cause temporary irritation.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up **Environmental precautions**

Prevent entry into waterways, sewer, basements or confined areas. Following product recovery,

flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

|7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Observe good industrial hygiene practices.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

5 mg/m3

5 mg/m3

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000) **Form** Components Type Value ALUMINIUM OXIDE (CAS PEL

1344-28-1) 15 mg/m3 Total dust.

PEL ZINC OXIDE (CAS 5 mg/m3 Respirable fraction. 1314-13-2)

15 mg/m3 Total dust.

US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000)

Form Components **Type** Value ALUMINIUM OXIDE (CAS **TWA** Respirable fraction. 5 mg/m3 1344-28-1) 15 mg/m3 Total dust. 50 mppcf Total dust.

Material name: FUCHS TIM PUTTY 418

6924 Version #: 01 Issue date: March-11-2025

Respirable fraction.

Fume.

Components	Туре	Value	Form
		15 mppcf	Respirable fraction.
ZINC OXIDE (CAS 1314-13-2)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Lim	nit Values (TLV)		
Components	Туре	Value	Form
ZINC OXIDE (CAS	STEL	10 mg/m3	Respirable fraction.
1314-13-2)			
1314-13-2)	TWA	2 mg/m3	Respirable fraction.
,	TWA gerous to Life or Health (IDLH) Values,	G	Respirable fraction.
,		G	Respirable fraction.
NIOSH. Immediately Dang	perous to Life or Health (IDLH) Values,	as amended	Respirable fraction.
NIOSH. Immediately Dang Components ZINC OXIDE (CAS 1314-13-2) US. NIOSH: Pocket Guide	perous to Life or Health (IDLH) Values, Type IDLH to Chemical Hazards Recommended E	as amended Value 500 mg/m3 Exposure Limits (REL)	•
NIOSH. Immediately Dang Components ZINC OXIDE (CAS 1314-13-2)	gerous to Life or Health (IDLH) Values, Type IDLH	as amended Value 500 mg/m3	Respirable fraction.
NIOSH. Immediately Dang Components ZINC OXIDE (CAS 1314-13-2) US. NIOSH: Pocket Guide	perous to Life or Health (IDLH) Values, Type IDLH to Chemical Hazards Recommended E	as amended Value 500 mg/m3 Exposure Limits (REL)	•
NIOSH. Immediately Dang Components ZINC OXIDE (CAS 1314-13-2) US. NIOSH: Pocket Guide Components ZINC OXIDE (CAS	perous to Life or Health (IDLH) Values, Type IDLH to Chemical Hazards Recommended E Type	as amended Value 500 mg/m3 Exposure Limits (REL) Value	Form
NIOSH. Immediately Dang Components ZINC OXIDE (CAS 1314-13-2) US. NIOSH: Pocket Guide Components ZINC OXIDE (CAS	perous to Life or Health (IDLH) Values, Type IDLH to Chemical Hazards Recommended E Type Ceiling	as amended Value 500 mg/m3 Exposure Limits (REL) Value 15 mg/m3	Form Dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.





General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. Physical state

Solid. Paste. **Form** Color White.

Not available. Odor **Odor threshold** Not available.

pH Not available.Melting point/freezing point Not available.Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Shelf life 5 years

Specific gravity 2.7

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Acids. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Material name: FUCHS TIM PUTTY 418

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

|12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number UN3077

Environmentally hazardous substance, solid, n.o.s. (ZINC OXIDE) **UN proper shipping name**

Transport hazard class(es)

9 Class **Subsidiary hazard** Ш Packing group **Environmental hazards** Yes **ERG Code** 9L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Allowed with restrictions.

aircraft Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN3077

SDS US

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), MARINE

POLLUTANT (ZINC OXIDE, Glycine, N-methyl-N-[(9Z)-1-oxo-9-octadecenyl]-)

Transport hazard class(es)

Class 9 **Subsidiary hazard** Ш Packing group **Environmental hazards**

Marine pollutant Yes **EmS** F-A, S-F


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ZINC OXIDE (CAS 1314-13-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Aluminum oxide (fibrous forms) (Alumina)	1344-28-1	50 - < 60	

Material name: FUCHS TIM PUTTY 418

6924 Version #: 01 Issue date: March-11-2025

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Zinc Compounds	1314-13-2	10 - < 20	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to chemicals including CADMIUM, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

CADMIUM (CAS ---) Listed: October 1, 1987 LEAD (CAS ---) Listed: October 1, 1992 SILICA, CRYSTALLINE (AIRBORNE PARTICLES Listed: October 1, 1988 OF RESPIRABLE SIZE) (CAS ---)

California Proposition 65 - CRT: Listed date/Developmental toxin

CADMIUM (CAS ---) Listed: May 1, 1997 California Proposition 65 - CRT: Listed date/Male reproductive toxin

CADMIUM (CAS ---) Listed: May 1, 1997 N-HEXANE (CAS 110-54-3) Listed: December 15, 2017

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date March-11-2025

Version #

Disclaimer Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Material name: FUCHS TIM PUTTY 418 6924 Version #: 01 Issue date: March-11-2025