SAFETY DATA SHEET



1. Identification

| Product identifier | FUCHS TIM PUTTY 45 | | |
|-------------------------------|-------------------------------|--|--|
| Other means of identification | None. | | |
| Recommended use | Thermal Conductive Gap Filler | | |
| Recommended restrictions | None known. | | |
| Manufacturer/Importer/Suppli | er/Distributor information | | |
| Company name | Nye Lubricants, Inc. | | |
| | A Member of the FUCHS Group | | |
| Address | 12 Howland Road | | |
| | Fairhaven, MA 02719 | | |
| | USA | | |
| Telephone | +1 508 996 6721 | | |
| E-mail | sds@fuchs.com | | |
| Emergency telephone number | +1 866 519 4752 | | |
| Access code | 334212 | | |
| Website | www.nyelubricants.com | | |

2. Hazard(s) identification

| Physical hazards | Not classified. | |
|----------------------------------------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Health hazards | Reproductive toxicity (fertility) | Category 2 |
| OSHA defined hazards | Not classified. | |
| Label elements | | |
| | | |
| Signal word | Warning | |
| Hazard statement | Suspected of damaging fertility. | |
| Precautionary statement | | |
| Prevention | | . Do not handle until all safety precautions have been read es/protective clothing/eye protection/face protection. |
| Response | If exposed or concerned: Get medical | advice/attention. |
| Storage | Store locked up. | |
| Disposal | Dispose of contents/container in acco | rdance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. | |
| Supplemental information | None. | |
| | | |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------|--------------------------|------------|-----------|
| ALUMINIUM | | 7429-90-5 | 70 - < 80 |
| ALUMINIUM OXIDE | | 1344-28-1 | 10 - < 20 |

| Chemical name | Common name and synonyms | CAS number | % |
|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|------------------------|
| BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE | | 68411-46-1 | < 0.3 |
| Other components below report | able levels | | 10 - < 20 |
| 4. First-aid measures | | | |
| nhalation | Move to fresh air. Call a physician if symptom | ns develop or persist. | |
| Skin contact | Wash off with soap and water. Get medical a | | l persists. |
| Eye contact | Rinse with water. Get medical attention if irrit | • | • |
| Ingestion | Rinse mouth. Get medical attention if sympto | | |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause temporar | y irritation. | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and tre Symptoms may be delayed. | at symptomatically. Keep victim | under observation. |
| General information | IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect ther attendance. | medical personnel are aware of | f the material(s) |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Powder. Dry sand. | | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as th | is will spread the fire. | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may b | e formed. | |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | | |
| Fire fighting equipment/instructions | Move containers from fire area if you can do | so without risk. | |
| Specific methods | Use standard firefighting procedures and con | sider the hazards of other involve | ved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. | | |
| 6. Accidental release meas | sures | | |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing authorities should be advised if significant spi see section 8 of the SDS. | g during clean-up. Ensure adeq | uate ventilation. Loca |
| Methods and materials for containment and cleaning up | Stop the flow of material, if this is without risk For waste disposal, see section 13 of the SD | | ush area with water. |
| Environmental precautions | Avoid discharge into drains, water courses or | onto the ground. | |
| 7. Handling and storage | | | |
| Precautions for safe handling | Obtain special instructions before use. Do no and understood. Pregnant or breastfeeding w handled in closed systems, if possible. Provid protective equipment. Observe good industria | omen must not handle this prod le adequate ventilation. Wear a | duct. Should be |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in tightly closed contai Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible storage classes) | | · |
| 8. Exposure controls/pers | onal protection | | |

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components | ssible Exposure Limits (PEL) for Air C Type | Value | Form |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------------------|
| ALUMINIUM (CAS 7429-90-5) | PEL | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| ALUMINIUM OXIDE (CAS 1344-28-1) | PEL | 5 mg/m3 | Respirable fraction. |
| , | | 15 mg/m3 | Total dust. |
| US. OSHA Table Z-3 Permi Components | ssible Exposure Limits (PEL) for Mine Type | ral Dusts (29 CFR 1910.1000 Value |) Form |
| ALUMINIUM (CAS 7429-90-5) | TWA | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| | | 50 mppcf | Total dust. |
| | | 15 mppcf | Respirable fraction. |
| ALUMINIUM OXIDE (CAS 1344-28-1) | TWA | 5 mg/m3 | Respirable fraction. |
| 1044-20-1) | | 15 mg/m3 | Total dust. |
| | | 50 mppcf | Total dust. |
| | | 15 mppcf | Respirable fraction. |
| US. ACGIH Threshold Limi Components | t Values (TLV) Type | Value | Form |
| ALUMINIUM (CAS 7429-90-5) | TWA | 1 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide Components | to Chemical Hazards Recommended E Type | xposure Limits (REL) Value | Form |
| ALUMINIUM (CAS 7429-90-5) | TWA | 5 mg/m3 | Respirable. |
| | | 5 mg/m3 | Welding fume or pyrophoric powder. |
| | | 10 mg/m3 | Total |
| logical limit values | No biological exposure limits noted for | or the ingredient(s). | |
| osure guidelines | Occupational Exposure Limits are no | c () | al form of the product. |
| propriate engineering trols | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. | | |
| vidual protection measures Eye/face protection | s, such as personal protective equipm If contact is likely, safety glasses with | | d. |
| Skin protection Hand protection | Wear appropriate chemical resistant | aloves | |
| Other | Use of an impervious apron is recom | - | |
| Respiratory protection | In case of insufficient ventilation, wea | | nt |
| Thermal hazards | Wear appropriate thermal protective of | | н. |
| | | | |
| neral hygiene siderations | Observe any medical surveillance rec measures, such as washing after han | | |

measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

| 5. Fillysical and chemical | |
|--------------------------------------------|----------------|
| Appearance | |
| Physical state | Solid. |
| Form | Solid. Paste. |
| Color | Grey. |
| Odor | Not available. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or exp | losive limits |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |
| Shelf life | 5 years |
| Specific gravity | 2.3 |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|-----------------------------------------------------------------------------------------------|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Acids. Strong oxidizing agents. Chlorine. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

| Information on likely routes of | exposure |
|------------------------------------------------------------------------------------|----------------------------------------------------------|
| Inhalation | No adverse effects due to inhalation are expected. |
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Expected to be a low ingestion hazard. |
| Symptoms related to the physical, chemical and toxicological characteristics | Direct contact with eyes may cause temporary irritation. |

| Information on toxicological effe | ects |
|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity | Not available. |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. |
| Respiratory or skin sensitization | 1 |
| Respiratory sensitization | Not a respiratory sensitizer. |
| Skin sensitization | This product is not expected to cause skin sensitization. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | Not classifiable as to carcinogenicity to humans. |
| IARC Monographs. Overall I | Evaluation of Carcinogenicity |
| Not listed. OSHA Specifically Regulate | d Substances (29 CFR 1910.1001-1053) |
| | ogram (NTP) Report on Carcinogens |
| Not listed. Reproductive toxicity | Suspected of damaging fertility. |
| Specific target organ toxicity - | Not classified. |
| single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not an aspiration hazard. |
| 12. Ecological information | n |
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. |
| Bioaccumulative potential | |
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |
| 13. Disposal consideratio | ns |
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hammada wa waa ta sa da | The waste code should be assigned in discussion between the user, the producer and the waste |
| Hazardous waste code | disposal company. |
| Hazardous waste code Waste from residues / unused products | |
| Waste from residues / unused | disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: |
| Waste from residues / unused products | disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to
Annex II of MARPOL 73/78 and
the IBC CodeNot applicable.

15. Regulatory information

| US federal regulations | This product is a "Ha Standard, 29 CFR 19 | | efined by the OSHA Hazard Communication |
|---------------------------------------------------------|----------------------------------------------|-----------------------|-----------------------------------------|
| Toxic Substances Control A | Act (TSCA) | | |
| TSCA Section 12(b) Ex | oort Notification (40 C | FR 707, Subpt. D) | |
| Not regulated. | | | |
| CERCLA Hazardous Substa | ince List (40 CFR 302.4 | 4) | |
| Not listed. SARA 304 Emergency relea | se notification | | |
| Not regulated. OSHA Specifically Regulate | ed Substances (29 CFF | R 1910.1001-1053) | |
| Not listed. | | | |
| Superfund Amendments and Re SARA 302 Extremely hazar | | 986 (SARA) | |
| Not listed. | | | |
| SARA 311/312 Hazardous chemical | Yes | | |
| Classified hazard categories | Reproductive toxicity | | |
| SARA 313 (TRI reporting) | | | |
| Chemical name | | CAS number | % by wt. |
| Aluminum (fume or dust) | | 7429-90-5 | 70 - < 80 |
| Aluminum oxide (fibrous | iorms) (Alumina) | 1344-28-1 | 10 - < 20 |
| Other federal regulations | | | |
| Clean Air Act (CAA) Section | n 112 Hazardous Air P | ollutants (HAPs) List | |
| Not regulated. Clean Air Act (CAA) Section | n 112(r) Accidental Rel | ease Prevention (40 C | FR 68.130) |
| Not regulated. | | | |
| Safe Drinking Water Act (SDWA) | Not regulated. | | |
| US state regulations | | | |
| California Proposition 65 California Safe Drinking | | | |

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* | |
|-----------------------------|---------------------------------------------------------------------------|------------------------|--|
| Australia | Australian Inventory of Industrial Chemicals (AICIS) | Yes | |
| Canada | Domestic Substances List (DSL) | Yes | |
| Canada | Non-Domestic Substances List (NDSL) | No | |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes | |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No | |
| Europe | European List of Notified Chemical Substances (ELINCS) | No | |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No | |
| Korea | Existing Chemicals List (ECL) | Yes | |
| New Zealand | New Zealand Inventory | Yes | |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes | |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes | |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes | |
| | | | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| I | ss | ue | da | te |
|---|----|----|----|----|
| | | | | |

Version #

Disclaimer

March-11-2025

01

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.