

SAFETY DATA SHEET

1. Identification

Product identifier	NYETACT 572T-10	
Other means of identification		
Product Code	NYETACT 572T-10	
Recommended use	Lubricant Dispersed in Sol	vent
Recommended restrictions	None known.	
Manufacturer/Importer/Supplie	er/Distributor information	
Manufacturer		
Company name	Nye Lubricants, Inc.	
Address	12 Howland Road	
	Fairhaven, MA 02719	
	United States	
Telephone	General Assistance	508-996-6721
Website	www.nyelubricants.com	
E-mail	sds@nyelubricants.com	
Contact person	Nye Lubricants EH&S	
Emergency phone number	3E Online	800-451-8346

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.
ι <i>γ</i>	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
silica,amorphous,fumed	crystal -	112945-52-5	< 0.3*
Other components below	w reportable levels		90 - 100
4. First-aid measure	S		
Inhalation	Move to fresh air. Call a physician if symptom	is develop or persist.	
Skin contact	Wash off with soap and water. Get medical at	ttention if irritation develops a	nd persists.
Eye contact	Rinse with water. Get medical attention if irrita	ation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if sympton	ms occur.	

5. Fire-fighting measures Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Specific hazards arising from the chemical Specific networks are specific methods Use standard firefighting procedures and consider the hazards of other involved material for or explosion hazards noted. 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Methods and materials for containents for fluct procedures and consider the hazards of the SDS. protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. protective equipment and emerging with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual containers for re-use. For waste disposal, see section 13 containers for safe storage. Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Conditions for safe storage. Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Co			
medical attention and special treatment needed Ensure that medical personnel are aware of the material(s) involved, and take precaution protect themselves. 5. Fire-fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. media Specific hazards arising from the chemical Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from the chemical Self-contained breathing apparatus and full protective clothing must be worn in case of 1 and procautions for firefighters Fire fighting equipment/instructions Self-contained breathing apparatus and full protective clothing must be worn in case of 1 No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. protective equipment and cleaning up protective equipment and energency procedures Methods and materials for containents from the area with water. Small Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in verniculite, dry sand or earth and place into containers. Following precovery, flush area with water. Trunomental precautions Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remover residual containers for re-use. For waste disposal, see section 13 or Avoid discharge into drains, water courses or onto the ground. <th>toms/effects, acute and</th> <th colspan="2">Direct contact with eyes may cause temporary irritation.</th>	toms/effects, acute and	Direct contact with eyes may cause temporary irritation.	
5. Fire-fighting measures Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Suitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Specific netrade arising from the chemical Self-contained breathing apparatus and full protective clothing must be worn in case of land precautions for fifefighters Fire fighting Move containers from fire area if you can do so without risk. equipment/instructions Use standard firefighting procedures and consider the hazards of other involved material. 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Methods and materials for containent and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following precovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual containers for re-use. For waste disposal, see section 13 c Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage, including any incompatibilities Observe good industrial hygiene practices. 8. Exposure controls/personal protection Observe good industrial hygiene practices. 8. Exposure controls/personal protection Spositic in tig	cal attention and special	Treat symptomatically.	
Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of 1 and precautions for firefighters Fire fighting equipment/instructions Self-contained breathing apparatus and full protective clothing must be worn in case of 1 work containers from fire area if you can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved material for explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. protective equipment and energiency procedures memergency procedures Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh costiling and storage procedures Nethods and materials for containers Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual containination. 7. Handling and storage Observe good industrial hygiene practices. Store in tightly closed con		Insure that medical personnel are aware of the material(s) involved, and take precautions to rotect themselves.	
Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Specific nethods Self-contained breathing apparatus and full protective clothing must be worn in case of farefighters Fire fighting equipment/instructions Move containers from fire area if you can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved material Reneral fire hazards Reneral fire hazards No unusual fire or explosion hazards noted. 6. Accidental release measures Personal protective equipment and emergency procedures Methods and materials for containment and cleaning up recovery, flush area with water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following p recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual containers for re-use. For waste disposal, see section 13 or Avoid discharge into draines, water courses or onto the ground. 7. Handling and storage Observe good industrial hygiene practices. Sore in tightly closed container. Store away from incompatible	ire-fighting measures		
media During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of 1 and precautions for firefighters Fire fighting equipment/instructions Self-contained breathing apparatus and full protective clothing must be worn in case of 1 and precautions for firefighting procedures and consider the hazards of other involved material general fire hazards Specific methods Use standard firefighting procedures and consider the hazards of other involved material general fire hazards No unusual fire or explosion hazards noted. E. 6. Accidental release measures Reep unnecessary personnel away. For personal protection, see section 8 of the SDS. protective equipment and emergency procedures Methods and materials for containent and cleaning up recovery, flush area with water. Small Spills: Wipe up with absorbent material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following precovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual containers for re-use. For waste disposal, see section 13 centrions for safe handling Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). </td <td>ble extinguishing media V</td> <td>Vater fog. Foam. Dry chemical powder. Carbon dioxide (CO2).</td> <td></td>	ble extinguishing media V	Vater fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
the chemical Special protective equipment and precautions for firefighters Fire fighting equipment/instructions Specific methods General fire hazards Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved material Source controls of the SDS. Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up Precourds Fire fighting and storage Precautions for safe storage, Conditions for safe storage, Components Type Value Silica, amorphous, fumed crystal - free (CAS 112945-52-5)	• •	o not use water jet as an extinguisher, as this will spread the fire.	
and precautions for firefighters Move containers from fire area if you can do so without risk. equipment/instructions Move containers from fire area if you can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved material General fire hazards No unusual fire or explosion hazards noted. Image: Specific methods G. Accidental release measures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Personal precautions, protective equipment and emergency procedures Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following p recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual containers for re-use. For waste disposal, see section 13 of Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Nore in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Store in tightly closed container. Store away from incompatible materials (see Section		ouring fire, gases hazardous to health may be formed.	
equipment/instructions Specific methods Use standard firefighting procedures and consider the hazards of other involved material Specific methods No unusual fire or explosion hazards noted. Image: Construction of the specific methods of the specific methods and materials for containment and cleaning up Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following precovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 or Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Observe good industrial hygiene practices. Precautions for safe handling Observe good industrial hygiene practices. Soro in tightly closed container. Store away from incompatible materials (see Section 1 SDS). Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Components Type Value silica, amorphous,fumed crystal - free (CAS 112945-52-5) TWA 0.8 mg/m3	recautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
General fire hazards No unusual fire or explosion hazards noted. 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following precovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 or Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Observe good industrial hygiene practices. Stops). Stops). 8. Exposure controls/personal protection Occupational exposure limits Us. OSHA Table Z-3 (29 CFR 1910.1000) Components Type Value silica, amorphous,fumed crystal - free (CAS 112945-52-5) TWA 0.8 mg/m3	ment/instructions		
6. Accidental release measures Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following p recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 c Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe storage, including any incompatibilities Observe good industrial hygiene practices. 8. Exposure controls/personal protection US. OSHA Table Z-3 (29 CFR 1910.1000) Components Type Value silica, amorphous, fumed crystal - free (CAS 112945-52-5)		Ise standard firefighting procedures and consider the hazards of other involved materials.	
Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following p recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 c Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe handling Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Observe good industrial hygiene practices. Occupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Components Type Value silica, amorphous,fumed crystal - free (CAS 112945-52-5) TWA 0.8 mg/m3	ral fire hazards N	lo unusual fire or explosion hazards noted.	
protective equipment and emergency procedures Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following p recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual containers for re-use. For waste disposal, see section 13 or Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe handling Conditions for safe storage, including any incompatibilities Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Occupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Components Type Value silica, amorphous,fumed crystal - free (CAS 112945-52-5) TWA 0.8 mg/m3	ccidental release measu	ires	
Methods and materials for containment and cleaning up containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, wh possible. Absorb in vermiculite, dry sand or earth and place into containers. Following precovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroug remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 cd. Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe handling conditions for safe storage, including any incompatibilities Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Occupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Components Type via: TWA 0.8 mg/m3	ctive equipment and	eep unnecessary personnel away. For personal protection, see section 8 of the SDS.	
remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 c Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe handling Conditions for safe storage, including any incompatibilities 8. Exposure controls/personal protection Occupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Components ISB TWA 0.8 mg/m3 Conserve (CAS 112945-52-5)	inment and cleaning up P	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
Environmental precautions Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe handling Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Value US. OSHA Table Z-3 (29 CFR 1910.1000) Type Value silica,amorphous,fumed crystal - free (CAS 112945-52-5) TWA 0.8 mg/m3		Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe handling Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Value US. OSHA Table Z-3 (29 CFR 1910.1000) Type Value silica,amorphous,fumed crystal - free (CAS 112945-52-5) TWA 0.8 mg/m3	Ν	lever return spills to original containers for re-use. For waste disposal, see section 13 of the S	SDS.
Precautions for safe handling Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Occupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Components Type Value silica,amorphous,fumed crystal - free (CAS 112945-52-5) TWA 0.8 mg/m3			
Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 1 SDS). 8. Exposure controls/personal protection Occupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Components Type Value silica,amorphous,fumed crystal - free (CAS 112945-52-5) TWA 0.8 mg/m3	andling and storage		
including any incompatibilities SDS). 8. Exposure controls/personal protection Occupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Components Type Value silica,amorphous,fumed TWA 0.8 mg/m3 crystal - free (CAS 112945-52-5)	utions for safe handling C	Dbserve good industrial hygiene practices.	
Occupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Type Value Components Type Value silica,amorphous,fumed TWA 0.8 mg/m3 crystal - free (CAS 112945-52-5) Value		tore in tightly closed container. Store away from incompatible materials (see Section 10 of the DS).	е
US. OSHA Table Z-3 (29 CFR 1910.1000) ComponentsTypeValuesilica,amorphous,fumed crystal - free (CAS 112945-52-5)TWA0.8 mg/m3	xposure controls/persor	nal protection	
ComponentsTypeValuesilica,amorphous,fumed crystal - free (CAS 112945-52-5)TWA0.8 mg/m3	pational exposure limits		
silica,amorphous,fumed TWA 0.8 mg/m3 crystal - free (CAS 112945-52-5)		910.1000)	
crystal - free (CAS 112945-52-5)	omponents	Type Value	
20 monof	rystal - free (CAS	TWA 0.8 mg/m3	
		20 mppcf	

US. NIOSH: Pocket Guide Components	Type	Value	
silica,amorphous,fumed crystal - free (CAS 112945-52-5)	TWA	6 mg/m3	
ological limit values	No biological exposure limits noted	for the ingredient(s).	
	.		

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection Hand protection Other Respiratory protection Thermal hazards



General hygiene considerations

Wear appropriate chemical resistant gloves.

Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Whitish
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	ASTM D-92 None
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	11.7 (Solvent)
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.65 g/cm³ 1.65 g/cm³
Explosive properties	Not explosive.
Kinematic viscosity	140 cSt
Kinematic viscosity temperature	104 °F (40 °C)
Oxidizing properties	Not oxidizing.
Pour point	-103 °F (-75 °C)
Shelf life	4 years

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

· · · · · · · · · · · · · · · · · · ·		
Information on likely routes of e	exposure	
Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestic	n hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may	cause temporary irritation.
Information on toxicological eff	ects	
Acute toxicity	Not known.	
Components	Species	Test Results
silica,amorphous,fumed crystal - f	ree (CAS 112945-52-5)	
Acute		
Oral	D.(
LD50	Rat	3160 mg/kg
Skin corrosion/irritation	Prolonged skin contact may o	
Serious eye damage/eye irritation	Direct contact with eyes may	cause temporary irritation.
Respiratory or skin sensitizatio		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcino	genicity to humans.
silica,amorphous,fumed OSHA Specifically Regulate Not listed.	Evaluation of Carcinogenicity crystal - free (CAS 112945-52-5 ed Substances (29 CFR 1910.1 ogram (NTP) Report on Carcir)3 Not classifiable as to carcinogenicity to humans. 001-1053)
Reproductive toxicity	This product is not expected	to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
12. Ecological informatio	n	
Ecotoxicity		as environmentally hazardous. However, this does not exclude the ent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the de	egradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.	
Material name: NYETACT 572T-10		SDS U:
	Devision data: July 10 2022 Jacu	a data: Marah 05 2022

13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name On	inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	March-05-2023
Revision date	July-19-2023
Version #	02
List of abbreviations	AICIS: Australian Inventory of Industrial Chemicals.
Disclaimer	Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Composition / Information on Ingredients: Ingredients Physical and chemical properties: Color