SAFETY DATA SHEET



1. Identification

1. Identification			
Product identifier	NYOGEL 744F-MS		
Other means of identification			
Product Code	NYOGEL 744F-MS		
Recommended use	Lubricating Grease		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Company name	Nye Lubricants, Inc.		
	A Member of the FUCHS Group		
Address	12 Howland Road		
	Fairhaven, MA 02719		
	USA		
Telephone	+1 508 996 6721		
E-mail	sds@fuchs.com		
Emergency telephone number	+1 866 519 4752		
Access code	334212		
Website	www.nyelubricants.com		
2. Hazard(s) identification	1		
Physical hazards	Not classified.		
Health hazards	Sensitization, skin Category 1		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	May cause an allergic skin reaction.		
Precautionary statement			
Prevention	Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.		
Response	If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	Nono		

Supplemental information None.

Mixtures

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
MOLYBDENUM DISULFIDE		1317-33-5	3 - < 5
SILICON DIOXIDE		7631-86-9	3 - < 5

Chemical name	Common name and synonyms	CAS number	%
2,5-FURANDIONE, DIHYDRO-3-(OCTADECENYL)	-	28777-98-2	< 1
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC		64742-54-7	< 1
Other components below report	able levels		90 - 100
4. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	
Skin contact	Remove contaminated clothing immediately a eczema or other skin disorders: Seek medica		
Eye contact	Rinse with water. Get medical attention if irritation	ation develops and persists.	
ngestion	Rinse mouth. Get medical attention if sympto	ms occur.	
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Dermatit	is. Rash.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre Symptoms may be delayed.	at symptomatically. Keep victi	m under observation.
General information	Ensure that medical personnel are aware of t protect themselves. Wash contaminated cloth		ake precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	oon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers	5.	
Specific methods	Use standard firefighting procedures and con	sider the hazards of other invo	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep pe appropriate protective equipment and clothing or spilled material unless wearing appropriate Local authorities should be advised if significa protection, see section 8 of the SDS.	g during clean-up. Do not touc protective clothing. Ensure a	h damaged containers dequate ventilation.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk For waste disposal, see section 13 of the SD		flush area with water.
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapors/sp Avoid prolonged exposure. Provide adequate equipment. Observe good industrial hygiene	ventilation. Wear appropriate	
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away to SDS).		ee Section 10 of the

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	PEL	15 mg/m3	Total dust.
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	PEL	5 mg/m3	Mist.
US. OSHA Table Z-3 Permissib Components	le Exposure Limits (PEL) for Mi Type	neral Dusts (29 CFR 1910.1000) Value) Form
SILICON DIOXIDE (CAS 7631-86-9)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		0.8 mg/m3	
US. ACGIH Threshold Limit Val Components	lues (TLV) Type	Value	Form
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Inhalable fraction.
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
NIOSH. Immediately Dangerous Components	s to Life or Health (IDLH) Values Type	s, as amended Value	
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	IDLH	5000 mg/m3	
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	IDLH	2500 mg/m3	
SILICON DIOXIDE (CAS 7631-86-9)	IDLH	3000 mg/m3	
US. NIOSH: Pocket Guide to Cl Components	nemical Hazards Recommended Type	d Exposure Limits (REL) Value	Form
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
SILICON DIOXIDE (CAS 7631-86-9)	TWA	6 mg/m3	
•	lo biological exposure limits noted	• • • •	
trols a	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
-	ch as personal protective equip lear safety glasses with side shiel		commended.
Skin protection			

Material name: NYOGEL 744F-MS

Other

Respiratory protection Thermal hazards



General hygiene considerations Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	Smooth
Physical state	Solid.
Form	Solid. Semi-solid
Color	Gray Black
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.99 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Shelf life	4 years

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.

Material name: NYOGEL 744F-MS

11. Toxicological information

Information on likely routes of e	exposure			
Inhalation	Prolonged inhalation may be harmful.			
Skin contact	May cause an allergic skin reaction.			
Eye contact	Direct contact with eyes may cause temporary irritation.			
Ingestion	Expected to be a low ingestion hazard.			
Symptoms related to the physical, chemical and toxicological characteristics	May cause an allergic skin reaction. Dermatitis. Rash.			
Information on toxicological eff	ects			

Acute toxicity

MOLYBDENUM DISULFIDE (CAS 1317-33-5) Acute Dermal LD50 Rat 2500 mg/kg Oral LD50 Rat 3200 mg/kg SILICON DIOXIDE (CAS 7631-86-9) Acute Oral Dermal LD50 Rat 3200 mg/kg SILICON DIOXIDE (CAS 7631-86-9) Acute Oral LD50 Rat 22500 mg/kg Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation. Respiratory or skin sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity 3 Not classifiable as to carcinogenicity to humans. PARAFEINIC (CAS 64742:54-7) 3 Not classifiable as to carcinogenicity to humans. SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. ORAFEINULATES, HYDROTREATED HEAVY 3 Not classifiable as	Acute toxicity			
Acute Dermal LD50 Rat 2500 mg/kg Oral LD50 Rat 3200 mg/kg SILICON DIOXIDE (CAS 7631-86-9) 3200 mg/kg SILICON DIOXIDE (CAS 7631-86-9) Rat 3200 mg/kg Oral LD50 Rat 22500 mg/kg Oral LD50 Rat > 22500 mg/kg Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation. Respiratory or skin sensitization Mot a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity Not dassifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-547) SILICON DIOXIDE (CAS 64742-547) SILICON DIOXIDE (CAS 64742-547) 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-547) SILICON DIOXIDE (CAS 64742-547) 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-547) SILICON DIOXIDE (CAS 6471-66-9) 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 6472-547) SILICON DIOXIDE (CAS 6472-547) 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 6472-547) SILICON DIOXIDE (CAS 6472-547) 3 Not classifiable as to carcinogenicity to humans. Not li	Components	Species	Test Results	
DermalUS50Rat2500 mg/kgLD50Rat3200 mg/kgOralLD50RatLD50Rat3200 mg/kgSILICON DIOXIDE (CAS 7631-86-9)AcuteAcuteOralRat> 22500 mg/kgLD50Rat> 22500 mg/kgSkin corrosion/IrritationProlonged skin contact may cause temporary irritation.Serious eye damage/eyeDirect contact with eyes may cause temporary irritation.Respiratory or skin sensitizationNot a respiratory sensitizationRespiratory or skin sensitizationMay cause an allergic skin reaction.Respiratory sensitizationNot a respiratory sensitization.Germ cell mutagenicityNot classifiable as to carcinogenicity to humans.LARC Monographs. Overalt = using a single skin caction.Not classifiable as to carcinogenicity to humans.PARAFFINIC (CAS 64742-54-7)3 Not classifiable as to carcinogenicity to humans.PARAFFINIC (CAS 64742-54-7)3 Not classifiable as to carcinogenicity to humans.Not listed.Not listed.Not listed.Not classifiable as to carcinogenicity to humans.Not listed.Not classifiable as to carcinogenicity to humans.Not listed.Not classified.Specific target organ toxicity - Nits product is not expected to cause reproductive or developmental effects.Specific target organ toxicity - Sicil corgan toxicity - S	MOLYBDENUM DISULFIDE (CAS	1317-33-5)		
Lots Oral LD50Rat2500 mg/kgOral LD50Rat3200 mg/kgSILICON DIOXIDE (CAS 7631-86-9)3200 mg/kgAcute Oral LD50Rat22500 mg/kgOral LD50Rat> 22500 mg/kgSkin corrosion/irritationProlonged skin contact may cause temporary irritation.Sorious eye damage/eye irritationDirect contact with eyes may cause temporary irritation.Serious eye damage/eye irritationDirect contact with eyes may cause temporary irritation.Respiratory or skin sensitization Respiratory sensitizationMot a respiratory sensitizer.Respiratory sensitization May cause an allergic skin reaction.Mot data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.CarcinogenicityNot data suilable to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.CarcinogenicityNot datasifiable as to carcinogenicity to humans.PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) SILICON DIOXIDE (CAS 7631-86-9) Not listed.3 Not classifiable as to carcinogenicity to humans.PARAFFINIC (CAS 164742-54-7) SILICON DIOXIDE (CAS 7631-86-9) Not listed.3 Not classifiable as to carcinogenicity to humans.PAROMORE PAROMERATION (DFR PEOPT on Carcinogens Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicity - single exposureNot classified.Specific target organ toxicity - single exposureNot classified.Specific target organ toxicity - single exposure	<u>Acute</u>			
Oral LD50 Rat 3200 mg/kg SILICON DIOXIDE (CAS 7631-86-9) Acute Oral LD50 Rat >22500 mg/kg Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation. Respiratory or skin sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity Not data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. 3 Not classifiable as to carcinogenicity to humans. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Not classified. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - single exposure Not classified. Specific target org				
Lb50 Rat 3200 mg/kg SILICON DIOXIDE (CAS 7631-86-9) Acute Oral LD50 Rat ≥22500 mg/kg Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation. Serious eye damage/eye Not a respiratory sensitizet. Respiratory or skin sensitization Not a respiratory sensitizer. Respiratory or skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity Not data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not data available as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 64742-54-7) SILICON DIOXIDE (CAS 64742-54-7) Not listed. US. National Toxicology Prozent (NTP) Report on Carcinogens Not listed. Reproductive toxicity Not classified. Specific target organ toxicity Not classified. Single exposure Specific target organ toxicity Not classified. Specific target organ toxicity Not classified. Specific target organ toxicity Not classified. Specific target organ toxicity Not classified.	LD50	Rat	2500 mg/kg	
SILICON DIOXIDE (CAS 7631-86-9) Acute Oral LD50 Rat > 22500 mg/kg Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation. Irritation Respiratory or skin sensitization Not a respiratory sensitizer. Kespiratory sensitization May cause an allergic skin reaction. Germ cell mutagenicity Not data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - Not classified. repeated exposure				
Acute Oral LD50Rat> 22500 mg/kgSkin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eye irritationDirect contact with eyes may cause temporary irritation.Serious eye damage/eye irritationDirect contact with eyes may cause temporary irritation.Respiratory or skin sensitizationNot a respiratory sensitizer.Respiratory sensitizationMay cause an allergic skin reaction.Germ cell mutagenicityNo dat available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity to humans.Not classifiable as to carcinogenicity to humans.PETROLEUM DISTILLATES, HYDROTREATED HEAVY3 Not classifiable as to carcinogenicity to humans.PARAFFINIC (CAS 64742-54-7) SLICON DIOXIDE (CAS 64742-54-7)3 Not classifiable as to carcinogenicity to humans.Not listed.US. National Toxicology Program (NTP) Report on Carcinogens Not listed.Reporductive toxicityThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity - single exposureNot classified.Specific target organ toxicity - single exposureNot classified.			3200 mg/kg	
Oral LD50Rat> 22500 mg/kgSkin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eye irritationDirect contact with eyes may cause temporary irritation.Serious eye damage/eye irritationDirect contact with eyes may cause temporary irritation.Respiratory or skin sensitizationNot a respiratory sensitizer.Respiratory sensitizationMay cause an allergic skin reaction.Gern cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9)3 Not classifiable as to carcinogenicity to humans. 9 A Not listed.Not listed.Not specifically Regulated by a fisted.3 Not classifiable as to carcinogenicity to humans. 9 A Specifically Regulated by a stances (29 CFR 1910.1001-1053) Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicityNot classified.Specific target organ toxicity a single exposureNot classified.Specific target organ toxicity a serverNot classified.Specific target organ toxicity a strated exposureNot classified.Specific target organ toxicity a strateNot classified.Specific target organ toxicity a strateNot classified.Specific target organ toxicity a strateNot classified.Specific target orga		9)		
LD50Rat> 22500 mg/kgSkin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eye irritationDirect contact with eyes may cause temporary irritation.Respiratory or skin sensitizationNot a respiratory sensitizer.Kespiratory sensitizationMay cause an allergic skin reaction.Germ cell mutagenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. OveralVat cause induce product or any components present at greater than 0.1% are mutagenici or genotoxic.PETROLEUM DISTILLATES, HYDROTREATED HEAVY3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) 3 LICON DIONE (CAS 7631-86-9)OSHA Specifically RegulateSub cause (SP CFR 1910.1001-1003)Not listed.This product is not expected to cause reproductive or developmental effects.Not listed.Not classified.Specific target organ toxicityNot classified.Specific target o				
Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation. irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Not classified. Specific target organ toxicity - repeated exposure Not classified. Not classified.		Pot	> 22500 malka	
Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation. Respiratory or skin sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Not lassifiable US. National Toxicology Program (NTP) Report on Carcinogens Not listed. This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Not classified. Specific target organ toxicity - repeated exposure Not classified. Not classified.				
irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity Not data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity Not classified. single exposure Specific target organ toxicity Not classified. repeated exposure				
Respiratory sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Not classifiable as to carcinogenicity to humans. PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Not classified. Specific target organ toxicity - single exposure This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - repeated exposure Not classified.	Serious eye damage/eye irritation	Direct contact with eyes may c	ause temporary irritation.	
Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Not classifiable as to carcinogenicity to humans. PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. VS. National Toxicology Program (NTP) Report on Carcinogens Not listed. Not listed. This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.	Respiratory or skin sensitization	l i i i i i i i i i i i i i i i i i i i		
Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.	Respiratory sensitization	Not a respiratory sensitizer.		
mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure	Skin sensitization	May cause an allergic skin reaction.		
IARC Monographs. Overall Evaluation of Carcinogenicity PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - Not classified. single exposure Specific target organ toxicity - Not classified.	Germ cell mutagenicity			
PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - Not classified. single exposure Specific target organ toxicity - Not classified. repeated exposure	Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
PARAFFINIC (CAS 64742-54-7) SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.	IARC Monographs. Overall E	Evaluation of Carcinogenicity		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Not classified.	PARAFFINIC (CAS 64742	2-54-7)	3 Not classifiable as to carcinogenicity to humans.	
Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.	SILICON DIOXIDE (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to hu		e ,	
US. National Toxicology Program (NTP) Report on Carcinogens Not listed. This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.		d Substances (29 CFR 1910.10	01-1053)	
Not listed. This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.		gram (NTP) Report on Carcing	paens	
Specific target organ toxicity - Not classified. single exposure Specific target organ toxicity - Not classified. Not classified. repeated exposure Not classified.		5 ()		
single exposure Specific target organ toxicity - Not classified. repeated exposure	Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.	
repeated exposure	Specific target organ toxicity - single exposure	Not classified.		
Aspiration hazard Not an aspiration hazard	Specific target organ toxicity - repeated exposure	Not classified.		
	Aspiration hazard	Not an aspiration hazard.		
Chronic effects Prolonged inhalation may be harmful.	Chronic effects	Prolonged inhalation may be h	armful.	
12. Ecological information	12. Ecological information]		
Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	Ecotoxicity			

Material name: NYOGEL 744F-MS

Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Respiratory or skin sensitization categories

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

US state regulations

(SDWA)

California Proposition 65



WARNING: This product can expose you to QUARTZ, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*	*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes	3
Canada	Domestic Substances List (DSL)	Yes	3
Canada	Non-Domestic Substances List (NDSL)	No)
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes	3
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Nc)
Europe	European List of Notified Chemical Substances (ELINCS)	No)
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes	3
Korea	Existing Chemicals List (ECL)	Yes	3
New Zealand	New Zealand Inventory	Yes	3
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes	3
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes	3
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes	3

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

	•
Issue date	February-04-2014
Revision date	September-10-2024
Version #	07
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Hazard(s) identification: Hazard(s) not otherwise classified (HNOC) Composition / Information on Ingredients: Ingredients Exposure controls/personal protection: Eye/face protection Regulatory information: Safe Drinking Water Act (SDWA) Other information, including date of preparation or last revision: References Other information, including date of preparation or last revision: List of abbreviations