SAFETY DATA SHEET



1. Identification

Product identifier	NYOGEL 758G			
Other means of identification				
Product Code	NYOGEL 758G			
Recommended use	Lubricating Grease None known.			
Recommended restrictions				
Manufacturer/Importer/Suppli	er/Distributor information			
Company name	Nye Lubricants, Inc.			
	A Member of the FUCHS Group			
Address	12 Howland Road			
	Fairhaven, MA 02719			
	USA			
Telephone	+1 508 996 6721			
E-mail	sds@fuchs.com			
Emergency telephone number	+1 866 519 4752			
Access code	334212			
Website	www.nyelubricants.com			
2. Hazard(s) identification	on			
Physical hazards	Not classified.			
Health hazards	Reproductive toxicity	Category 2		
OSHA defined hazards	Not classified.			
Label elements				



Warning
Suspected of damaging fertility or the unborn child.
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
If exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
None known.
None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DECANOIC ACID, MIXED ESTERS WITH HEPTANOIC ACID, OCTANOIC ACID AND TRIMETHYLOLPROPANE		68130-53-0	30 - < 40

Chemical name	Common name and synonyms	CAS number	%
CARBON BLACK		1333-86-4	10 - < 20
AMINES, C11-14-BRANCHED ALKYL, MONOHEXYL AND DIHEXYL PHOSPHATES		80939-62-4	1 - < 3
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE		68411-46-1	1 - < 3
Other components below report	able levels		50 - < 60
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Wash off with soap and water. Get medical at	tention if irritation develops an	d persists.
Eye contact	Rinse with water. Get medical attention if irrita		
Ingestion	Rinse mouth. Get medical attention if symptor		
Most important	Direct contact with eyes may cause temporary		
symptoms/effects, acute and delayed			
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trea Symptoms may be delayed.	at symptomatically. Keep victii	m under observation.
General information	IF exposed or concerned: Get medical advice, (show the label where possible). Ensure that r involved, and take precautions to protect them attendance.	medical personnel are aware o	of the material(s)
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as thi	s will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pr	otective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.		
Specific methods	Use standard firefighting procedures and cons	sider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep peo appropriate protective equipment and clothing authorities should be advised if significant spil see section 8 of the SDS.	during clean-up. Ensure ade	quate ventilation. Local
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. For waste disposal, see section 13 of the SDS		lush area with water.
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Obtain special instructions before use. Do not and understood. Pregnant or breastfeeding we handled in closed systems, if possible. Provide protective equipment. Observe good industria	omen must not handle this pro e adequate ventilation. Wear a	oduct. Should be
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed contair Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible s storage classes)	ner. Store away from incompa	

cupational exposure limits			
US. OSHA Table Z-1 Permi Components	issible Exposure Limits (PEL) for Air C Type	Contaminants (29 CFR 1910. ² Value	1000)
CARBON BLACK (CAS 1333-86-4)	PEL	3.5 mg/m3	
US. OSHA Table Z-3 Permi Components	issible Exposure Limits (PEL) for Mine Type	eral Dusts (29 CFR 1910.1000 Value) Form
CARBON BLACK (CAS 1333-86-4)	TWA	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limi Components	it Values (TLV) Type	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
NIOSH. Immediately Dange Components	erous to Life or Health (IDLH) Values, Type	as amended Value	
CARBON BLACK (CAS 1333-86-4)	IDLH	1750 mg/m3	
US. NIOSH: Pocket Guide Components	to Chemical Hazards Recommended E Type	Exposure Limits (REL) Value	
CARBON BLACK (CAS 1333-86-4)	TWA	0.1 mg/m3	
	No biological exposure limits noted for	or the ingredient(s).	
ological limit values			
opropriate engineering	Good general ventilation should be u applicable, use process enclosures, l maintain airborne levels below recom established, maintain airborne levels	ocal exhaust ventilation, or oth mended exposure limits. If ex	er engineering controls to
opropriate engineering ntrols dividual protection measures	applicable, use process enclosures, l maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm	ocal exhaust ventilation, or oth mended exposure limits. If ex to an acceptable level. ent	er engineering controls to posure limits have not been
opropriate engineering ntrols	applicable, use process enclosures, l maintain airborne levels below recom established, maintain airborne levels	ocal exhaust ventilation, or oth mended exposure limits. If ex to an acceptable level. ent	er engineering controls to posure limits have not been
ppropriate engineering ntrols dividual protection measures	applicable, use process enclosures, l maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm	ocal exhaust ventilation, or oth mended exposure limits. If exp to an acceptable level. ent n side shields are recommende	er engineering controls to posure limits have not been
ppropriate engineering ntrols dividual protection measures Eye/face protection Skin protection	applicable, use process enclosures, l maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm If contact is likely, safety glasses with	ocal exhaust ventilation, or oth mended exposure limits. If exp to an acceptable level. ent n side shields are recommende gloves.	er engineering controls to posure limits have not been
dividual protection measures Eye/face protection Skin protection Hand protection	applicable, use process enclosures, I maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm If contact is likely, safety glasses with Wear appropriate chemical resistant	ocal exhaust ventilation, or oth mended exposure limits. If exp to an acceptable level. ent n side shields are recommende gloves. mended.	er engineering controls to bosure limits have not been ed.
Eye/face protection Skin protection Hand protection Other	applicable, use process enclosures, I maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm If contact is likely, safety glasses with Wear appropriate chemical resistant Use of an impervious apron is recom	ocal exhaust ventilation, or oth mended exposure limits. If exp to an acceptable level. ent n side shields are recommende gloves. mended. ar suitable respiratory equipme	er engineering controls to bosure limits have not been ed.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Smooth
Physical state	Solid.
Form	Solid. Semi-solid
Color	Black.
Odor	Not available.
Odor threshold	Not available.

рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.02 g/cm³
Dropping point	>572 °F (>300 °C)
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Pour point	-65.2 °F (-54 °C)

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure				
Inhalation	No adverse effects due to inhalation are expected.			
Skin contact	No adverse effects due to skin contact are expected.			
Eye contact	Direct contact with eyes may cause temporary irritation.			
Ingestion	Expected to be a low ingestion hazard.			
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.			

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
CARBON BLACK (CAS 1333-86-4)	
Acute		
Oral		
LD50	Rat	> 8000 mg/kg
Skin corrosion/irritation	Prolonged skin contact may c	ause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may	cause temporary irritation.
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected t	o cause skin sensitization.
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinog	enicity to humans.
IARC Monographs. Overall I	Evaluation of Carcinogenicity	
CARBON BLACK (CAS 1 OSHA Specifically Regulate	333-86-4) d Substances (29 CFR 1910.1	2B Possibly carcinogenic to humans. 001-1053)
Not listed.		
	gram (NTP) Report on Carcin	-
CARBON BLACK (CAS 1	,	Known To Be Human Carcinogen.
Reproductive toxicity	Suspected of damaging fertilit	y or the unborn child.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
12. Ecological information	ו	
Ecotoxicity		is environmentally hazardous. However, this does not exclude the nt spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the de	gradability of any ingredients in the mixture.
Bioaccumulative potential		
Mobility in soil	No data available.	
Other adverse effects		tal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.
13. Disposal consideratio	ns	
Disposal instructions		e in sealed containers at licensed waste disposal site. Dispose of nce with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with a	Il applicable regulations.
Hazardous waste code	The waste code should be as disposal company.	signed in discussion between the user, the producer and the waste
Waste from residues / unused products	product residues. This materia Disposal instructions).	n local regulations. Empty containers or liners may retain some al and its container must be disposed of in a safe manner (see:
Contaminated packaging		retain product residue, follow label warnings even after container is ould be taken to an approved waste handling site for recycling or
14. Transport information		

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations	This product is a "Hazardous Standard, 29 CFR 1910.1200	Chemical" as defined by the OSHA Hazard Communication).
Toxic Substances Contr	ol Act (TSCA)	
TSCA Section 12(b)	Export Notification (40 CFR 707,	Subpt. D)
Not regulated.		
CERCLA Hazardous Sul	bstance List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency re	elease notification	
Not regulated.		
	lated Substances (29 CFR 1910.1	(001-1053)
Not listed.		
-	d Reauthorization Act of 1986 (SA	(RA)
SARA 302 Extremely ha Not listed.	zardous substance	
	No.	
SARA 311/312 Hazardou chemical	i s Yes	
Classified hazard	Reproductive toxicity	
categories	,	
SARA 313 (TRI reporting Not regulated.	3)	
Other federal regulations		
•	tion 112 Hazardous Air Pollutant	s (HAPs) List
Not regulated.		
Clean Air Act (CAA) Sec	tion 112(r) Accidental Release Pr	revention (40 CFR 68.130)
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
California Proposition 6		
WARNING:		hemicals including CARBON BLACK and CARBON BLACK
	hydrocarbons (PAHs), arsenic, ca	e State of California to cause cancer. Certain polycyclic aromatic admium, lead, mercury, and nickel may be present on and/or in alifornia Proposition 65 listed substances. For more information
California Propositi	on 65 - CRT: Listed date/Carcinog	genic substance
ARSENIC (CAS		Listed: February 27, 1987
CADMIUM (CAS		Listed: October 1, 1987
	K (CAS 1333-86-4) K EXTRACTS (CAS SEQ100239)	Listed: February 21, 2003 Listed: January 1, 1990
LEAD (CAS S~F		Listed: October 1, 1992
NICKEL (CAS S		Listed: May 7, 2004
-	on 65 - CRT: Listed date/Develop	
CADMIUM (CAS		Listed: May 1, 1997
MERCURY (CAS California Propositi	on 65 - CRT: Listed date/Male rep	Listed: July 1, 1990
CADMIUM (CAS	-	Listed: May 1, 1997
International Inventories		
	Inventory name	On inventory lucela
Country(s) or region Australia	Inventory name Australian Inventory of Indust	On inventory (yes/no trial Chemicals (AICIS)
Canada	Domestic Substances List (D	
		·
Material name: NYOGEL 758G		SDS

Country(s) or region	Inventory name Or	n inventory (yes/no)*		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No		
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	No		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)				

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	February-05-2014
Revision date	December-11-2024
Version #	07
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.