SAFETY DATA SHEET



1. Identification

Product identifier	NYOGEL 759QR-12		
	NI UGEL / 33QK-12		
Other means of identification			
Product Code	NYOGEL 759QR-12		
Recommended use	Lubricating Grease		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/I			
Company name	Nye Lubricants, Inc.		
	A Member of the FUCHS Group		
Address	12 Howland Road		
	Fairhaven, MA 02719		
	USA		
Telephone	+1 508 996 6721		
E-mail	sds@fuchs.com		
Emergency telephone number	+1 866 519 4752		
Access code	334212		
Website	www.nyelubricants.com		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Reproductive toxicity	Category 2	
OSHA defined hazards	Not classified.		
Label elements			

	▼
Signal word	Warning
Hazard statement	Suspected of damaging fertility or the unborn child.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SILANE, DICHLORODIMETHYL-, REACTION PRODUCTS WITH SILICA		68611-44-9	10 - < 20
POLYBUTYLENE		9003-29-6	1 - < 3

Chemical name	Common name and synonyms	CAS number	%
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE		68411-46-1	< 1
Other components below report	able levels		80 - < 90
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	ns develop or persist	
Skin contact	Wash off with soap and water. Get medical a		d persists.
Eye contact	Rinse with water. Get medical attention if irrit		
Ingestion	Rinse mouth. Get medical attention if sympto		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporar		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre Symptoms may be delayed.	at symptomatically. Keep victin	n under observation.
General information	IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect ther attendance.	medical personnel are aware o	f the material(s)
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	oon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	nis will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be worr	in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers	5.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep pe appropriate protective equipment and clothing authorities should be advised if significant spi see section 8 of the SDS.	g during clean-up. Ensure adec	uate ventilation. Local
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk For waste disposal, see section 13 of the SD		ush area with water.
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Obtain special instructions before use. Do no and understood. Avoid prolonged exposure. I this product. Should be handled in closed sys appropriate personal protective equipment. C	Pregnant or breastfeeding wom stems, if possible. Provide adec	en must not handle juate ventilation. Wear
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)		
8. Exposure controls/pers	onal protection		

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	issible Exposure Limits (PEL) for Miner Type	Value	Form
SILANE, DICHLORODIMETHYL-, REACTION PRODUCTS WITH SILICA (CAS 68611-44-9)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		0.8 mg/m3	
	erous to Life or Health (IDLH) Values, a	s amended	
Components	Туре	Value	
SILANE, DICHLORODIMETHYL-, REACTION PRODUCTS WITH SILICA (CAS 68611-44-9)	IDLH	3000 mg/m3	
US. NIOSH: Pocket Guide Components	to Chemical Hazards Recommended Ex Type	posure Limits (REL) Value	
SILANE, DICHLORODIMETHYL-, REACTION PRODUCTS WITH SILICA (CAS 68611-44-9)	TWA	6 mg/m3	
ological limit values	No biological exposure limits noted for	the ingredient(s).	
propriate engineering ntrols	Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recommestablished, maintain airborne levels to	cal exhaust ventilation, or other nended exposure limits. If expo	engineering controls to
lividual protection measure	s, such as personal protective equipme	·	
Eye/face protection	If contact is likely, safety glasses with	side shields are recommended.	
Skin protection Hand protection	Wear appropriate chemical resistant g	loves.	
Other	Use of an impervious apron is recomm	nended.	
Respiratory protection	In case of insufficient ventilation, wear	suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective cl	othing, when necessary.	
neral hygiene nsiderations	Observe any medical surveillance required measures, such as washing after hand smoking. Routinely wash work clothin	lling the material and before ea	ting, drinking, and/or

9. Physical and chemical properties

Appearance	Smooth	
Physical state	Solid.	
Form	Solid. Semi-solid	
Color	Light yellow.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Not available.	

Material name: NYOGEL 759QR-12

1

	The smealuret is
10. Stability and reactivit	у
Shelf life	4 years
Oxidizing properties	Not oxidizing.
Explosive properties	Not explosive.
Density	0.91 g/cm ³
Other information	
Viscosity	Not available.
Decomposition temperature	Not available.
Auto-ignition temperature	Not available.
Partition coefficient (n-octanol/water)	Not available.
Solubility (water)	
Solubility(ies)	Not available.
Relative density	INUL AVAIIADIE.
	Not available.
Vapor density	Not available.
Vapor pressure	Not available.
Explosive limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Upper/lower flammability or ex	olosive limits
Flammability (solid, gas)	Not available.
Evaporation rate	Not available.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition	No hazardous decomposition products are known.

11. Toxicological information

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	octs
Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall E	Evaluation of Carcinogenic	ity
SILANE, DICHLORODIMETHYL-, REACTION		3 Not classifiable as to carcinogenicity to humans.
PRODUCTS WITH SILICA (CAS 68611-44-9) OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)		0.1001-1053)
Not listed.		,
US. National Toxicology Pro	gram (NTP) Report on Car	cinogens
Not listed.		
Reproductive toxicity	Suspected of damaging fer	tility or the unborn child.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may b	be harmful.
12. Ecological information	1	
Ecotoxicity		d as environmentally hazardous. However, this does not exclude the uent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the	degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		nental effects (e.g. ozone depletion, photochemical ozone creation tion, global warming potential) are expected from this component.
13. Disposal consideration	ns	
Disposal instructions		ose in sealed containers at licensed waste disposal site. Dispose of dance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with	n all applicable regulations.
Hazardous waste code	The waste code should be disposal company.	assigned in discussion between the user, the producer and the waste
Waste from residues / unused products		vith local regulations. Empty containers or liners may retain some erial and its container must be disposed of in a safe manner (see:
Contaminated packaging		nay retain product residue, follow label warnings even after container is should be taken to an approved waste handling site for recycling or

14. Transport information

DOT

Not regulated as dangerous goods.

IATA N

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency releas Not regulated. OSHA Specifically Regulate Not listed.	se notification d Substances (29 CFR 1910.1001-1053)
Superfund Amendments and Re	authorization Act of 1986 (SARA)
SARA 302 Extremely hazarc Not listed.	lous substance
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Reproductive toxicity
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Section Not regulated.	112 Hazardous Air Pollutants (HAPs) List
Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name On	inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A IN/a all indicates that all some	mente of this product comply with the inventory requiremente administered by the apperprint	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	February-05-2014
Revision date	February-10-2025
Version #	06
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.
Material name: NYOGEL 759QR-12	SDS US