SAFETY DATA SHEET



1. Identification

Product identifier NYOGEL 779ZC

Other means of identification

Product Code NYOGEL 779ZC
Recommended use Lubricating Grease
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information
Company name
Nye Lubricants, Inc.

A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02719

USA

 Telephone
 +1 508 996 6721

 E-mail
 sds@fuchs.com

Emergency telephone

+1 866 519 4752

number

Access code 334212

Website www.nyelubricants.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Reproductive toxicity

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Category 2

Response If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
FATTY ACIDS, C16-18, ZINC SALTS		557-05-1	5 - < 10
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE		112945-52-5	5 - < 10

Chemical name	Common name and synonyms	CAS number	%
DIDODECYL MALEATE		2915-52-8	1 - < 3
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC		64742-55-8	1 - < 3
PETROLEUM DISTILLATES, HYDROTREATED MIDDLE		64742-46-7	1 - < 3
WHITE MINERAL OIL		8042-47-5	1 - < 3
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE		68411-46-1	< 1*
Other components below reportab	le levels		80 - < 90

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up **Environmental precautions**

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: NYOGEL 779ZC

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

STILLATES PEL 5 mg/m3	JS. OSHA Table Z-1 Permissible Exposur Components	e Limits (PEL) for Air Contaminants Type	s (29 CFR 1910.100 Value	0) Form
ATTY ACIDS, C16-18, PEL 5 mg/m3 Respirable fraction. 15 mg/m3 Total dust.	DISTILLATES PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS			
Total dust. Section PEL Section Sect	FATTY ACIDS, C16-18, ZINC SALTS (CAS	PEL	5 mg/m3	Respirable fraction.
DISTILLATES. PEL 5 mg/m3 Mist.			15 mg/m3	Total dust.
	PETROLEUM DISTILLATES, HYDROTREATED MIDDLE CAS 64742-46-7)	PEL	5 mg/m3	Mist.
ISLICA, AMORPHOUS, Type TWA Type TWA TWA TWA TWA TWA TWA TWA TW		PEL	5 mg/m3	Mist.
March CRYSTAL FREE CAS 112945-52-5 15 mg/m3 Total dust. 0.8 mg/m3	S. OSHA Table Z-3 Permissible Exposur			Form
IS. ACGIH Threshold Limit Values (TLV) Components Type Value Form DISTILLATES PETROLEUM), VYDROTREATED LIGHT VARAFFINIC (CAS 4/742-55-8) PETROLEUM POSTILLATES, PYDROTREATED MIDDLE CAS 64742-46-7) VHITE MINERAL OIL (CAS TWA DISTILLATES PETROLEUM DISTILLATES, PYDROTREATED MIDDLE CAS 64742-46-7) VHITE MINERAL OIL (CAS TWA DISTILLATES INDEB DISTILLATES DISTILLATES PETROLEUM DISTILLATES DISTILLAT	UMED, CRYSTAL-FREE	TWA	5 mg/m3	Respirable fraction.
IS. ACGIH Threshold Limit Values (TLV) Components Type Value Form TWA Significates PETROLEUM), IYDROTREATED LIGHT PARAFFINIC (CAS) IA742-55-8) TWA TWA TWA Signification. Twa Signification	,		15 mg/m3	Total dust.
Type Value Form ISTILLATES DETROLEUM), WDROTREATED LIGHT ARAFFINIC (CAS 4742-55-8) ETROLEUM TWA TWA TWA TWA TWA TWA TWA TWA			0.8 mg/m3	
PETROLEUM), IMPROTREATED LIGHT MARAFFINIC (CAS 4742-55-8) PETROLEUM TWA 5 mg/m3 Inhalable fraction. PETROLEUM SISTILLATES, IMPROTREATED MIDDLE CAS 64742-46-7) PHITE MINERAL OIL (CAS TWA 5 mg/m3 Inhalable fraction. PETROLEUM START MARAFFINIC (CAS TWA 5 mg/m3 Inhalable fraction. PETROLEUM SISTILLATES IDLH 2500 mg/m3 Inhalable fraction. PETROLEUM), IMPROTREATED LIGHT MARAFFINIC (CAS 4742-55-8) PETROLEUM IDLH 2500 mg/m3 IDLH 2		Туре	Value	Form
DISTILLATES, HYDROTREATED MIDDLE CAS 64742-46-7) WHITE MINERAL OIL (CAS TWA 5 mg/m3 Inhalable fraction. 1042-47-5) IIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components Type Value DISTILLATES IDLH 2500 mg/m3 PETROLEUM), HYDROTREATED LIGHT HARAFFINIC (CAS 14742-55-8) PETROLEUM IDLH 2500 mg/m3 PETROLEUM IDLH 2500 mg/m3 PETROLEUM IDLH 3000 mg/m3 PETROLEUM IDLH 3000 mg/m3 PETROLEUM IDLH 3000 mg/m3 PUMED, CRYSTAL-FREE CAS 112945-52-5) WHITE MINERAL OIL (CAS IDLH 2500 mg/m3	PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS	TWA	5 mg/m3	Inhalable fraction.
IIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components Type Value DISTILLATES DISTILLATES PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS PA742-55-8) PETROLEUM DISTILLATES, HYDROTREATED MIDDLE CAS 64742-46-7) SILICA, AMORPHOUS, HUDLH SUMMED, CRYSTAL-FREE CAS 112945-52-5) WHITE MINERAL OIL (CAS IDLH Value 2500 mg/m3 3000 mg/m3	DISTILLATES, HYDROTREATED MIDDLE	TWA	5 mg/m3	Inhalable fraction.
Components Type Value DISTILLATES DISTILLATES PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS (44742-55-8) PETROLEUM DISTILLATES, HYDROTREATED MIDDLE CAS 64742-46-7) SILICA, AMORPHOUS, UMED, CRYSTAL-FREE CAS 112945-52-5) WHITE MINERAL OIL (CAS IDLH 2500 mg/m3 3000 mg/m3		TWA	5 mg/m3	Inhalable fraction.
DISTILLATES PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS 94742-55-8) PETROLEUM DISTILLATES, HYDROTREATED MIDDLE CAS 64742-46-7) SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE CAS 112945-52-5) WHITE MINERAL OIL (CAS IDLH 2500 mg/m3 2500 mg/m3 2500 mg/m3			Value	
PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS H4742-55-8) PETROLEUM IDLH 2500 mg/m3 DISTILLATES, HYDROTREATED MIDDLE CAS 64742-46-7) SILICA, AMORPHOUS, IDLH 3000 mg/m3 FUMED, CRYSTAL-FREE CAS 112945-52-5) WHITE MINERAL OIL (CAS IDLH 2500 mg/m3	•			
DISTILLATES, HYDROTREATED MIDDLE CAS 64742-46-7) GILICA, AMORPHOUS, IDLH 3000 mg/m3 FUMED, CRYSTAL-FREE CAS 112945-52-5) WHITE MINERAL OIL (CAS IDLH 2500 mg/m3	PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS 64742-55-8)	IDLH	2500 mg/m3	
CUMED, CRYSTAL-FREE CAS 112945-52-5) VHITE MINERAL OIL (CAS IDLH 2500 mg/m3	DISTILLATES, HYDROTREATED MIDDLE	IDLH	2500 mg/m3	
	UMED, CRYSTAL-FREE	IDLH	3000 mg/m3	
		IDLH	2500 mg/m3	

US. NIOSH: Pocket Guide to Cher Components	nical Hazards Recommended Type	l Exposure Limits (REL) Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS 64742-55-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
FATTY ACIDS, C16-18, ZINC SALTS (CAS 557-05-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
PETROLEUM DISTILLATES, HYDROTREATED MIDDLE (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	TWA	6 mg/m3	
WHITE MINERAL OIL (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Smooth
Physical state Solid.

Form Solid. Semi-solid
Color White. Light yellow.

Odor Not available.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.
Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density0.87 g/cm³Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Shelf life4 years

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

<u>Acute</u> Oral

LD50 Rat > 5000 mg/kg

WHITE MINERAL OIL (CAS 8042-47-5)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible.

Material name: NYOGEL 779ZC

NYOGEL 779ZC Version #: 06 Revision date: January-20-2025 Issue date: February-07-2014

Serious eye damage/eye

irritation

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 3 Not classifiable as to carcinogenicity to humans.

PARAFFINIC (CAS 64742-55-8)

PETROLEUM DISTILLATES, HYDROTREATED MIDDLE 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-46-7)

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE 3 Not classifiable as to carcinogenicity to humans.

(CAS 112945-52-5)

WHITE MINERAL OIL (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Suspected of damaging fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results**

WHITE MINERAL OIL (CAS 8042-47-5)

Aquatic

LC50 Fish Fish > 10000 mg/l, 96 Hours

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

FATTY ACIDS, C16-18, ZINC SALTS (CAS 557-05-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard

Reproductive toxicity

categories

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Zinc Compounds	557-05-1	5 - < 10	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes

Country(s) or region Inventory name On inventory (yes/no)*

New Zealand New Zealand Inventory No.

Philippines Philippine Inventory of Chemicals and Chemical Substances No

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

16. Other information, including date of preparation or last revision

Issue dateFebruary-07-2014Revision dateJanuary-20-2025

Version # 06

DisclaimerNye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.