

# SAFETY DATA SHEET

1. Identification		
Product identifier	NYOGEL 782KA	
Other means of identification		
Product Code	NYOGEL 782KA	
Recommended use	Lubricating Grease	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Manufacturer		
Company name	Nye Lubricants, Inc.	
Address	12 Howland Road Fairhaven, MA 02719	
	United States	
Telephone	General Assistance 508-996-6721	
Website	www.nyelubricants.com	
E-mail	sds@nyelubricants.com	
Contact person	Nye Lubricants EH&S	
Emergency phone number	3E Online 800-451-8346	
2. Hazard(s) identification	า	
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the criteria for classification.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

# 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
COLLODIAL SILICA (SEE SILICA), PARTICULATE		Trade Secret	5 - < 10*
TRIPHENYL PHOSPHATE		115-86-6	< 1
Other components below reportable levels			90 - 100
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact Rinse with water. Get medical attention if irritation develops and persists.			

Ingestion	Rinse mouth. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.			
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.			
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.			
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.			
7. Handling and storage				
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.			

Conditions for safe storage,	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the
including any incompatibilities	SDS).

## 8. Exposure controls/personal protection

## **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
TRIPHENYL PHOSPHATE (CAS 115-86-6)	PEL	3 mg/m3	
US. OSHA Table Z-3 (29 CFR 1910.10	00)		
Components	Туре	Value	
COLLODIAL SILICA (SEE SILICA), PARTICULATE	TWA	0.8 mg/m3	
		20 mppcf	

US. ACGIH Threshold Limit Components	t Values Type	Value
TRIPHENYL PHOSPHATE (CAS 115-86-6)	TWA	3 mg/m3
US. NIOSH: Pocket Guide t	o Chemical Hazards	
Components	Туре	Value
TRIPHENYL PHOSPHATE (CAS 115-86-6)	TWA	3 mg/m3
Biological limit values	No biological exposure limits noted	for the ingredient(s).
Exposure guidelines		
US - California OELs: Skin	designation	
TRIPHENYL PHOSPHA	TE (CAS 115-86-6) Ca	n be absorbed through the skin.
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
ndividual protection measures	, such as personal protective equip	oment
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear appropriate chemical resista	nt gloves.
Other	Wear suitable protective clothing.	
Respiratory protection	In case of insufficient ventilation, w	ear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protectiv	e clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	429.8 °F (221.0 °C) ASTM D-92
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.001 hPa estimated
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.00 g/cm3
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Kinematic viscosity	83 cSt
Kinematic viscosity temperature	104 °F (40 °C)
Oxidizing properties	Not oxidizing.
Pour point	-34.6 °F (-37 °C)
Shelf life	4 years
Specific gravity	1.19 estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11 Toxicological inform	ation

# 11. Toxicological information

Information on likely routes of e	exposure			
Inhalation	Prolonged inhalation may be harmful.			
Skin contact	No adverse effects due to skin contact are expected.			
Eye contact	Direct contact with eyes may cau	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion h	azard.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.			
Information on toxicological eff	ects			
Acute toxicity	Not known.			
Components	Species	Test Results		
TRIPHENYL PHOSPHATE (CAS	115-86-6)			
Acute				
Dermal				
LD50	Rabbit	7900 mg/kg		
Oral				
LD50	Rat	3500 mg/kg		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.			
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.			
Respiratory or skin sensitizatio	n			
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.			

14. Transport information			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Local disposal regulations Hazardous waste code	Dispose in accordance with all applicable regulations.		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
· · · · · · · · · · · · · · · · · · ·		d realaim or dianoos in cooled containers	at licensed waste dianasse site
13. Disposal consideration	•	since and applien, global warming pole	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
Mobility in soil	No data available.		
Bioaccumulative potential			
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.3, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	>= 0.86 - <= 1.2 mg/l, 48 hours
Acute			
Aquatic			
TRIPHENYL PHOSPHATE (	CAS 115-86-	•	
Components	Peccounty	Species	Test Results
Ecotoxicity			ardous. However, this does not exclude the Irmful or damaging effect on the environment.
12. Ecological information	n		
Further information	This produ	ict has no known adverse effect on humai	n health.
Chronic effects	Prolonged inhalation may be harmful.		
Aspiration hazard	Not an aspiration hazard.		
repeated exposure	Not an aspiration bazard		
Specific target organ toxicity -	Not classified.		
Specific target organ toxicity - single exposure	Not classified.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Not listed. <b>US. National Toxicology Pr</b> Not listed.			
	ed Substanc	es (29 CFR 1910.1001-1053)	
Not listed.	Litulation	of our onregementy	
IARC Monographs. Overall			
Carcinogenicity	mutagenic or genotoxic. Not classifiable as to carcinogenicity to humans.		
Germ cell mutagenicity	This product is not expected to cause skin sensitization. No data available to indicate product or any components present at greater than 0.1% are		

### DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

#### 15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard **US** federal regulations Communication Standard, 29 CFR 1910.1200. **Toxic Substances Control Act (TSCA)** TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) TRIPHENYL PHOSPHATE (CAS 115-86-6) Listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List TRIPHENYL PHOSPHATE (CAS 115-86-6) Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) US state regulations US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) TRIPHENYL PHOSPHATE (CAS 115-86-6)

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

#### Country(s) or region

#### Inventory name

#### On inventory (yes/no)\* Yes

United States & Puerto Rico

#### Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revisionIssue dateFebruary-07-2014Revision dateMay-02-2023Version #07List of abbreviationsAICIS: Australian Inventory of Industrial Chemicals.DisclaimerNye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.