SAFETY DATA SHEET



1. Identification

Product identifier NYOGEL 975F

Other means of identification

Product Code NYOGEL 975F
Recommended use Lubricating Grease
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information
Company name
Nye Lubricants, Inc.

A Member of the FUCHS Group

Address 12 Howland Road

Fairhaven, MA 02719

USA

 Telephone
 +1 508 996 6721

 E-mail
 sds@fuchs.com

Emergency telephone

+1 866 519 4752

number

Access code 334212

Website www.nyelubricants.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE		112945-52-5	3 - < 5

Other components below reportable levels 90

This material is not considered to be hazardous according to regulatory guidelines (see Section 15 of the SDS). This material is not considered to be hazardous according to regulatory guidelines (see Section 15 of the SDS).

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Material name: NYOGEL 975F SDS US

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and

delayed

Indication of immediate Treat symptomatically. medical attention and special

treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

During fire, gases hazardous to health may be formed.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

Specific hazards arising from

the chemical Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Fire fighting equipment/instructions Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up **Environmental precautions**

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Conditions for safe storage,

Avoid prolonged exposure. Observe good industrial hygiene practices.

including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above storage classes)

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000)

Components	Туре	Value	Form
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		0.8 mg/m3	
NIOSH. Immediately Dangerous to	Life or Health (IDLH) Values, as amended		
Components	Туре	Value	
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	IDLH	3000 mg/m3	

Material name: NYOGEL 975F

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Value Type

TWA

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

6 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Thermal hazards

Wear appropriate chemical resistant gloves. Hand protection

Wear suitable protective clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary.





General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Smooth Clear. **Appearance**

Solid. **Physical state**

Solid. Semi-solid **Form** Not available. Color Not available. Odor Not available. **Odor threshold** Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

Not available.

Not available. Flash point **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Not available.

Relative density Solubility(ies)

Not available. Solubility (water) Not available. **Auto-ignition temperature Decomposition temperature** Not available.

Other information

Viscosity

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing

Material name: NYOGEL 975F

Not available.

Shelf life 4 years

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components Species Test Results

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE 3 Not classifiable as to carcinogenicity to humans.

(CAS 112945-52-5)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

A control of the control of the American

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Material name: NYOGEL 975F SDS US

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: NYOGEL 975F SDS US

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

California Proposition 65



WARNING: This product can expose you to TOLUENE, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Developmental toxin

Inventory name

TOLUENE (CAS 108-88-3) Listed: January 1, 1991

International Inventories

Country(s) or region

• • •		2 (3
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

November-19-2020 Issue date **Revision date** August-26-2024

Version # 11

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which Disclaimer

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: NYOGEL 975F SDS US

On inventory (yes/no)*