SAFETY DATA SHEET



1. Identification

Product identifier PST-9941
Other means of identification None.

Recommended use Lubricating Grease Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name FUCHS Lubricants CO.
Address 17050 Lathrop Avenue
Harvey, IL 60426

United States

Telephone +1 708 333 8900
Website www.fuchs.com/us/en/
E-mail SDS@fuchs.com

Emergency phone number Americas +1 706 476 3691

Europe +1 760 476 3962 Asia Pacific +1 760 476 3690

Access code 334212

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC		64742-52-5	80 - < 90
GRAPHITE		7782-42-5	1 - < 3
HEXANE-1,6-DIOL		629-11-8	1 - < 3
MOLYBDENUM DISULFIDE		1317-33-5	1 - < 3

Material name: PST-9941 SDS US

CAS number Chemical name Common name and synonyms % BENZENAMINE, N-PHENYL-68411-46-1 < 1 REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE Other components below reportable levels 10 - < 20

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

medical attention and special treatment needed

General information

Indication of immediate

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Suitable extinguishing media

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up **Environmental precautions**

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material name: PST-9941 SDS US

	e Limits (PEL) for Air Contaminants Type	Value	Form
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	PEL	15 mg/m3	Total dust.
PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
,		2000 mg/m3	
		500 ppm	
US. OSHA Table Z-3 Permissible Exposure Components	e Limits (PEL) for Mineral Dusts (29 Type	CFR 1910.1000) Value	
GRAPHITE (CAS 7782-42-5)	TWA	15 mppcf	
US. ACGIH Threshold Limit Values (TLV) Components	Туре	Value	Form
·	TWA		
GRAPHITE (CAS 7782-42-5)	IVVA	2 mg/m3	Respirable fraction.
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
·		10 mg/m3	Inhalable fraction.
PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
NIOSH. Immediately Dangerous to Life or Components	Health (IDLH) Values, as amended Type	Value	
GRAPHITE (CAS 7782-42-5)	IDLH	1250 mg/m3	
1102 -4 2-31		E000 ma/m2	
MOLYBDENUM DISULFIDE (CAS	IDLH	5000 mg/m3	
MOLYBDENUM DISULFIDE (CAS 1317-33-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS	IDLH	2500 mg/m3	
MOLYBDENUM DISULFIDE (CAS 1317-33-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) US. NIOSH: Pocket Guide to Chemical Haz	IDLH	2500 mg/m3	Form
MOLYBDENUM DISULFIDE (CAS 1317-33-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) US. NIOSH: Pocket Guide to Chemical Haz Components GRAPHITE (CAS	IDLH zards Recommended Exposure Lim	2500 mg/m3	Form Respirable.
MOLYBDENUM DISULFIDE (CAS 1317-33-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) US. NIOSH: Pocket Guide to Chemical Haz Components GRAPHITE (CAS 7782-42-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS	IDLH zards Recommended Exposure Lim Type	2500 mg/m3 hits (REL) Value	
MOLYBDENUM DISULFIDE (CAS 1317-33-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) US. NIOSH: Pocket Guide to Chemical Haz Components GRAPHITE (CAS 7782-42-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS	IDLH zards Recommended Exposure Lim Type TWA	2500 mg/m3 hits (REL) Value 2.5 mg/m3	
MOLYBDENUM DISULFIDE (CAS 1317-33-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) US. NIOSH: Pocket Guide to Chemical Haz Components GRAPHITE (CAS 7782-42-5) PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) US. OARS. Workplace Environmental Exp Components	zards Recommended Exposure Lim Type TWA Ceiling	2500 mg/m3 hits (REL) Value 2.5 mg/m3 1800 mg/m3	Respirable.

Material name: PST-9941 sps us

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Smooth
Physical state Solid.

Form Solid. Semi-solid

Color Grey.

Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Vapor density

Relative density

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Shelf life 5 years

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport. **Chemical stability**Material is stable under normal conditions.

Material name: PST-9941 sps us

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition

.....

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

GRAPHITE (CAS 7782-42-5)

Acute Oral

LD50 Rat > 10000 mg/kg

MOLYBDENUM DISULFIDE (CAS 1317-33-5)

Acute Dermal

LD50 Rat 2500 mg/kg

Oral

LD50 Rat 3200 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

PETROLEUM DISTILLATES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

NAPHTHENIC (CAS 64742-52-5)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Material name: PST-9941 SDS US

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Reproductive toxicity

categories

SARA 313 (TRI reporting)

Not regulated.

Material name: PST-9941 sps us

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to QUARTZ, which is known to the State of California to cause

cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

International Inventories

Country(s) or region

Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

Existing Chemicals List (ECL) Korea No New Zealand New Zealand Inventory No No

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Chemical Substance Inventory (TCSI) Taiwan No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information, including date of preparation or last revision

June-28-2022 Issue date February-06-2025 **Revision date**

Version # 03

FUCHS Lubricants CO. cannot anticipate all conditions under which this information and its Disclaimer

> product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

This document has undergone significant changes and should be reviewed in its entirety. **Revision information**

Material name: PST-9941 SDS US

On inventory (yes/no)*

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).