SAFETY DATA SHEET



1. Identification

Product identifier RHEOLUBE 343

Other means of identification

RHEOLUBE 343 Product Code Recommended use Lubricating Grease

The Environmental Protection Agency prohibits processing and distribution of this **Recommended restrictions**

chemical/product for any use other than: (1) In hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements, (2) In lubricants and greases for aerospace and turbine uses and lubricants and, for all other lubricant and grease uses before November 21, 2039, (3) circuit boards and wire harnesses, including but not limited to terminal and fuse covers, cable sleeves, casings, connectors and tapes, (4) As an intermediate in the manufacture of cyanoacrylate glue, (5) In specialized engine air filters for locomotive and marine applications, (6) In adhesives and sealants before January 6, 2025, after which use in adhesives and sealants is prohibited, (7) In new parts for motor vehicles before November 21, 2039 and replacement parts for motor vehicles before November 19, 2054, (8) In new parts for aerospace vehicles before November 19, 2054 and replacement parts for aerospace vehicles after the end of the aerospace vehicles service lives, (9) In marine antifouling coating products that are registered under the Federal Insecticide, Fungicide, and Rodenticide Act and that meet U.S. Department of Defense specification requirements before November 19, 2029, (10) In new manufacturing equipment, new products or articles in the semiconductor industry, for new heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, new power generating equipment, new laboratory equipment, new commercial electronic equipment, and new consumer electronic equipment before November 20, 2034, (11) replacement parts for manufacturing and laboratory equipment after the end of the equipment's service life, (12) replacement parts for heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, for power generating equipment, and for commercial electronic equipment before November 19, 2049, (13) replacement parts for consumer electronic equipment before November 19, 2031, (14) in other articles before October 31, 2024, after which use in articles other than those with later phase-in prohibition dates or exclusions is prohibited. In addition, all persons are prohibited from releasing PIP (3:1) to water during manufacturing, processing, and distribution in commerce, and must follow all existing regulations and best practices to prevent the release of PIP (3:1) to water during the commercial use of PIP (3:1).

Manufacturer/Importer/Supplier/Distributor information

Company name Nye Lubricants, Inc.

A Member of the FUCHS Group

12 Howland Road **Address**

Fairhaven, MA 02719

USA

Telephone +1 508 996 6721 E-mail sds@fuchs.com

Emergency telephone

+1 866 519 4752

number Access code

334212

Website www.nyelubricants.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1 Category 2

Reproductive toxicity (fertility, the unborn

Specific target organ toxicity, repeated

child)

Category 2 (adrenal gland)

exposure

OSHA defined hazards Not classified.

Material name: RHEOLUBE 343 RHEOLUBE 343 Version #: 10 Revision date: June-10-2025 Issue date: December-03-2014

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction. Suspected of damaging the unborn child. Suspected of

damaging fertility. May cause damage to organs (adrenal gland) through prolonged or repeated

exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If exposed or

concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical

advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
PHENOL, ISOPROPYLATED, PHOSPHATE (3:1)		68937-41-7	3 - < 5
FATTY ACIDS, TALL-OIL, REACTION PRODUCTS WITH BORIC ACID (H3BO3) AND DIETHANOLAMINE		91770-03-5	1 - < 3
NAPHTHALENESULFONIC ACID, DINONYL-, BARIUM SALT		25619-56-1	1 - < 3
Other components below reportable le	evels		90 - 100

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic

effects.

Indication of immediate medical attention and special

treatment needed
General information

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Material name: RHEOLUBE 343
RHEOLUBE 343 Version #: 10 Revision date: June-10-2025 Issue date: December-03-2014

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	туре	value
NAPHTHALENESULFONIC ACID, DINONYL-, BARIUM SALT (CAS 25619-56-1)	PEL	0.5 mg/m3

US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value	
NAPHTHALENESULFONIC ACID, DINONYL-, BARIUM	TWA	0.5 mg/m3	
SALT (CAS 25619-56-1)			

NIOSH Immediately Dangerous to Life or Health (IDLH) Values, as amended

Components	Type	Value
NAPHTHALENESULFONIC ACID, DINONYL-, BARIUM SALT (CAS 25619-56-1)	IDLH	50 mg/m3
US NIOSH: Booket Guide to Chemical He	rarda Basammandad Evnasura Lim	ito (BEL)

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value

NAPHTHALENESULFONIC	TWA	0.5 mg/m3
ACID, DINONYL-, BARIUM		
SALT (CAS 25619-56-1)		

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

If contact is likely, safety glasses with side shields are recommended. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Smooth **Appearance** Solid. **Physical state**

> Solid. Semi-solid **Form**

Color Tan.

Odor Not available. **Odor threshold** Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available.

Relative density Solubility(ies)

Vapor density

Solubility (water) Not available. **Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

0.86 g/cm3 **Density Dropping point** 500 °F (260 °C) Not explosive. **Explosive properties Oxidizing properties** Not oxidizing. Shelf life 4 years

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Not available.

Material name: RHEOLUBE 343 SDS US Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition

No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity

Components Species Test Results

PHENOL, ISOPROPYLATED, PHOSPHATE (3:1) (CAS 68937-41-7)

Acute

Inhalation

LC50 Rat 50 mg/l/4h

Oral

LD50 Rat 30000 mg/kg

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child.

Specific target organ toxicity -

Specific target organ toxicity -

single exposure

repeated exposure

Due to partial or complete lack of data the classification is not possible.

May cause damage to organs (adrenal gland) through prolonged or repeated exposure.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is a collection and a superior distribution of a superior superior superior distribution of a superior superior

Persistence and degradability Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

Material name: RHEOLUBE 343
RHEOLUBE 343 Version #: 10 Revision date: June-10-2025 Issue date: December-03-2014

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of this material and its container to hazardous or special waste collection point. Incinerate

the material under controlled conditions in an approved incinerator. Dispose of contents/container

in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D005: Waste Barium

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN3077 **UN number**

Environmentally hazardous substance, solid, n.o.s. (PHENOL, ISOPROPYLATED, PHOSPHATE **UN proper shipping name**

(3:1)), MARINE POLLUTANT (TRIPHENYL PHOSPHATE, TERT-BUTYLATED PHOSPHATE

MIXTURES CONTAINING 10% TO 48% TRIPHENYL PHOSPHATES)

Transport hazard class(es)

9 Class **Subsidiary hazard** 9 Label(s) Packing group Ш **Environmental hazards**

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, A112, B54, B120, IB8, IP3, N20, T1, TP33

Packaging exceptions 155 213 Packaging non bulk Packaging bulk 240

IATA

UN number UN3077

Environmentally hazardous substance, solid, n.o.s. (PHENOL, ISOPROPYLATED, PHOSPHATE UN proper shipping name

(3:1))

Transport hazard class(es)

9 Class Subsidiary hazard Ш Packing group **Environmental hazards** Yes **ERG Code**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN3077 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PHENOL, **UN proper shipping name**

ISOPROPYLATED, PHOSPHATE (3:1)), MARINE POLLUTANT (PHENOL, ISOPROPYLATED,

PHOSPHATE (3:1), 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-)

Transport hazard class(es)

9 Class Subsidiary hazard Ш Packing group

Material name: RHEOLUBE 343 SDS US

Environmental hazards


Marine pollutant Yes F-A, S-F **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT; IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Material name: RHEOLUBE 343 SDS US

Toxic Substances Control Act (TSCA)

The Environmental Protection Agency prohibits processing and distribution of this chemical/product for any use other than: (1) In hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements, (2) In lubricants and greases for aerospace and turbine uses and lubricants and, for all other lubricant and grease uses before November 21, 2039, (3) circuit boards and wire harnesses, including but not limited to terminal and fuse covers, cable sleeves, casings, connectors and tapes, (4) As an intermediate in the manufacture of cyanoacrylate glue, (5) In specialized engine air filters for locomotive and marine applications, (6) In adhesives and sealants before January 6, 2025, after which use in adhesives and sealants is prohibited, (7) In new parts for motor vehicles before November 21, 2039 and replacement parts for motor vehicles before November 19, 2054, (8) In new parts for aerospace vehicles before November 19, 2054 and replacement parts for aerospace vehicles after the end of the aerospace vehicles service lives, (9) In marine antifouling coating products that are registered under the Federal Insecticide, Fungicide, and Rodenticide Act and that meet U.S. Department of Defense specification requirements before November 19, 2029, (10) In new manufacturing equipment, new products or articles in the semiconductor industry, for new heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, new power generating equipment, new laboratory equipment, new commercial electronic equipment, and new consumer electronic equipment before November 20. 2034, (11) replacement parts for manufacturing and laboratory equipment after the end of the equipment's service life, (12) replacement parts for heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, for power generating equipment, and for commercial electronic equipment before November 19, 2049, (13) replacement parts for consumer electronic equipment before November 19, 2031, (14) in other articles before October 31, 2024, after which use in articles other than those with later phase-in prohibition dates or exclusions is prohibited. In addition, all persons are prohibited from releasing PIP (3:1) to water during manufacturing, processing, and distribution in commerce, and must follow all existing regulations and best practices to prevent the release of PIP (3:1) to water during the commercial use of PIP (3:1).

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

PHENOL, ISOPROPYLATED, PHOSPHATE (3:1) 1.0 % Annual Export Notification required. (CAS 68937-41-7)

CERCLA Hazardous Substance List (40 CFR 302.4)

NAPHTHALENESULFONIC ACID, DINONYL-, BARIUM Listed. SALT (CAS 25619-56-1)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Respiratory or skin sensitization

categories Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Barium compounds [except BaSO4]	25619-56-1	1 - < 3	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: RHEOLUBE 343 SDS US

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California Proposition 65



WARNING: This product can expose you to DIETHANOLAMINE, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

DIETHANOLAMINE (CAS 111-42-2) Listed: June 22, 2012

International Inventories

Country(s) or region

3 ()		
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

December-03-2014 Issue date **Revision date** June-10-2025

Version # 10

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which Disclaimer

this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: RHEOLUBE 343 SDS US

On inventory (yes/no)*